

**Skarżyński, H., Lorens, A., Piotrowska, A., & Anderson, I. (2007). Preservation of low frequency hearing in partial deafness cochlear implantation (PDCI) using the round window surgical approach. Acta Oto-Laryngologica, 127(1), pp. 41-48.**  
**doi:10.1080/00016480500488917**

**Cited: 131 times**

**Cited by:**

Wiszomirska, I., Zdrodowska, A., Tacikowska, G., Sosna, M., Kaczmarczyk, K., Skarżyński, H. (2019), Does cochlear implantation influence postural stability in patients with hearing loss?. Gait and Posture, 74, pp. 40-44. DOI: 10.1016/j.gaitpost.2019.08.013

Sosna, M., Tacikowska, G., Pietrasik, K., Skarżyński, H., Lorens, A., Skarżyński, P.H. (2019), Effect on vestibular function of cochlear implantation by partial deafness treatment-electro acoustic stimulation (PDT-EAS). European Archives of Oto-Rhino-Laryngology, 276 (7), pp. 1951-1959. DOI: 10.1007/s00405-019-05425-5

Bae, S.-C., Shin, Y.-R., Chun, Y.-M. (2019), Cochlear Implant Surgery Through Round Window Approach Is Always Possible. Annals of Otology, Rhinology and Laryngology, 128 (6\_suppl), pp. 38S-44S. DOI: 10.1177/0003489419834311

Yoon, Y.-S., Shin, Y.-R., Kim, J.-M., Coltisor, A., Chun, Y.-M. (2019), Optimizing maps for electric acoustic stimulation users. Cochlear Implants International, 20 (3), pp. 106-115. DOI: 10.1080/14670100.2019.1572939

Li, C., Kuhlmeier, M., Kim, A.H. (2019), Electroacoustic Stimulation. Otolaryngologic Clinics of North America, 52 (2), pp. 311-322. DOI: 10.1016/j.otc.2018.11.008

Jang, J.H., Choo, O.-S., Kim, H., Yi Park, H., Choung, Y.-H. (2019), Round window membrane visibility related to success of hearing preservation in cochlear implantation. Acta Oto-Laryngologica. DOI: 10.1080/00016489.2019.1609701 (Article in Press)

Rader, T., Bohnert, A., Matthias, C., Koutsimpelas, D., Kainz, M.-A., Strieth, S. (2018), Hearing preservation in children with electric-acoustic stimulation after cochlear implantation: Outcome after electrode insertion with minimal insertion trauma (German version) [Hörerhalt bei Kindern mit elektrisch-akustischer Stimulation nach Cochleaimplantation: Ergebnisse nach Elektrodeninsertion mit minimalem Insertionstrauma]. HNO, 66 (9), pp. 660-667. DOI: 10.1007/s00106-018-0530-5

Helbig, S., Adel, Y., Leinung, M., Stöver, T., Baumann, U., Weissgerber, T. (2018), Hearing Preservation Outcomes after Cochlear Implantation Depending on the Angle of Insertion: Indication for Electric or Electric-Acoustic Stimulation. Otology and Neurotology, 39 (7), pp. 834-841. DOI: 10.1097/MAO.0000000000001862

Goncalves, S., Perez, E., Bas, E., Dinh, C.T., Van De Water, T.R. (2018), Trauma, inflammation, cochlear implantation induced hearing loss and otoprotective strategies to limit hair cell death and hearing loss. Inflammatory Mechanisms in Mediating Hearing Loss, pp. 165-187. DOI: 10.1007/978-3-319-92507-3\_9

Rader, T., Bohnert, A., Matthias, C., Koutsimpelas, D., Kainz, M.-A., Strieth, S. (2018), Hearing preservation in children with electric-acoustic stimulation after cochlear implantation: Outcome after electrode insertion with minimal insertion trauma. *HNO*, 66, pp. 56-62. DOI: 10.1007/s00106-018-0532-3

Imsiecke, M., Krüger, B., Büchner, A., Lenarz, T., Nogueira, W. (2018), Electric-acoustic forward masking in cochlear implant users with ipsilateral residual hearing. *Hearing Research*, 364, pp. 25-37. DOI: 10.1016/j.heares.2018.04.003

Stevens, S.M., Redmann, A., Whitaker, K., Ruotanen, A., Houston, L., Hammer, T., Samy, R.N. (2018), Preliminary outcomes report for CO<sub>2</sub> laser assisted electric-acoustic cochlear implantation. *Otology and Neurotology*, 39 (5), pp. 582-590. DOI: 10.1097/MAO.0000000000001789

Zeitler, D.M., Almosnino, G., Holm, J.R. (2018), Stability of residual hearing and cochlear implant function following multiple scuba dives: Case report. *Undersea and Hyperbaric Medicine*, 45 (3), pp. 371-376.

Usami, S.-I., Moteki, H., Tsukada, K., Miyagawa, M., Nishio, S.-Y., Takumi, Y., Iwasaki, S., Kumakawa, K., Naito, Y., Takahashi, H., Kanda, Y., Tono, T. (2018), Hearing preservation and clinical outcome of 32 consecutive electric acoustic stimulation (EAS) surgeries. *Acta Oto-Laryngologica*, 138 (3), pp. 317-328. DOI: 10.1080/00016489.2018.1438161

Pillsbury, H.C., III, Dillon, M.T., Buchman, C.A., Staecker, H., Prentiss, S.M., Ruckenstein, M.J., Bigelow, D.C., Telischi, F.F., Martinez, D.M., Runge, C.L., Friedland, D.R., Blevins, N.H., Larky, J.B., Alexiades, G., Kaylie, D.M., Roland, P.S., Miyamoto, R.T., Backous, D.D., Warren, F.M., El-Kashlan, H.K., Slager, H.K., Reyes, C., Racey, A.I., Adunka, O.F. (2018), Multicenter US Clinical Trial with an Electric-Acoustic Stimulation (EAS) System in Adults: Final Outcomes. *Otology and Neurotology*, 39 (3), pp. 299-305. DOI: 10.1097/MAO.0000000000001691

Kondo, K., Nakashima, T., Okuda, T., Tono, T. (2018), A case of electric acoustic stimulation resulting in late onset hearing deterioration. *Practica Otologica*, Supplement, 152, pp. 14-15. DOI: 10.5631/jibirinsuppl.152.14

Giardina, C.K., Khan, T.E., Pulver, S.H., Adunka, O.F., Buchman, C.A., Brown, K.D., Pillsbury, H.C., Fitzpatrick, D.C. (2018), Response changes during insertion of a cochlear implant using extracochlear electrocochleography. *Ear and Hearing*, 39 (6), pp. 1146-1156. DOI: 10.1097/AUD.0000000000000571

Mady, L.J., Sukato, D.C., Fruit, J., Palmer, C., Raz, Y., Hirsch, B.E., McCall, A.A. (2017), Hearing Preservation: Does Electrode Choice Matter?. *Otolaryngology - Head and Neck Surgery* (United States), 157 (5), pp. 837-847. DOI: 10.1177/0194599817707167

Piotrowska, A., Paradowska-Stankiewicz, I., Skarżyński, H. (2017), Rates of vaccination against streptococcus pneumoniae in cochlear implant patients. *Medical Science Monitor*, 23, pp. 4567-4573. DOI: 10.12659/MSM.903188

Sato, M., Baumhoff, P., Tillein, J., Kral, A. (2017), Physiological Mechanisms in Combined Electric-Acoustic Stimulation. *Otology and Neurotology*, 38 (8), pp. e215-e223. DOI: 10.1097/MAO.0000000000001428

Mirsalehi, M., Mohebbi, S., Ghajarzadeh, M., Lenarz, T., Majdani, O. (2017), Impact of the round window membrane accessibility on hearing preservation in adult cochlear implantation (2017) European Archives of Oto-Rhino-Laryngology, 274 (8), pp. 3049-3056. DOI: 10.1007/s00405-017-4628-2

Khater, A., El-Anwar, M.W. (2017), Methods of hearing preservation during cochlear implantation. International Archives of Otorhinolaryngology, 21 (3), pp. 297-301. DOI: 10.1055/s-0036-1585094

Moteki, H., Nishio, S.-Y., Miyagawa, M., Tsukada, K., Iwasaki, S., Usami, S.-I. (2017), Long-term results of hearing preservation cochlear implant surgery in patients with residual low frequency hearing. Acta Oto-Laryngologica, 137 (5), pp. 516-521. DOI: 10.1080/00016489.2016.1252061

Kondo, K., Nakashima, T., Tono, T., Okuda, T. (2017), A case of electric acoustic stimulation resulting in late onset hearing deterioration. Practica Oto-Rhino-Laryngologica, 110 (9), pp. 581-585. DOI: 10.5631/jibirin.110.581

Ni, Y., Dai, P., Dai, C., Li, H. (2017), Cochlear implant-related three-dimensional characteristics determined by micro-computed tomography reconstruction. Clinical Anatomy, 30 (1), pp. 39-43. DOI: 10.1002/ca.22770

Yanov, Yu.K., Kuzovkov, V.E., Lilienko, A.S., Kostevich, I.V., Sugarova, S.B., Amonov, A.Sh. (2017), Topographic anatomy of the hook region and its significance for the choice of the surgical technique for the cochlear implantation. Vestnik Otorinolaringologii, 82 (3), pp. 4-8. DOI: 10.17116/otorino20178234-8

Frodlund, J., Harder, H., Maki-Torkko, E., Ledin, T. (2016), Vestibular function after cochlear implantation: A comparison of three types of electrodes. Otology and Neurotology, 37 (10), pp. 1535-1540. DOI: 10.1097/MAO.0000000000001229

Hod, R., Attias, J., Raveh, E., Nageris, B.I. (2016), Cochlear implantation via round window or cochleostomy: Effect on hearing in an animal model. Laryngoscope, 126 (11), pp. E375-E378. DOI: 10.1002/lary.26033

Carr, J.A., Valdez, T.A., Bruns, O.T., Bawendi, M.G. (2016), Using the shortwave infrared to image middle ear pathologies. Proceedings of the National Academy of Sciences of the United States of America, 113 (36), pp. 9989-9994. DOI: 10.1073/pnas.1610529113

Rowe, D., Chambers, S., Hampson, A., Eastwood, H., O'Leary, S. (2016), The Effect of Round Window Sealants on Delayed Hearing Loss in a Guinea Pig Model of Cochlear Implantation. Otology and Neurotology, 37 (8), pp. 1024-1031. DOI: 10.1097/MAO.0000000000001132

Suhling, M.-C., Majdani, O., Salcher, R., Leifholz, M., Büchner, A., Lesinski-Schiedat, A., Lenarz, T. (2016), The Impact of Electrode Array Length on Hearing Preservation in Cochlear Implantation. Otology and Neurotology, 37 (8), pp. 1006-1015. DOI: 10.1097/MAO.0000000000001110

Mom, T., Bachy, A., Houette, A., Pavier, Y., Pastourel, R., Gabrillargues, J., Saroul, N., Gilain, L., Avan, P. (2016), Cochlear implantation through the round window with a straight slotted electrode array: optimizing the surgical procedure. European Archives of Oto-Rhino-Laryngology, 273 (4), pp. 853-858. DOI: 10.1007/s00405-015-3623-8

Skarżyński, H., Matusiak, M., Lorens, A., Furmanek, M., Piłka, A., Skarżyński, P.H. (2016), Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. Journal of Laryngology and Otology, 130 (4), pp. 332-339. DOI: 10.1017/S0022215115003436

Carland, E.M., Stoddart, P.R., Cadusch, P.J., Fallon, J.B., Wade, S.A. (2016), Effect of embedded optical fibres on the mechanical properties of cochlear electrode arrays. Medical Engineering and Physics, 38 (2), pp. 155-162. DOI: 10.1016/j.medengphy.2015.11.015

Acharya, A.N., Tavora-Vieira, D., Rajan, G.P. (2016), Using the implant electrode array to conduct real-Time intraoperative hearing monitoring during pediatric cochlear implantation: Preliminary experiences. Otology and Neurotology, 37 (2), pp. e148-e153. DOI: 10.1097/MAO.0000000000000950

Todt, I., Mittmann, P., Ernst, A. (2016), Hearing preservation with a midscalp electrode comparison of a regular and steroid/pressure optimized surgical approach in patients with residual hearing. Otology and Neurotology, 37 (9), pp. e349-e352. DOI: 10.1097/MAO.0000000000001068

Helbig, S., Adel, Y., Rader, T., Stover, T., Baumann, U. (2016), Long-term hearing preservation outcomes after cochlear implantation for electric-acoustic stimulation. Otology and Neurotology, 37 (9), pp. e353-e359. DOI: 10.1097/MAO.0000000000001066

Zanetti, D., Nassif, N., Redaelli De Zinis, L.O. (2015), Factors affecting residual hearing preservation in cochlear implantation [Fattori influenzanti la conservazione dei residui uditivi negli impianti cocleari]. Acta Otorhinolaryngologica Italica, 35 (6), pp. 433-441. DOI: 10.14639/0392-100X-619

Guimarães, A.C., Valente, J.P.P., Da Silva, V.A.R., De Carvalho, G.M. (2015), Electroacoustic stimulation and cochlear implants: A new alternative for hearing rehabilitation of partial deafness. Otorinolaringologia, 65 (4), pp. 115-121.

Hochmair, I., Hochmair, E., Nopp, P., Waller, M., Jolly, C. (2015), Deep electrode insertion and sound coding in cochlear implants. Hearing Research, 322, pp. 14-23. DOI: 10.1016/j.heares.2014.10.006

Schraven, S.P., Mlynki, R., Dalhoff, E., Wildenstein, D., Alkonyi, B., Gummer, A.W., Hagen, R. (2015), Vibro-EAS: A proposal for electroacoustic stimulation. Otology and Neurotology, 36 (1), pp. 22-27.

Anagiotos, A., Hamdan, N., Lang-Roth, R., Gostian, A.-O., Lüers, J.-C., Hüttenbrink, K.-B., Beutner, D. (2015), Young age is a positive prognostic factor for residual hearing preservation in conventional cochlear implantation. Otology and Neurotology, 36 (1), pp. 28-33.

Iwasaki, S. (2015), The existing state of surgically implanted hearing devices. *Practica Oto-Rhino-Laryngologica*, 108 (5), pp. 327-334. DOI: 10.5631/jibirin.108.327

Hwang, C.-F., Chen, Y., Lin, H.-C., Narayanan, P., Oh, S.-H., Truy, E. (2015), Cochlear Implant and Its Related Science. *BioMed Research International*, 2015, art. no. 683967. DOI: 10.1155/2015/683967

Moteki, H., Kitoh, R., Tsukada, K., Iwasaki, S., Nishio, S.-Y., Usami, S.-I. (2015), The advantages of sound localization and speech perception of bilateral electric acoustic stimulation (2015) *Acta Oto-Laryngologica*, 135 (2), pp. 147-153. DOI: 10.3109/00016489.2014.951453

Hassepass, F., Aschendorff, A., Bulla, S., Arndt, S., Maier, W., Laszig, R., Beck, R. (2015), Radiologic Results and Hearing Preservation With a Straight Narrow Electrode via Round Window Versus Cochleostomy Approach at Initial Activation. *Otology and Neurotology*, 36 (6), pp. 993-1000. DOI: 10.1097/MAO.0000000000000726

Skarżyński, H., Lorens, A., Dziendziel, B., Skarżyński, P.H. (2015), Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. *International Journal of Pediatric Otorhinolaryngology*, 79 (11), pp. 1896-1900. DOI: 10.1016/j.ijporl.2015.08.040

Erixon, E., Rask-Andersen, H. (2015), Hearing and Patient Satisfaction among 19 Patients Who Received Implants Intended for Hybrid Hearing: A Two-Year Follow-Up. *Ear and Hearing*, 36 (5), pp. e271-e278. DOI: 10.1097/AUD.0000000000000171

Helbig, S., Helbig, M., Leinung, M., Stöver, T., Baumann, U., Rader, T. (2015), Hearing preservation and improved speech perception with a flexible 28-mm electrode. *Otology and Neurotology*, 36 (1), pp. 34-42.

Causon, A., Verschuur, C., Newman, T.A. (2015), A Retrospective Analysis of the Contribution of Reported Factors in Cochlear Implantation on Hearing Preservation Outcomes. *Otology and Neurotology*, 36 (7), pp. 1137-1145. DOI: 10.1097/MAO.0000000000000753

Santa Maria, P.L., Gluth, M.B., Yuan, Y., Atlas, M.D., Blevins, N.H. (2014), Hearing preservation surgery for cochlear implantation: A meta-analysis. *Otology and Neurotology*, 35 (10), pp. e256-e269. DOI: 10.1097/MAO.0000000000000561

Skarżyński, H., Lorens, A., Matusiak, M., Porowski, M., Skarżyński, P.H., James, C.J. (2014), Cochlear implantation with the nucleus slim straight electrode in subjects with residual low-frequency hearing. *Ear and Hearing*, 35 (2), pp. e33-e43. DOI: 10.1097/aud.0000444781.15858.f1

Skarżyński, H., Matusiak, M., Furmanek, M., Skarżyński, P.H. (2014), Results of SRA Nucleus Freedom CI in population of children with functional residual hearing. *Cochlear Implants International*, 15 (SUPPL. 1), pp. S24-S26. DOI: 10.1179/1467010014Z.000000000187

Iseli, C., Adunka, O.F., Buchman, C.A. (2014), Scala tympani cochleostomy survey: A follow-up study. *Laryngoscope*, 124 (8), pp. 1928-1931. DOI: 10.1002/lary.24609

Mick, P., Amoodi, H., Shipp, D., Friesen, L., Symons, S., Lin, V., Nedzelski, J., Chen, J. (2014), Hearing preservation with full insertion of the FLEXsoft electrode. *Otology and Neurotology*, 35 (1), pp. e40-e44. DOI: 10.1097/MAO.0b013e318291c66d

Usami, S.-I., Moteki, H., Tsukada, K., Miyagawa, M., Nishio, S.-Y., Takumi, Y., Iwasaki, S., Kumakawa, K., Naito, Y., Takahashi, H., Kanda, Y., Tono, T. (2014), Hearing preservation and clinical outcome of 32 consecutive electric acoustic stimulation (EAS) surgeries. *Acta Oto-Laryngologica*, 134 (7), pp. 717-727. DOI: 10.3109/00016489.2014.894254

Jeyakumar, A., Peña, S.F., Brickman, T.M. (2014), Round window insertion of precurved electrodes is traumatic. *Otology and Neurotology*, 35 (1), pp. 52-57. DOI: 10.1097/MAO.0000000000000194

Atturo, F., Barbara, M., Rask-Andersen, H. (2014), On the anatomy of the 'hook' region of the human cochlea and how it relates to cochlear implantation. *Audiology and Neurotology*, 19 (6), pp. 378-385. DOI: 10.1159/000365585

Wimmer, W., Venail, F., Williamson, T., Akkari, M., Gerber, N., Weber, S., Caversaccio, M., Uziel, A., Bell, B. (2014), Semiautomatic cochleostomy target and insertion trajectory planning for minimally invasive cochlear implantation. *BioMed Research International*, 2014, art. no. 596498. DOI: 10.1155/2014/596498

Mahmoud, A.F., Massa, S.T., Doublerly, S.L., Montes, M.L., Ruckenstein, M.J. (2014), Safety, efficacy, and hearing preservation using an integrated electro-acoustic stimulation hearing system. *Otology and Neurotology*, 35 (8), pp. 1421-1425. DOI: 10.1097/MAO.000000000000422

Adunka, O.F., Dillon, M.T., Adunka, M.C., King, E.R., Pillsbury, H.C., Buchman, C.A. (2014), Cochleostomy versus round window insertions: Influence on functional outcomes in electric-acoustic stimulation of the auditory system. *Otology and Neurotology*, 35 (4), pp. 613-618. DOI: 10.1097/MAO.0000000000000269

Van Der Marel, K.S., Briaire, J.J., Wolterbeek, R., Snel-Bongers, J., Verbist, B.M., Frijns, J.H.M. (2014), Diversity in cochlear morphology and its influence on cochlear implant electrode position. *Ear and Hearing*, 35 (1), pp. e9-e20. DOI: 10.1097/aud.0000436256.06395.63

Yamamoto, N. (2014), Regenerative medicine in cochlear implantation. *Regenerative Medicine for the Inner Ear*, pp. 149-156. DOI: 10.1007/978-4-431-54862-1\_16

Kale, S., Cervantes, V.M., Wu, M.R., Pisano, D.V., Sheth, N., Olson, E.S. (2014), A novel perfusion-based method for cochlear implant electrode insertion. *Hearing Research*, 314, pp. 33-41. DOI: 10.1016/j.heares.2014.05.003

Seldran, F., Gallego, S., Thai-Van, H., Berger-Vachon, C. (2014), Influence of coding strategies in electric-acoustic hearing: A simulation dedicated to EAS cochlear implant, in the presence of noise. *Applied Acoustics*, 76, pp. 300-309. DOI: 10.1016/j.apacoust.2013.08.003

Irving, S., Gillespie, L., Richardson, R., Rowe, D., Fallon, J.B., Wise, A.K. (2014), Electroacoustic Stimulation: Now and into the Future. BioMed Research International, 2014, art. no. 350504. DOI: 10.1155/2014/350504

Tsukada, K., Moteki, H., Fukuoka, H., Iwasaki, S., Usami, S.-I. (2013), Effects of EAS cochlear implantation surgery on vestibular function. *Acta Oto-Laryngologica*, 133 (11), pp. 1128-1132. DOI: 10.3109/00016489.2013.824110

Gifford, R.H., Dorman, M.F., Skarżyński, H., Lorens, A., Polak, M., Driscoll, C.L.W., Roland, P., Buchman, C.A. (2013), Cochlear implantation with hearing preservation yields significant benefit for speech recognition in complex listening environments. *Ear and Hearing*, 34 (4), pp. 413-425. DOI: 10.1097/AUD.0b013e31827e8163

Salam, S.A., Tayel, S., Mehanna, A., Eid, M., Farouk, W. (2013), Comparison of scalar location and insertion depth of cochlear implant electrode implanted through the round window versus cochleostomy approach. *Journal of International Advanced Otology*, 9 (1), pp. 30-37.

Havenith, S., Lammers, M.J.W., Tange, R.A., Trabalzini, F., Della Volpe, A., Van Der Heijden, G.J.M.G., Grolman, W. (2013), Hearing preservation surgery: Cochleostomy or round window approach? A systematic review. *Otology and Neurotology*, 34 (4), pp. 667-674. DOI: 10.1097/MAO.0b013e318288643e

Coulson, C.J., Zoka Assadi, M., Taylor, R.P., Du, X., Brett, P.N., Reid, A.P., Proops, D.W. (2013), A smart micro-drill for cochleostomy formation: A comparison of cochlear disturbances with manual drilling and a human trial. *Cochlear Implants International*, 14 (2), pp. 98-106. DOI: 10.1179/1754762811Y.0000000018

Skarżyński, H., Van De Heyning, P., Agrawal, S., Arauz, S.L., Atlas, M., Baumgartner, W., Caversaccio, M., De Bodt, M., Gavilan, J., Godey, B., Green, K., Gstoettner, W., Hagen, R., Han, D., Kameswaran, M., Karlton, E., Kompis, M., Kuzovkov, V., Lassaletta, L., Levevre, F., Li, Y., Manikoth, M., Martin, J., Mlynski, R., Mueller, J., O'Driscoll, M., Parnes, L., Prentiss, S., Pulibalathingal, S., Raine, C.H., Rajan, G., Rajeswaran, R., Rivas, J.A., Rivas, A., Skarżyński, P.H., Sprinzl, G., Staeker, H., Stephan, K., Usami, S., Yanov, Y., Zernotti, M.E., Zimmermann, K., Lorens, A., Mertens, G. (2013), Towards a consensus on a hearing preservation classification system. *Acta Oto-Laryngologica*, 133 (S564), pp. 3-13. DOI: 10.3109/00016489.2013.869059

King, E.B., Hartsock, J.J., O'Leary, S.J., Salt, A.N. (2013), Influence of cochleostomy and cochlear implant insertion on drug gradients following intratympanic application in guinea pigs (2013) *Audiology and Neurotology*, 18 (5), pp. 307-316. DOI: 10.1159/000353534

Kumagami, H., Terakado, M., Takahashi, H. (2013), Distribution of glucocorticoid receptors and 11 $\beta$ -hydroxysteroid dehydrogenase isoforms in the human inner ear. *Otology and Neurotology*, 34 (1), pp. 151-157. DOI: 10.1097/MAO.0b013e31826a55ad

Incerti, P.V., Ching, T.Y.C., Cowan, R. (2013), A systematic review of electric-acoustic stimulation: Device fitting ranges, outcomes, and clinical fitting practices. *Trends in Amplification*, 17 (1), pp. 3-26. DOI: 10.1177/1084713813480857

Bas, E., Dinh, C.T., Garnham, C., Polak, M., Van de Water, T.R. (2012), Conservation of hearing and protection of hair cells in cochlear implant patients' with residual hearing. *Anatomical Record*, 295 (11), pp. 1909-1927. DOI: 10.1002/ar.22574

Erixon, E., Köbler, S., Rask-Andersen, H. (2012), Cochlear implantation and hearing preservation: Results in 21 consecutively operated patients using the round window approach. *Acta Oto-Laryngologica*, 132 (9), pp. 923-931. DOI: 10.3109/00016489.2012.680198

Kuthubutheen, J., Hedne, C.N., Krishnaswamy, J., Rajan, G.P. (2012), A case series of paediatric hearing preservation cochlear implantation: A new treatment modality for children with drug-induced or congenital partial deafness. *Audiology and Neurotology*, 17 (5), pp. 321-330. DOI: 10.1159/000339350

Ha, J.F., Wood, B., Krishnaswamy, J., Rajan, G.P. (2012), Incomplete cochlear partition type II variants as an indicator of congenital partial deafness: A first report. *Otology and Neurotology*, 33 (6), pp. 957-962. DOI: 10.1097/MAO.0b013e31825d982d

Helbig, S., Mack, M., Schell, B., Bratzke, H., Stöver, T., Helbig, M. (2012), Scalar localization by computed tomography of cochlear implant electrode carriers designed for deep insertion. *Otology and Neurotology*, 33 (5), pp. 745-750. DOI: 10.1097/MAO.0b013e318259520c

Lorens, A., Zgoda, M., Skarżyński, H. (2012), A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. *Acta Oto-Laryngologica*, 132 (7), pp. 739-750. DOI: 10.3109/00016489.2012.654852

Green, K. (2012), Hearing preservation via the cochleostomy approach. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 20-22.

Usami, S.-I. (2012), Our experience with EAS (Electric Acoustic Stimulation) in Japan - atraumatic surgery, hearing preservation, outcome, and genetic background of the patients. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 3-12.

Tsukada, K. (2012), Post-operative hearing effects of mastoid cortex-plasty in EAS patients. *Otolaryngology - Head and Neck Surgery (Tokyo)*, 84 (2), pp. 91-95.

Skarżyński, H., Lorens, A., Matusiak, M., Porowski, M., Skarżyński, P.H., James, C.J. (2012), Partial deafness treatment with the nucleus straight research array cochlear implant. *Audiology and Neurotology*, 17 (2), pp. 82-91. DOI: 10.1159/000329366

Mowry, S.E., Woodson, E., Gantz, B.J. (2012), New frontiers in cochlear implantation: Acoustic plus electric hearing, hearing preservation, and more. *Otolaryngologic Clinics of North America*, 45 (1), pp. 187-203. DOI: 10.1016/j.otc.2011.09.001

Rajan, G.P., Kuthubutheen, J., Hedne, N., Krishnaswamy, J. (2012), The role of preoperative, intratympanic glucocorticoids for hearing preservation in cochlear implantation: A prospective clinical study. *Laryngoscope*, 122 (1), pp. 190-195. DOI: 10.1002/lary.22142

Gstoettner, W.K., Van De Heyning, P., Fitzgerald O'Connor, A., Kiefer, J., Morera, C., Sainz, M., Vermeire, K., McDonald, S., Cavallé, L., García Valdecasas, J., Adunka, O.F., Baumann, U., Kleine-Punten, A., Brockmeier, H., Anderson, I., Helbig, S. (2011), Assessment of the

subjective benefit of electric acoustic stimulation with the abbreviated profile of hearing aid benefit. ORL, 73 (6), pp. 321-329. DOI: 10.1159/000331917

Guan, T., Gong, Q., Li, Z. (2011), Effects of electrode insertion depth on mandarin speech understanding using combined electric and acoustic stimulation. Proceedings - 2011 International Conference on Multimedia and Signal Processing, CMSP 2011, 2, art. no. 5957517, pp. 298-302. DOI: 10.1109/C MSP.2011.148

Helbig, S., Baumann, U., Hey, C., Helbig, M. (2011), Hearing preservation after complete cochlear coverage in cochlear implantation with the free-fitting FLEXSOFT electrode carrier. Otology and Neurotology, 32 (6), pp. 973-979. DOI: 10.1097/MAO.0b013e31822558c4

Skarżyński, H., Lorens, A., Zgoda, M., Piotrowska, A., Skarżyński, P.H., Szkiełkowska, A. (2011), Atraumatic round window deep insertion of cochlear electrodes. Acta Oto-Laryngologica, 131 (7), pp. 740-749. DOI: 10.3109/00016489.2011.557780

Boyd, P.J. (2011), Potential benefits from deeply inserted cochlear implant electrodes. Ear and Hearing, 32 (4), pp. 411-427. DOI: 10.1097/AUD.0b013e3182064bda

Helbig, S., Van De Heyning, P., Kiefer, J., Baumann, U., Kleine-Punte, A., Brockmeier, H., Anderson, I., Gstoettner, W. (2011), Combined electric acoustic stimulation with the PULSARCI 100 implant system using the FLEX EAS electrode array. Acta Oto-Laryngologica, 131 (6), pp. 585-595. DOI: 10.3109/00016489.2010.544327

Electric acoustic stimulation. (2011), Otolaryngology - Head and Neck Surgery (Tokyo), 83 (6), pp. 393-401.

Von Ilberg, C.A., Baumann, U., Kiefer, J., Tillein, J., Adunka, O.F. (2011), Electric-acoustic stimulation of the auditory system: A review of the first decade. Audiology and Neurotology, 16 (SUPPL. 2), pp. 1-30. DOI: 10.1159/000327765

Usami, S.-I., Moteki, H., Suzuki, N., Fukuoka, H., Miyagawa, M., Nishio, S.-Y., Takumi, Y., Iwasaki, S., Jolly, C. (2011), Achievement of hearing preservation in the presence of an electrode covering the residual hearing region. Acta Oto-Laryngologica, 131 (4), pp. 405-412. DOI: 10.3109/00016489.2010.539266

Helbig, S., Settevendemie, C., MacK, M., Baumann, U., Helbig, M., Stöver, T. (2011), Evaluation of an electrode prototype for atraumatic cochlear implantation in hearing preservation candidates: Preliminary results from a temporal bone study. Otology and Neurotology, 32 (3), pp. 419-423. DOI: 10.1097/MAO.0b013e31820e75d9

Derinsu, U., Serin, G.M., Akdaş, F., Batman, Ç. (2011), Cochlear implantation: Is hearing preservation necessary in severe to profound hearing loss?. Journal of Craniofacial Surgery, 22 (2), pp. 520-522. DOI: 10.1097/SCS.0b013e31820855ac

Basura, G.J., Adunka, O.F., Buchman, C.A. (2010), Scala tympani cochleostomy for cochlear implantation. Operative Techniques in Otolaryngology - Head and Neck Surgery, 21 (4), pp. 218-222. DOI: 10.1016/j.otot.2010.08.001

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. Case Reports and Clinical Practice Review, 16 (11), pp. CR555-CR562.

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. Medical Science Monitor, 16 (11), pp. 555-562.

Brown, R.F., Hullar, T.E., Cadieux, J.H., Chole, R.A. (2010), Residual hearing preservation after pediatric cochlear implantation. Otology and Neurotology, 31 (8), pp. 1221-1226. DOI: 10.1097/MAO.0b013e3181f0c649

Van De Heyning, P., Punte, A.K. (2010), Electric acoustic stimulation: A new era in prosthetic hearing rehabilitation. Advances in Oto-Rhino-Laryngology, 67, pp. 1-5. DOI: 10.1159/000262591

O'Connor, E.F., O'Connor, A.F. (2010), Hearing preservation surgery: Current opinions. Advances in Oto-Rhino-Laryngology, 67, pp. 108-115. DOI: 10.1159/000262602

Arnoldner, C., Helbig, S., Wagenblast, J., Baumgartner, W.-D., Hamzavi, J.-S., Riss, D., Gstoettner, W. (2010), Electric acoustic stimulation in patients with postlingual severe high-frequency hearing loss: Clinical experience. Advances in Oto-Rhino-Laryngology, 67, pp. 116-124. DOI: 10.1159/000262603

Helbig, S., Baumann, U. (2010), Acceptance and fitting of the DUET device - A combined speech processor for electric acoustic stimulation. Advances in Oto-Rhino-Laryngology, 67, pp. 81-87. DOI: 10.1159/000262599

Punte, A.K., Vermeire, K., Van De Heyning, P. (2010), Bilateral electric acoustic stimulation: A comparison of partial and deep cochlear electrode insertion: A longitudinal case study. Advances in Oto-Rhino-Laryngology, 67, pp. 144-152. DOI: 10.1159/000262606

Nopp, P., Polak, M. (2010), From electric acoustic stimulation to improved sound coding in cochlear implants. Advances in Oto-Rhino-Laryngology, 67, pp. 88-95. DOI: 10.1159/000262600

Skarżyński, H., Lorens, A. (2010), Electric acoustic stimulation in children. Advances in Oto-Rhino-Laryngology, 67, pp. 135-143. DOI: 10.1159/000262605

Skarżyński, H., Podskarbi-Fayette, R. (2010), A new cochlear implant electrode design for preservation of residual hearing: A temporal bone study. Acta Oto-Laryngologica, 130 (4), pp. 435-442. DOI: 10.3109/00016480903283733

Tono, T. (2010), Bilateral cochlear implantation and combined electro-acoustic stimulation: Current concepts. Otolaryngology - Head and Neck Surgery (Tokyo), 82 (4), pp. 267-274.

Podskarbi-Fayette, R., Piłka, A., Skarżyński, H. (2010), Electric stimulation complements functional residual hearing in partial deafness. Acta Oto-Laryngologica, 130 (8), pp. 888-896. DOI: 10.3109/00016480903567189

Lee, A., Jiang, D., McLaren, S., Nunn, T., Demler, J.M., Tysome, J.R., Connor, S., Fitzgerald O'Connor, A. (2010), Electric acoustic stimulation of the auditory system: Experience and results of ten patients using MED-EL's M and FlexEAS electrodes. *Clinical Otolaryngology*, 35 (3), pp. 190-197. DOI: 10.1111/j.1749-4486.2010.02140.x

Meshik, X., Holden, T.A., Chole, R.A., Hullar, T.E. (2010), Optimal cochlear implant insertion vectors. *Otology and Neurotology*, 31 (1), pp. 58-63. DOI: 10.1097/MAO.0b013e3181b76bb8

Van De Heyning, P., Punte, A.K. (2009), Electric acoustic stimulation: A new era in prosthetic hearing rehabilitation. *Cochlear Implants and Hearing Preservation*, 67, pp. 1-5. DOI: 10.1159/000262591

O'Connor, E.F., O'Connor, A.F. (2009), Hearing preservation surgery: Current opinions. *Cochlear Implants and Hearing Preservation*, 67, pp. 108-115. DOI: 10.1159/000262602

Arnoldner, C., Helbig, S., Wagenblast, J., Baumgartner, W.-D., Hamzavi, J.-S., Riss, D., Gstoettner, W. (2009), Electric acoustic stimulation in patients with postlingual severe high-frequency hearing loss: Clinical experience. *Cochlear Implants and Hearing Preservation*, 67, pp. 116-124. DOI: 10.1159/000262603

Helbig, S., Baumann, U. (2009), Acceptance and fitting of the DUET device - a combined speech processor for electric acoustic stimulation. *Cochlear Implants and Hearing Preservation*, 67, pp. 81-87. DOI: 10.1159/000262599

Punte, A.K., Vermeire, K., Van De Heyning, P. (2009), Bilateral electric acoustic stimulation: A comparison of partial and deep cochlear electrode insertion: A longitudinal case study. *Cochlear Implants and Hearing Preservation*, 67, pp. 144-152. DOI: 10.1159/000262606

Nopp, P., Polak, M. (2009), From electric acoustic stimulation to improved sound coding in cochlear implants. *Cochlear Implants and Hearing Preservation*, 67, pp. 88-95. DOI: 10.1159/000262600

Skarżyński, H., Lorens, A. (2009), Electric acoustic stimulation in children. *Cochlear Implants and Hearing Preservation*, 67, pp. 135-143. DOI: 10.1159/000262605

Gstoettner, W., Helbig, S., Settevendemie, C., Baumann, U., Wagenblast, J., Arnoldner, C. (2009), A new electrode for residual hearing preservation in cochlear implantation: First clinical results. *Acta Oto-Laryngologica*, 129 (4), pp. 372-379. DOI: 10.1080/00016480802552568

Skarżyński, H., Lorens, A., Piotrowska, A., Podskarbi-Fayette, R. (2009), Results of partial deafness cochlear implantation using various electrode designs. *Audiology and Neurotology*, 14 (SUPPL. 1), pp. 39-45. DOI: 10.1159/000206494

Friedland, D.R., Runge-Samuelson, C. (2009), Soft Cochlear Implantation: Rationale for the Surgical Approach. *Trends in Amplification*, 13 (2), pp. 124-138. DOI: 10.1177/1084713809336422

Talbot, K.N., Hartley, D.E.H. (2008), Combined electro-acoustic stimulation: A beneficial union?. *Clinical Otolaryngology*, 33 (6), pp. 536-545. DOI: 10.1111/j.1749-4486.2008.01822.x

Wilson, B.S., Dorman, M.F. (2008), Cochlear implants: Current designs and future possibilities (2008) Journal of Rehabilitation Research and Development, 45 (5), pp. 695-730. DOI: 10.1682/JRRD.2007.10.0173

Gifford, R.H., Dorman, M.F., Spahr, A.J., Bacon, S.P., Skarzyński, H., Lorens, A. (2008), Hearing preservation surgery: Psychophysical estimates of cochlear damage in recipients of a short electrode array. Journal of the Acoustical Society of America, 124 (4), pp. 2164-2173. DOI: 10.1121/1.2967842

Gstoettner, W.K., Van De Heyning, P., Fitzgerald O'Connor, A., Morera, C., Sainz, M., Vermeire, K., McDonald, S., Cavallé, L., Helbig, S., García Valdecasas, J., Anderson, I., Adunka, O.F. (2008), Electric acoustic stimulation of the auditory system: Results of a multi-centre investigation. Acta Oto-Laryngologica, 128 (9), pp. 968-975. DOI: 10.1080/00016480701805471

Lorens, A., Polak, M., Piotrowska, A., Skarzyński, H. (2008), Outcomes of treatment of partial deafness with cochlear implantation: A DUET study. Laryngoscope, 118 (2), pp. 288-294. DOI: 10.1097/MLG.0b013e3181598887

Wilson, B.S., Dorman, M.F. (2008), Interfacing sensors with the nervous system: Lessons from the development and success of the cochlear implant. IEEE Sensors Journal, 8 (1), pp. 131-147. DOI: 10.1109/JSEN.2007.912917

Skarzyński, H., Lorens, A., Piotrowska, A., Anderson, I. (2007), Partial deafness cochlear implantation in children. International Journal of Pediatric Otorhinolaryngology, 71 (9), pp. 1407-1413. DOI: 10.1016/j.ijporl.2007.05.014