

Lazard, D.S., Vincent, C., Venail, F., van de Heyning, P., Truy, E., Sterkers, O., Skarżyński, P.H., Skarżyński, H., Schauwers, K., O'Leary, S., Mawman, D., Maat, B., Kleine-Punte, A., Huber, A.M., Green, K., Govaerts, P.J., Fraysse, B., Dowell, R., Dillier, N., Burke, E., Beynon, A., Bergeron, F., Başkent, D., Artières, F., Blamey, P.J. (2012), *Pre-Per- and Postoperative Factors Affecting Performance of Postlinguistically Deaf Adults Using Cochlear Implants: A New Conceptual Model over Time*. PLoS ONE, 7 (11), art. no. e48739. DOI: 10.1371/journal.pone.0048739.

Cited: 130 times

Cited by:

Han, J.J., Suh, M.-W., Park, M.K., Koo, J.-W., Lee, J.H., Oh, S.H. (2019), A Predictive Model for Cochlear Implant Outcome in Children with Cochlear Nerve Deficiency. Scientific Reports, 9 (1), art. no. 1154. DOI: 10.1038/s41598-018-37014-7

Tanaka Massuda, E., Demarcy, T., Hoen, M., Danieli, F., Arantes do Amaral, M.S., Gnansia, D., Hyppolito, M.A. (2019), Method to quantitatively assess electrode migration from medical images: Feasibility and application in patients with straight cochlear implant arrays. Cochlear Implants International, 20 (5), pp. 237-241. DOI: 10.1080/14670100.2019.1618525

Den Brandt, A.H.-V., Mertens, G., Gilles, A., Fransen, E., Lassaletta, L., Gavilan, J., Calvino, M., Yanov, Y., Kuzovkov, V., Kliachko, D., Zernotti, M., Di Gregorio, D.M.F., Rompaey, V.V., De Heyning, P.V., Sugarova, S. (2019), Auditory performances in older and younger adult cochlear implant recipients: Use of the hearing registry. Otology and Neurotology, 40 (8), pp. E787-E795. DOI: 10.1097/MAO.0000000000002333

Jahn, K.N., Arenberg, J.G. (2019), Evaluating Psychophysical Polarity Sensitivity as an Indirect Estimate of Neural Status in Cochlear Implant Listeners. JARO - Journal of the Association for Research in Otolaryngology, 20 (4), pp. 415-430. DOI: 10.1007/s10162-019-00718-2

Jahn, K.N., Arenberg, J.G. (2019), Polarity Sensitivity in Pediatric and Adult Cochlear Implant Listeners. Trends in Hearing, 23. DOI: 10.1177/2331216519862987

Jang, J.H., Mun, H.A., Choo, O.-S., Park, H.Y., Choung, Y.-H. (2019), The speech perception after cochlear implantation: The hearing gain difference according to the implant systems is important?. Auris Nasus Larynx, 46 (3), pp. 330-334. DOI: 10.1016/j.anl.2018.09.006

McRackan, T.R., Hand, B.N., Velozo, C.A., Dubno, J.R. (2019), Association of Demographic and Hearing-Related Factors with Cochlear Implant-Related Quality of Life. JAMA Otolaryngology - Head and Neck Surgery, 145 (5), pp. 422-430. DOI: 10.1001/jamaoto.2019.0055

Huinck, W.J., Mylanus, E.A.M., Snik, A.F.M. (2019), Expanding unilateral cochlear implantation criteria for adults with bilateral acquired severe sensorineural hearing loss. European Archives of Oto-Rhino-Laryngology, 276 (5), pp. 1313-1320. DOI: 10.1007/s00405-019-05358-z

Hey, M., Wesarg, T., Mewes, A., Helbig, S., Hornung, J., Lenarz, T., Briggs, R., Marx, M., Ramos, A., Stöver, T., Escudé, B., James, C.J., Aschendorff, A. (2019), Objective, audiological and quality of life measures with the CI532 slim modiolar electrode. *Cochlear Implants International*, 20 (2), pp. 80-90. DOI: 10.1080/14670100.2018.1544684

Hoppe, U., Hocke, T., Hast, A., Iro, H. (2019), Maximum monosyllabic score as a predictor for cochlear implant outcome [Das maximale Einsilbverstehen als Prädiktor für das Sprachverstehen mit Cochleaimplantat]. *HNO*, 67 (3), pp. 199-206. DOI: 10.1007/s00106-018-0605-3

Chung, Y., Buechel, B.D., Sunwoo, W., Wagner, J.D., Delgutte, B. (2019), Neural ITD Sensitivity and Temporal Coding with Cochlear Implants in an Animal Model of Early-Onset Deafness. *JARO - Journal of the Association for Research in Otolaryngology*, 20 (1), pp. 37-56. DOI: 10.1007/s10162-018-00708-w

Mekki, S., Quriba, A., Gad, N. (2019), Value of auditory perception of alphabet letters test (Arabic standardized version) in evaluation of Arabic speaking CI children. *Hearing, Balance and Communication*. DOI: 10.1080/21695717.2019.1630977

Hoppe, U., Hocke, T., Hast, A., Iro, H. (2019), Maximum preimplantation monosyllabic score as predictor of cochlear implant outcome [Das maximale Einsilbverstehen als Prädiktor für das Sprachverstehen mit Cochleaimplantat]. *HNO*. DOI: 10.1007/s00106-019-0648-0

Erb, J., Ludwig, A.A., Kunke, D., Fuchs, M., Obleser, J. (2019), Temporal Sensitivity Measured Shortly after Cochlear Implantation Predicts 6-Month Speech Recognition Outcome. *Ear and Hearing*, 40 (1), pp. 27-33. DOI: 10.1097/AUD.0000000000000588

De Jong, M.A.M., Briare, J.J., Frijns, J.H.M. (2019), Dynamic Current Focusing: A Novel Approach to Loudness Coding in Cochlear Implants. *Ear and Hearing*, 40 (1), pp. 34-44. DOI: 10.1097/AUD.0000000000000593

Anderson, C.A., Wiggins, I.M., Kitterick, P.T., Hartley, D.E.H. (2019), Pre-operative Brain Imaging Using Functional Near-Infrared Spectroscopy Helps Predict Cochlear Implant Outcome in Deaf Adults. *JARO - Journal of the Association for Research in Otolaryngology*. DOI: 10.1007/s10162-019-00729-z

Hillyer, J., Elkins, E., Hazlewood, C., Watson, S.D., Arenberg, J.G., Parbery-Clark, A. (2019), Assessing cognitive abilities in high-performing cochlear implant users. *Frontiers in Neuroscience*, 13 (JAN), art. no. 1056. DOI: 10.3389/fnins.2018.01056

Nourski, K.V., Steinschneider, M., Rhone, A.E., Kovach, C.K., Kawasaki, H., Howard, M.A., III (2019), Differential responses to spectrally degraded speech within human auditory cortex: An intracranial electrophysiology study. *Hearing Research*, 371, pp. 53-65. DOI: 10.1016/j.heares.2018.11.009

Sarant, J., Harris, D., Busby, P., Maruff, P., Schembri, A., Dowell, R., Briggs, R. (2019), The effect of cochlear implants on cognitive function in older adults: Initial baseline and 18-month follow up results for a prospective international longitudinal study. *Frontiers in Genetics*, 10 (JUL), art. no. 789. DOI: 10.3389/fnins.2019.00789

Kral, A., Dorman, M.F., Wilson, B.S. (2019), Neuronal Development of Hearing and Language: Cochlear Implants and Critical Periods. *Annual Review of Neuroscience*, 42, pp. 47-65. DOI: 10.1146/annurev-neuro-080317-061513

Kim, H., Kang, W.S., Park, H.J., Lee, J.Y., Park, J.W., Kim, Y., Seo, J.W., Kwak, M.Y., Kang, B.C., Yang, C.J., Duffy, B.A., Cho, Y.S., Lee, S.-Y., Suh, M.W., Moon, I.J., Ahn, J.H., Cho, Y.-S., Oh, S.H., Chung, J.W. (2018), Cochlear Implantation in Postlingually Deaf Adults is Time-sensitive Towards Positive Outcome: Prediction using Advanced Machine Learning Techniques. *Scientific Reports*, 8 (1), art. no. 18004. DOI: 10.1038/s41598-018-36404-1

Torres, R., Jia, H., Drouillard, M., Bensimon, J.-L., Sterkers, O., Ferrary, E., Nguyen, Y. (2018), An Optimized Robot-Based Technique for Cochlear Implantation to Reduce Array Insertion Trauma. *Otolaryngology - Head and Neck Surgery (United States)*, 159 (5), pp. 900-907. DOI: 10.1177/0194599818792232

Prévost, F., Lehmann, A. (2018), Saliency of Vowel Features in Neural Responses of Cochlear Implant Users. *Clinical EEG and Neuroscience*, 49 (6), pp. 388-397. DOI: 10.1177/1550059418770051

McKay, C.M., Rickard, N., Henshall, K. (2018), Intensity Discrimination and Speech Recognition of Cochlear Implant Users. *JARO - Journal of the Association for Research in Otolaryngology*, 19 (5), pp. 589-600. DOI: 10.1007/s10162-018-0675-7

Verhaert, N., Borgers, C., De Voecht, K., Boon, E., Desloovere, C. (2018), A Role for Acoustic Stimulation in Advanced Otosclerosis: Direct Acoustic Cochlear Implant versus Cochlear Implant. *Audiology and Neurotology*, 23 (2), pp. 89-97. DOI: 10.1159/000491990

Mamach, M., Kessler, M., Bankstahl, J.P., Wilke, F., Geworski, L., Bengel, F.M., Kurt, S., Berding, G. (2018), Visualization of the auditory pathway in rats with 18 F-FDG PET activation studies based on different auditory stimuli and reference conditions including cochlea ablation. *PLoS ONE*, 13 (10), art. no. e0205044. DOI: 10.1371/journal.pone.0205044

Amaral, M.S.A.D., Damico, T.A., Gonçalves, A.S., Reis, A.C.M.B., Isaac, M.D.L., Massuda, E.T., Hyppolito, M.A. (2018), Is there a best side for cochlear implants in post-lingual patients? [Existe um lado melhor para implantes cocleares em pacientes pós-linguais?]. *Brazilian Journal of Otorhinolaryngology*, 84 (5), pp. 560-565. DOI: 10.1016/j.bjorl.2017.06.012

Kobosko, J., Jędrzejczak, W., Gos, E., Geremek-Samsonowicz, A., Ludwikowski, M., Skarżyński, H. (2018), Self-esteem in the deaf who have become cochlear implant users as adults. *PLoS ONE*, 13 (9), art. no. e0203680. DOI: 10.1371/journal.pone.0203680

Dietz, A., Iso-Mustajärvi, M., Sipari, S., Tervaniemi, J., Gazibegovic, D. (2018), Evaluation of a new slim lateral wall electrode for cochlear implantation: an imaging study in human temporal bones. *European Archives of Oto-Rhino-Laryngology*, 275 (7), pp. 1723-1729. DOI: 10.1007/s00405-018-5004-6

Kasemsiri, P., Thanawirattananit, P., Yimtae, K., Kiatthanabumrung, S., Isipradit, P., Atcharyasathian, V., Mukkun, T., Wacharasindhu, C., Tanamai, N., Kaewsiri, S., Nivatvong, S., Thongyai, K., Sirirattanapan, J., Piromchai, P., Chayaopas, N., Hanprasertpong, C., Yavapolkul, D., Suvarnsit, K., Lertsukprasert, K., Potaporn, M., Charusripan, P., Chowsilpa,

S., Patarapak, S., Prakairungthong, S., Limviriyakul, S., Srirompotong, S., Chongvisal, S., Jaruchinda, S., Atipas, S., Aujcharachoenying, T., Khaimook, W., Cheewaruangroj, W. (2018), The outcomes of cochlear implantation in Thailand: Audiologic performance and quality of life. *Journal of the Medical Association of Thailand*, 101 (5), pp. S203-S210.

Jürgens, T., Hohmann, V., Büchner, A., Nogueira, W. (2018), The effects of electrical field spatial spread and some cognitive factors on speech-in-noise performance of individual cochlear implant users—A computer model study. *PLoS ONE*, 13 (4), art. no. e0193842. DOI: 10.1371/journal.pone.0193842

Resnick, J.M., O'Brien, G.E., Rubinstein, J.T. (2018), Simulated auditory nerve axon demyelination alters sensitivity and response timing to extracellular stimulation. *Hearing Research*, 361, pp. 121-137. DOI: 10.1016/j.heares.2018.01.014

Moberly, A.C., Castellanos, I., Vasil, K.J., Adunka, O.F., Pisoni, D.B. (2018), "product" Versus "process" Measures in Assessing Speech Recognition Outcomes in Adults with Cochlear Implants. *Otology and Neurotology*, 39 (3), pp. e195-e202. DOI: 10.1097/MAO.0000000000001694

Hay-McCutcheon, M.J., Peterson, N.R., Pisoni, D.B., Kirk, K.I., Yang, X., Parton, J. (2018), Performance variability on perceptual discrimination tasks in profoundly deaf adults with cochlear implants. *Journal of Communication Disorders*, 72, pp. 122-135. DOI: 10.1016/j.jcomdis.2018.01.005

Giardina, C.K., Krause, E.S., Koka, K., Fitzpatrick, D.C. (2018), Impedance measures during in vitro cochlear implantation predict array positioning. *IEEE Transactions on Biomedical Engineering*, 65 (2), art. no. 8078256, pp. 327-335. DOI: 10.1109/TBME.2017.2764881

Torres, R., Drouillard, M., De Seta, D., Bensimon, J.-L., Ferrary, E., Sterkers, O., Bernardeschi, D., Nguyen, Y. (2018), Cochlear Implant Insertion Axis into the Basal Turn: A Critical Factor in Electrode Array Translocation. *Otology and Neurotology*, 39 (2), pp. 168-176. DOI: 10.1097/MAO.0000000000001648

McJunkin, J.L., Durakovic, N., Herzog, J., Buchman, C.A. (2018), Early Outcomes with a Slim, Modiolar Cochlear Implant Electrode Array. *Otology and Neurotology*, 39 (1), pp. e28-e33. DOI: 10.1097/MAO.0000000000001652

Mitchell-Innes, A., Saeed, S.R., Irving, R. (2018), The future of cochlear implant design. *Advances in Oto-Rhino-Laryngology*, 81, pp. 105-113. DOI: 10.1159/000485540

Fabie, J.E., Keller, R.G., Hatch, J.L., Holcomb, M.A., Camposeo, E.L., Lambert, P.R., Meyer, T.A., McRackan, T.R. (2018), Evaluation of outcome variability associated with lateral wall mid-scalar, and perimodiolar electrode arrays when controlling for preoperative patient characteristics. *Otology and Neurotology*, 39 (9), pp. 1122-1128. DOI: 10.1097/MAO.0000000000001951

McKay, C.M. (2018), Brain plasticity and rehabilitation with a cochlear implant. *Advances in Oto-Rhino-Laryngology*, 81, pp. 57-65. DOI: 10.1159/000485586

Pisoni, D.B., Broadstock, A., Wucinich, T., Safdar, N., Miller, K., Hernandez, L.R., Vasil, K., Boyce, L., Davies, A., Harris, M.S., Castellanos, I., Xu, H., Kronenberger, W.G., Moberly, A.C. (2018), Verbal learning and memory after cochlear implantation in postlingually deaf adults: Some new findings with the CVLT-II. *Ear and Hearing*, 39 (4), pp. 720-745. DOI: 10.1097/AUD.0000000000000530

Kaandorp, M.W., Smits, C., Merkus, P., Festen, J.M., Goverts, S.T. (2017), Lexical-Access Ability and Cognitive Predictors of Speech Recognition in Noise in Adult Cochlear Implant Users. *Trends in Hearing*, 21. DOI: 10.1177/2331216517743887

Ruff, S., Bocklet, T., Nöth, E., Müller, J., Hoster, E., Schuster, M. (2017), Speech Production Quality of Cochlear Implant Users with Respect to Duration and Onset of Hearing Loss. *ORL*, 79 (5), pp. 282-294. DOI: 10.1159/000479819

Fontenot, T.E., Giardina, C.K., Fitzpatrick, D.C. (2017), A model-based approach for separating the cochlear microphonic from the auditory nerve neurophonic in the ongoing response using electrocochleography. *Frontiers in Neuroscience*, 11 (OCT), art. no. 592. DOI: 10.3389/fnins.2017.00592

Medina, M.D.M., Polo, R., Gutierrez, A., Muriel, A., Vaca, M., Perez, C., Cordero, A., Cobeta, I. (2017), Cochlear Implantation in Postlingual Adult Patients with Long-Term Auditory Deprivation. *Otology and Neurotology*, 38 (8), pp. e248-e252. DOI: 10.1097/MAO.0000000000001257

Riggs, W.J., Roche, J.P., Giardina, C.K., Harris, M.S., Bastian, Z.J., Fontenot, T.E., Buchman, C.A., Brown, K.D., Adunka, O.F., Fitzpatrick, D.C. (2017), Intraoperative electrocochleographic characteristics of auditory neuropathy spectrum disorder in cochlear implant subjects. *Frontiers in Neuroscience*, 11 (JUL), art. no. 416. DOI: 10.3389/fnins.2017.00416

Le, T.N., Straatman, L.V., Lea, J., Westerberg, B. (2017), Current insights in noise-induced hearing loss: a literature review of the underlying mechanism, pathophysiology, asymmetry, and management options. *Journal of Otolaryngology - Head and Neck Surgery*, 46 (1), art. no. 41. DOI: 10.1186/s40463-017-0219-x

Purdy, S.C., Welch, D., Giles, E., Morgan, C.L.A., Tenhagen, R., Kuruvilla-Mathew, A. (2017), Impact of cognition and noise reduction on speech perception in adults with unilateral cochlear implants. *Cochlear Implants International*, 18 (3), pp. 162-170. DOI: 10.1080/14670100.2017.1299393

Shearer, A.E., Eppsteiner, R.W., Frees, K., Tejani, V., Sloan-Heggen, C.M., Brown, C., Abbas, P., Dunn, C., Hansen, M.R., Gantz, B.J., Smith, R.J.H. (2017), Genetic variants in the peripheral auditory system significantly affect adult cochlear implant performance. *Hearing Research*, 348, pp. 138-142. DOI: 10.1016/j.heares.2017.02.008

Büchner, A., Illg, A., Majdani, O., Lenarz, T. (2017), Investigation of the effect of cochlear implant electrode length on speech comprehension in quiet and noise compared with the results with users of electro-acoustic-stimulation, a retrospective analysis. *PLoS ONE*, 12 (5), art. no. 0174900. DOI: 10.1371/journal.pone.0174900

Kim, J.-R., Tejani, V.D., Abbas, P.J., Brown, C.J. (2017), Intracochlear recordings of acoustically and electrically evoked potentials in nucleus hybrid L24 cochlear implant users and their relationship to speech perception. *Frontiers in Neuroscience*, 11 (APR), art. no. 216. DOI: 10.3389/fnins.2017.00216

Hoshino, A.C.H., Echegoyen, A., Goffi-Gomez, M.V.S., Tsuji, R.K., Bento, R.F. (2017), Outcomes of late implantation in usher syndrome patients. *International Archives of Otorhinolaryngology*, 21 (2), pp. 140-143. DOI: 10.1055/s-0036-1583306

Lazard, D.S., Giraud, A.-L. (2017), Faster phonological processing and right occipito-temporal coupling in deaf adults signal poor cochlear implant outcome. *Nature Communications*, 8, art. no. 14872. DOI: 10.1038/ncomms14872

Sandmann, P. (2017), Cortical Plasticity after Loss of Hearing and Cochlear Implantation [Kortikale Plastizität nach Hörverlust und Cochlea-Implantation]. *Klinische Neurophysiologie*, 48 (1), pp. 23-33. DOI: 10.1055/s-0035-1559625

Luke, R., De Vos, A., Wouters, J. (2017), Source analysis of auditory steady-state responses in acoustic and electric hearing. *NeuroImage*, 147, pp. 568-576. DOI: 10.1016/j.neuroimage.2016.11.023

Torresen, J., Iversen, A.H., Greisiger, R. (2017), Data from past patients used to streamline adjustment of levels for cochlear implant for new patients. 2016 IEEE Symposium Series on Computational Intelligence, SSCI 2016, art. no. 7850063. DOI: 10.1109/SSCI.2016.7850063

Cullington, H.E., Bele, D., Brinton, J.C., Cooper, S., Daft, M., Harding, J., Hatton, N., Humphries, J., Lutman, M.E., Maddocks, J., Maggs, J., Millward, K., O'Donoghue, G., Patel, S., Rajput, K., Salmon, V., Sear, T., Speers, A., Wheeler, A., Wilson, K. (2017), United Kingdom national paediatric bilateral project: Results of professional rating scales and parent questionnaires. *Cochlear Implants International*, 18 (1), pp. 23-35. DOI: 10.1080/14670100.2016.1265189

Lawler, M., Yu, J., Aronoff, J.M. (2017), Comparison of the spectral-temporally modulated ripple test with the Arizona biomedical institute sentence test in cochlear implant users. *Ear and Hearing*, 38 (6), pp. 760-766. DOI: 10.1097/AUD.0000000000000496

Carlson, M.L., Leng, S., Diehn, F.E., Witte, R.J., Krecke, K.N., Grimes, J., Koeller, K.K., Bruesewitz, M.R., McCollough, C.H., Lane, J.I. (2017), Cochlear implant electrode localization using an ultra-high resolution scan mode on conventional 64-slice and new generation 192-slice multi-detector computed tomography. *Otology and Neurotology*, 38 (7), pp. 978-984. DOI: 10.1097/MAO.0000000000001463

Stropahl, M., Chen, L.-C., Debener, S. (2017), Cortical reorganization in postlingually deaf cochlear implant users: Intra-modal and cross-modal considerations. *Hearing Research*, 343, pp. 128-137. DOI: 10.1016/j.heares.2016.07.005

Anderson, C.A., Lazard, D.S., Hartley, D.E.H. (2017), Plasticity in bilateral superior temporal cortex: Effects of deafness and cochlear implantation on auditory and visual speech processing. *Hearing Research*, 343, pp. 138-149. DOI: 10.1016/j.heares.2016.07.013

Ghiselli, S., Nedic, S., Montino, S., Astolfi, L., Bovo, R. (2016), Cochlear implantation in post-lingually deafened adults and elderly patients: Analysis of audiometric and speech perception outcomes during the first year of use [L'impianto cocleare nei soggetti ipoacusici postverbali adulti e anziani: Analisi dei risultati audiometrici e logopedici nel primo anno di utilizzo]. *Acta Otorhinolaryngologica Italica*, 36 (6), pp. 513-519. DOI: 10.14639/0392-100X-1222

Taljaard, D.S., Olaithe, M., Brennan-Jones, C.G., Eikelboom, R.H., Bucks, R.S. (2016), The relationship between hearing impairment and cognitive function: a meta-analysis in adults. *Clinical Otolaryngology*, 41 (6), pp. 718-729. DOI: 10.1111/coa.12607

Charfeddine, S., Chahed, H., Besbes, G., Dziri, S. (2016), Severe or profound bilateral hearing loss in adults: Etiologies and therapeutic indications [Surdités sévères à profondes bilatérales de l'adulte: étiologies et indications thérapeutiques]. *Journal de Readaptation Médicale*, 36 (4), pp. 173-184. DOI: 10.1016/j.jrm.2016.09.001

Scott, W.C., Giardina, C.K., Pappa, A.K., Fontenot, T.E., Anderson, M.L., Dillon, M.T., Brown, K.D., Pillsbury, H.C., Adunka, O.F., Buchman, C.A., Fitzpatrick, D.C. (2016), The compound action potential in subjects receiving a cochlear implant. *Otology and Neurotology*, 37 (10), pp. 1654-1661. DOI: 10.1097/MAO.0000000000001224

Holden, L.K., Firszt, J.B., Reeder, R.M., Uchanski, R.M., Dwyer, N.Y., Holden, T.A. (2016), Factors affecting outcomes in cochlear implant recipients implanted with a perimodiolar electrode array located in scala tympani. *Otology and Neurotology*, 37 (10), pp. 1662-1668. DOI: 10.1097/MAO.0000000000001241

Moberly, A.C., Bates, C., Harris, M.S., Pisoni, D.B. (2016), The enigma of poor performance by adults with cochlear implants. *Otology and Neurotology*, 37 (10), pp. 1522-1528. DOI: 10.1097/MAO.0000000000001211

Schafer, E.C., Grisel, J.J., de Jong, A., Ravelo, K., Lam, A., Burke, M., Griffin, T., Winter, M., Schrader, D. (2016), Creating a framework for data sharing in cochlear implant research. *Cochlear Implants International*, 17 (6), pp. 283-292. DOI: 10.1080/14670100.2016.1253246

O'Gara, S.J., Cullington, H.E., Grasmeyer, M.L., Adamou, M., Matthews, E.S. (2016), Factors Affecting Speech Perception Improvement Post Implantation in Congenitally Deaf Adults. *Ear and Hearing*, 37 (6), pp. 671-679. DOI: 10.1097/AUD.0000000000000331

Winn, M.B., Won, J.H., Moon, I.J. (2016), Assessment of Spectral and Temporal Resolution in Cochlear Implant Users Using Psychoacoustic Discrimination and Speech Cue Categorization. *Ear and Hearing*, 37 (6), pp. e377-e390. DOI: 10.1097/AUD.0000000000000328

Kraaijenga, V.J.C., Smit, A.L., Stegeman, I., Smilde, J.J.M., van Zanten, G.A., Grolman, W. (2016), Factors that influence outcomes in cochlear implantation in adults, based on patient-related characteristics – a retrospective study. *Clinical Otolaryngology*, 41 (5), pp. 585-592. DOI: 10.1111/coa.12571

Shepherd, R.K., Seligman, P.M., Shivdasani, M.N. (2016), Auditory and Visual Neural Prostheses. *Neurobionics: The Biomedical Engineering of Neural Prostheses*, pp. 187-212. DOI: 10.1002/9781118816028.ch7

Kang, D.H., Lee, M., Lee, K.-Y., Lee, S.H., Jang, J.H. (2016), Prediction of cochlear implant outcomes in patients with prelingual deafness. *Clinical and Experimental Otorhinolaryngology*, 9 (3), pp. 220-225. DOI: 10.21053/ceo.2015.01487

Bozorg-Grayeli, A., Guevara, N., Bebear, J.-P., Ardoint, M., Saaï, S., Hoen, M., Gnansia, D., Romanet, P., Lavieille, J.-P. (2016), Clinical evaluation of the xDP output compression strategy for cochlear implants. *European Archives of Oto-Rhino-Laryngology*, 273 (9), pp. 2363-2371. DOI: 10.1007/s00405-015-3796-1

Hiel, A.-L., Gerard, J.-M., Decat, M., Deggouj, N. (2016), Is age a limiting factor for adaptation to cochlear implant?. *European Archives of Oto-Rhino-Laryngology*, 273 (9), pp. 2495-2502. DOI: 10.1007/s00405-015-3849-5

Canale, A., Dalmasso, G., Dagna, F., Lacilla, M., Montuschi, C., Rosa, R.D., Albera, R. (2016), Monaural or binaural sound deprivation in postlingual hearing loss: Cochlear implant in the worse ear. *Laryngoscope*, 126 (8), pp. 1905-1910. DOI: 10.1002/lary.25774

Bouccara, D., Blanchet, E., Waterlot, P.-E., Smadja, M., Frachet, B., Meyer, B., Sterkers, O. (2016), Benefit of contralateral hearing aid in adult cochlear implant bearers [Étude du bénéfice apporté par l'appareillage audioprothétique controlatéral chez les adultes implantés cochléaires]. *Annales Francaises d'Oto-Rhino-Laryngologie et de Pathologie Cervico-Faciale*, 133 (3), pp. 142-147. DOI: 10.1016/j.aforl.2014.08.006

Bouccara, D., Blanchet, E., Waterlot, P.E., Smadja, M., Frachet, B., Meyer, B., Sterkers, O. (2016), Benefit of contralateral hearing aid in adult cochlear implant bearers. *European Annals of Otorhinolaryngology, Head and Neck Diseases*, 133 (3), pp. 161-165. DOI: 10.1016/j.anorl.2015.11.002

Aguiar, D.E., Taylor, N.E., Li, J., Gazanfari, D.K., Talavage, T.M., Laflen, J.B., Neuberger, H., Svirsky, M.A. (2016), Information theoretic evaluation of a noiseband-based cochlear implant simulator. *Hearing Research*, 333, pp. 185-193. DOI: 10.1016/j.heares.2015.09.008

Plant, K., McDermott, H., Van Hoesel, R., Dawson, P., Cowan, R. (2016), Factors Predicting Postoperative Unilateral and Bilateral Speech Recognition in Adult Cochlear Implant Recipients with Acoustic Hearing. *Ear and Hearing*, 37 (2), pp. 153-163. DOI: 10.1097/AUD.0000000000000233

Han, J.J., Shin, M.-S., Song, J.-J., Pai, I., Oh, S., Kim, B., Park, J.H., Lee, J.H., Oh, S.-H. (2016), Prognostic value of psychological state in cochlear implantation. *Acta Oto-Laryngologica*, 136 (2), pp. 154-158. DOI: 10.3109/00016489.2015.1103899

Barlow, N., Purdy, S.C., Sharma, M., Giles, E., Narne, V. (2016), The Effect of Short-Term Auditory Training on Speech in Noise Perception and Cortical Auditory Evoked Potentials in Adults with Cochlear Implants. *Seminars in Hearing*, 37 (1), pp. 84-98. DOI: 10.1055/s-0035-1570335

Winn, M. (2016), Rapid Release from Listening Effort Resulting from Semantic Context, and Effects of Spectral Degradation and Cochlear Implants. *Trends in Hearing*, 20. DOI: 10.1177/2331216516669723

Govaerts, P.J. (2016), Expert opinion: Time to ban formal CI selection criteria?. *Cochlear Implants International*, 17, pp. 74-77. DOI: 10.1080/14670100.2016.1157309

Beyea, J.A., McMullen, K.P., Harris, M.S., Houston, D.M., Martin, J.M., Bolster, V.A., Adunka, O.F., Moberly, A.C. (2016), Cochlear implants in adults: Effects of age and duration of deafness on speech recognition. *Otology and Neurotology*, 37 (9), pp. 1238-1245. DOI: 10.1097/MAO.0000000000001162

Boisvert, I., McMahon, C.M., Dowell, R.C. (2016), A practical guide to cochlear implantation in adults with long durations of monaural sound deprivation. *International Journal of Audiology*, 55, pp. S19-S23. DOI: 10.3109/14992027.2016.1166399

Moberly, A.C., Lowenstein, J.H., Nittrouer, S. (2016), Word recognition variability with cochlear implants: "perceptual attention" versus "auditory sensitivity". *Ear and Hearing*, 37 (1), pp. 14-26. DOI: 10.1097/AUD.0000000000000204

Chen, L.-C., Sandmann, P., Thorne, J.D., Bleichner, M.G., Debener, S. (2016), Cross-modal functional reorganization of visual and auditory cortex in adult cochlear implant users identified with fNIRS. *Neural Plasticity*, 2016, art. no. 4382656. DOI: 10.1155/2016/4382656

Boisvert, I., McMahon, C.M., Dowell, R.C. (2016), Speech recognition outcomes following bilateral cochlear implantation in adults aged over 50 years old. *International Journal of Audiology*, 55, pp. S39-S44. DOI: 10.3109/14992027.2016.1152403

Lassaletta, L., Calvino, M., Sánchez-Cuadrado, I., Pérez-Mora, R.M., Gavilán, J. (2015), Which ear should we choose for cochlear implantation in the elderly: The poorer or the better? Audiometric outcomes, quality of sound, and quality-of-life results. *Acta Oto-Laryngologica*, 135 (12), pp. 1268-1276. DOI: 10.3109/00016489.2015.1077391

Stropahl, M., Plotz, K., Schönfeld, R., Lenarz, T., Sandmann, P., Yovel, G., De Vos, M., Debener, S. (2015), Cross-modal reorganization in cochlear implant users: Auditory cortex contributes to visual face processing. *NeuroImage*, 121, pp. 159-170. DOI: 10.1016/j.neuroimage.2015.07.062

Schierholz, I., Finke, M., Schulte, S., Hauthal, N., Kantzke, C., Rach, S., Büchner, A., Dengler, R., Sandmann, P. (2015), Enhanced audio-visual interactions in the auditory cortex of elderly cochlear-implant users. *Hearing Research*, 328, pp. 133-147. DOI: 10.1016/j.heares.2015.08.009

Boisvert, I., McMahon, C.M., Dowell, R.C., Lyxell, B. (2015), Long-term asymmetric hearing affects cochlear implantation outcomes differently in adults with pre- and postlingual hearing loss. *PLoS ONE*, 10 (6), art. no. e0129167. DOI: 10.1371/journal.pone.0129167

Luke, R., Van Deun, L., Hofmann, M., Van Wieringen, A., Wouters, J. (2015), Assessing temporal modulation sensitivity using electrically evoked auditory steady state responses. *Hearing Research*, 324, pp. 37-45. DOI: 10.1016/j.heares.2015.02.006

Venail, F., Mathiolon, C., Menjot De Champfleury, S., Piron, J.P., Sicard, M., Villemus, F., Vessigaud, M.A., Sterkers-Artieres, F., Mondain, M., Uziel, A. (2015), Effects of electrode

array length on frequency-place mismatch and speech perception with cochlear implants. *Audiology and Neurotology*, 20 (2), pp. 102-111. DOI: 10.1159/000369333

Strelnikov, K., Marx, M., Lagleyre, S., Fraysse, B., Deguine, O., Barone, P. (2015), PET-imaging of brain plasticity after cochlear implantation. *Hearing Research*, 322, pp. 180-187. DOI: 10.1016/j.heares.2014.10.001

Shepherd, R.K., Seligman, P.M., Fallon, J.B. (2015), Neuroprostheses for restoring hearing loss. *Implantable Neuroprostheses for Restoring Function*, pp. 98-125. DOI: 10.1016/B978-1-78242-101-6.00005-7

Patki, A., Tucci, D.L. (2015), Choice of ear for cochlear implantation: Implant the better- or worse-hearing ear?. *Laryngoscope*, 125 (1), pp. 5-6. DOI: 10.1002/lary.24736

Lawler, C.A., Wiggins, I.M., Dewey, R.S., Hartley, D.E.H. (2015), The use of functional Near-Infrared spectroscopy for measuring cortical reorganisation in cochlear implant users: A possible predictor of variable speech outcomes?. *Cochlear Implants International*, 16 (S1), pp. S30-S32. DOI: 10.1179/1467010014Z.000000000230

Buechner, A., Vaerenberg, B., Gazibegovic, D., Brendel, M., De Ceulaer, G., Govaerts, P., Lenarz, T. (2015), Evaluation of the 'Fitting to outcomes eXpert' (FOX®) with established cochlear implant users. *Cochlear Implants International*, 16 (1), pp. 39-46. DOI: 10.1179/1754762814Y.00000000085

McCreery, R.W., Kaminski, J., Beauchaine, K., Lenzen, N., Simms, K., Gorga, M.P. (2015), The Impact of Degree of Hearing Loss on Auditory Brainstem Response Predictions of Behavioral Thresholds. *Ear and Hearing*, 36 (3), pp. 309-319. DOI: 10.1097/AUD.0000000000000120

Gama, N.M., Lehmann, A. (2015), Commentary: "Compensatory plasticity: Time matters". *Frontiers in Neuroscience*, 9 (OCT), art. no. 348. DOI: 10.3389/fnins.2015.00348

Park, M., Song, J.-J., Oh, S.J., Shin, M.-S., Lee, J.H., Oh, S.H. (2015), The Relation between Nonverbal IQ and Postoperative CI Outcomes in Cochlear Implant Users: Preliminary Result. *BioMed Research International*, 2015, art. no. 313274. DOI: 10.1155/2015/313274

van de Velde, D.J., Dritsakis, G., Frijns, J.H.M., van Heuven, V.J., Schiller, N.O. (2015), The effect of spectral smearing on the identification of pure F0 intonation contours in vocoder simulations of cochlear implants. *Cochlear Implants International*, 16 (2), pp. 77-87. DOI: 10.1179/1754762814Y.00000000086

Venail, F., Mura, T., Akkari, M., Mathiolon, C., De Champfleury, S.M., Piron, J.P., Sicard, M., Sterkers-Artieres, F., Mondain, M., Uziel, A. (2015), Modeling of Auditory Neuron Response Thresholds with Cochlear Implants. *BioMed Research International*, 2015, art. no. 394687. DOI: 10.1155/2015/394687

De Ruyter, A.M., Debruyne, J.A., Chenault, M.N., Francart, T., Brokx, J.P.L. (2015), Amplitude Modulation Detection and Speech Recognition in Late-Implanted Prelingually and Postlingually Deafened Cochlear Implant Users. *Ear and Hearing*, 36 (5), pp. 557-566. DOI: 10.1097/AUD.0000000000000162

Formeister, E.J., McClellan, J.H., Merwin, W.H., Iseli, C.E., Calloway, N.H., Teagle, H.F.B., Buchman, C.A., Adunka, O.F., Fitzpatrick, D.C. (2015), Intraoperative round window electrocochleography and speech perception outcomes in pediatric cochlear implant recipients. *Ear and Hearing*, 36 (2), pp. 249-260. DOI: 10.1097/AUD.000000000000106

Lehmann, A., Paquette, S. (2015), Cross-domain processing of musical and vocal emotions in cochlear implant users. *Frontiers in Neuroscience*, 9 (SEP), art. no. 343. DOI: 10.3389/fnins.2015.00343

Blamey, P.J., Maat, B., Başkent, D., Mawman, D., Burke, E., Dillier, N., Beynon, A., Kleine-Punte, A., Govaerts, P.J., Skarżyński, P.H., Huber, A.M., Sterkers-Artières, F., Van De Heyning, P., O'Leary, S., Fraysse, B., Green, K., Sterkers, O., Venail, F., Skarżyński, H., Vincent, C., Truy, E., Dowell, R., Bergeron, F., Lazard, D.S. (2015), A retrospective multicenter study comparing speech perception outcomes for bilateral implantation and bimodal rehabilitation. *Ear and Hearing*, 36 (4), pp. 408-416. DOI: 10.1097/AUD.0000000000000150

Kral, A., Hubka, P., Tillein, J. (2015), Strengthening of hearing ear representation reduces binaural sensitivity in early single-sided deafness. *Audiology and Neurotology*, 20, pp. 7-12. DOI: 10.1159/000380742

Sandmann, P., Plotz, K., Hauthal, N., de Vos, M., Schönfeld, R., Debener, S. (2015), Rapid bilateral improvement in auditory cortex activity in postlingually deafened adults following cochlear implantation. *Clinical Neurophysiology*, 126 (3), pp. 594-607. DOI: 10.1016/j.clinph.2014.06.029

Gordon, K., Henkin, Y., Kral, A. (2015), Asymmetric hearing during development: The aural preference syndrome and treatment options. *Pediatrics*, 136 (1), pp. 141-153. DOI: 10.1542/peds.2014-3520

Pearlman, P.C., Van Deurzen, M.H.W., Pluim, J.P.W., Grolman, W. (2014), Coregistration of preoperative computed tomography and intraoperative three-dimensional rotational X-ray images for cochlear implant surgical evaluation. *Otology and Neurotology*, 35 (10), pp. 1759-1764. DOI: 10.1097/MAO.0000000000000520

Sanderson, G., Ariyaratne, T.V., Wyss, J., Looi, V. (2014), A global patient outcomes registry: Cochlear paediatric implanted recipient observational study (Cochlear™ P-IROS). *BMC Ear, Nose and Throat Disorders*, 14 (1), art. no. 10. DOI: 10.1186/1472-6815-14-10

Pecci, A., Verver, E.J., Schlegel, N., Canzi, P., Boccio, C.M., Platokouki, H., Krause, E., Benazzo, M., Topsakal, V., Greinacher, A. (2014), Cochlear implantation is safe and effective in patients with MYH9-related disease. *Orphanet Journal of Rare Diseases*, 9 (1), art. no. 100. DOI: 10.1186/1750-1172-9-100

Mosnier, I., Bebear, J.-P., Marx, M., Fraysse, B., Truy, E., Lina-Granade, G., Mondain, M., Sterkers-Artières, F., Bordure, P., Robier, A., Godey, B., Meyer, B., Frachet, B., Poncet, C., Bouccara, D., Sterkers, O. (2014), Predictive factors of cochlear implant outcomes in the elderly. *Audiology and Neurotology*, 19, pp. 15-20. DOI: 10.1159/000371599

Campbell, J., Sharma, A. (2014), Cross-modal re-organization in adults with early stage hearing loss. *PLoS ONE*, 9 (2), art. no. e90594. DOI: 10.1371/journal.pone.0090594

Gnansia, D., Lazard, D.S., Léger, A.C., Fugain, C., Lancelin, D., Meyer, B., Lorenzi, C. (2014), Role of slow temporal modulations in speech identification for cochlear implant users. *International Journal of Audiology*, 53 (1), pp. 48-54. DOI: 10.3109/14992027.2013.844367

von Wallenberg, E., Briggs, R. (2014), Cochlear's unique electrode portfolio now and in the future. *Cochlear Implants International*, 15 (SUPPL. 1), pp. S59-S61. DOI: 10.1179/1467010014Z.000000000185

McClellan, J.H., Formeister, E.J., Merwin, W.H., III, Dillon, M.T., Calloway, N., Iseli, C., Buchman, C.A., Fitzpatrick, D.C., Adunka, O.F. (2014), Round window electrocochleography and speech perception outcomes in adult cochlear implant subjects: Comparison with audiometric and biographical information. *Otology and Neurotology*, 35 (9), pp. e245-e252. DOI: 10.1097/MAO.0000000000000557

Fitzpatrick, D.C., Campbell, A.T., Choudhury, B., Dillon, M.P., Forgues, M., Buchman, C.A., Adunka, O.F. (2014), Round window electrocochleography just before cochlear implantation: Relationship to word recognition outcomes in adults. *Otology and Neurotology*, 35 (1), pp. 64-71. DOI: 10.1097/MAO.0000000000000219

Thakkar, T., Goupell, M.J. (2014), Internalized elevation perception of simple stimuli in cochlear-implant and normal-hearing listeners. *Journal of the Acoustical Society of America*, 136 (2), pp. 841-852. DOI: 10.1121/1.4884770

Reeder, R.M., Firszt, J.B., Holden, L.K., Strube, M.J. (2014), A longitudinal study in adults with sequential bilateral cochlear implants: Time course for individual ear and bilateral performance. *Journal of Speech, Language, and Hearing Research*, 57 (3), pp. 1108-1126. DOI: 10.1044/2014_JSLHR-H-13-0087

Fuller, C.D., Galvin III, J.J., Maat, B., Free, R.H., Başkent, D. (2014), The musician effect: Does it persist under degraded pitch conditions of cochlear implant simulations?. *Frontiers in Neuroscience*, (8 JUN), art. no. 179. DOI: 10.3389/fnins.2014.00179

Sarant, J., Harris, D., Bennet, L., Bant, S. (2014), Bilateral versus unilateral cochlear implants in children: A study of spoken language outcomes. *Ear and Hearing*, 35 (4), pp. 396-409. DOI: 10.1097/AUD.0000000000000022

Lazard, D.S., Innes-Brown, H., Barone, P. (2014), Adaptation of the communicative brain to post-lingual deafness. Evidence from functional imaging. *Hearing Research*, 307, pp. 136-143. DOI: 10.1016/j.heares.2013.08.006

Willaredt, M.A., Ebberts, L., Nothwang, H.G. (2014), Central auditory function of deafness genes. *Hearing Research*, 312, pp. 9-20. DOI: 10.1016/j.heares.2014.02.004

Shepherd, R.K., Shivdasani, M.N., Nayagam, D.A.X., Williams, C.E., Blamey, P.J. (2013), Visual prostheses for the blind. *Trends in Biotechnology*, 31 (10), pp. 562-571. DOI: 10.1016/j.tibtech.2013.07.001

Fuller, C., Mallinckrodt, L., Maat, B., Bařkent, D., Free, R. (2013), Music and quality of life in early-deafened late-implanted adult cochlear implant users. *Otology and Neurotology*, 34 (6), pp. 1041-1047. DOI: 10.1097/MAO.0b013e31828f47dd

Strelnikov, K., Rouger, J., Demonet, J.-F., Lagleyre, S., Fraysse, B., Deguine, O., Barone, P. (2013), Visual activity predicts auditory recovery from deafness after adult cochlear implantation. *Brain*, 136 (12), pp. 3682-3695. DOI: 10.1093/brain/awt274