

**Lorens, A., Polak, M., Piotrowska, A., & Skarżyński, H. (2008). *Outcomes of treatment of partial deafness with cochlear implantation: A DUET study*. *Laryngoscope*, 118(2), 288-294. doi:10.1097/MLG.0b013e3181598887**

**Cited: 61 times**

**Cited by:**

Weissgerber, T., Stöver, T., Baumann, U. (2019), Speech perception in noise: Impact of directional microphones in users of combined electric-acoustic stimulation. *PLoS ONE*, 14 (3), art. no. e0213251. DOI: 10.1371/journal.pone.0213251

Incerti, P.V., Ching, T.Y.C., Cowan, R. (2019), The effect of cross-over frequency on binaural hearing performance of adults using electric-acoustic stimulation. *Cochlear Implants International*. DOI: 10.1080/14670100.2019.1590499 (Article in Press)

Pillsbury, H.C., III, Dillon, M.T., Buchman, C.A., Staecker, H., Prentiss, S.M., Ruckenstein, M.J., Bigelow, D.C., Telischi, F.F., Martinez, D.M., Runge, C.L., Friedland, D.R., Blevins, N.H., Larky, J.B., Alexiades, G., Kaylie, D.M., Roland, P.S., Miyamoto, R.T., Backous, D.D., Warren, F.M., El-Kashlan, H.K., Slager, H.K., Reyes, C., Racey, A.I., Adunka, O.F. (2018), Multicenter US Clinical Trial with an Electric-Acoustic Stimulation (EAS) System in Adults: Final Outcomes. *Otology and Neurotology*, 39 (3), pp. 299-305. DOI: 10.1097/MAO.0000000000001691

Hotton, M., Bergeron, F. (2018), A systematic review of the effectiveness of hearing technologies on speech perception outcomes for people with a severe-to-profound high-frequency hearing loss [Revue systématique sur l'efficacité des technologies de suppléance auditive pour améliorer la perception de la parole chez les personnes présentant une perte auditive sévère à profonde dans les hautes fréquences]. *Canadian Journal of Speech-Language Pathology and Audiology*, 42 (2), pp. 95-115.

Lechowicz, U., Pollak, A., Frączak, A., Rydzanicz, M., Stawiński, P., Lorens, A., Skarżyński, P.H., Skarżyński, H., Płoski, R., Ołdak, M. (2018), Application of next-generation sequencing to identify mitochondrial mutations: Study on m.7511T>C in patients with hearing loss. *Molecular Medicine Reports*, 17 (1), pp. 1782-1790. DOI: 10.3892/mmr.2017.8064

Bruce, I.A., Todt, I. (2018), Hearing preservation cochlear implant surgery. *Advances in Oto-Rhino-Laryngology*, 81, pp. 66-73. DOI: 10.1159/000485544

Schuurbiers, J., Dingemans, G., Metselaar, M. (2017), Decline of low-frequency hearing in people with ski-slope hearing loss: Implications for electrode array insertion. *Otology and Neurotology*, 38 (10), pp. 1421-1425. DOI: 10.1097/MAO.0000000000001573

Büchner, A., Illg, A., Majdani, O., Lenarz, T. (2017), Investigation of the effect of cochlear implant electrode length on speech comprehension in quiet and noise compared with the results with users of electro-acoustic-stimulation, a retrospective analysis. *PLoS ONE*, 12 (5), art. no. 0174900. DOI: 10.1371/journal.pone.0174900

Shepherd, R.K., Seligman, P.M., Shivdasani, M.N. (2016), Auditory and Visual Neural Prostheses. *Neurobionics: The Biomedical Engineering of Neural Prostheses*, pp. 187-212. DOI: 10.1002/9781118816028.ch7

Gratacap, M., Thierry, B., Rouillon, I., Marlin, S., Garabedian, N., Loundon, N. (2015), Pediatric cochlear implantation in residual hearing candidates. *Annals of Otolaryngology, Rhinology and Laryngology*, 124 (6), pp. 443-451. DOI: 10.1177/0003489414566121

Shepherd, R.K., Seligman, P.M., Fallon, J.B. (2015), Neuroprostheses for restoring hearing loss. *Implantable Neuroprostheses for Restoring Function*, pp. 98-125. DOI: 10.1016/B978-1-78242-101-6.00005-7

Moteki, H., Kitoh, R., Tsukada, K., Iwasaki, S., Nishio, S.-Y., Usami, S.-I. (2015), The advantages of sound localization and speech perception of bilateral electric acoustic stimulation. *Acta Oto-Laryngologica*, 135 (2), pp. 147-153. DOI: 10.3109/00016489.2014.951453

Skarżyński, H., Lorens, A., Dziendziel, B., Skarżyński, P.H. (2015), Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. *International Journal of Pediatric Otorhinolaryngology*, 79 (11), pp. 1896-1900. DOI: 10.1016/j.ijporl.2015.08.040

Mulder, A., Lin, E., Sinex, D.G. (2015), The effects of spectral smearing and elevated thresholds on speech-in-noise recognition in simulated electric-acoustic hearing. *Speech, Language and Hearing*, 18 (4), pp. 196-203. DOI: 10.1179/2050572815Y.0000000006

Erixon, E., Rask-Andersen, H. (2015), Hearing and Patient Satisfaction among 19 Patients Who Received Implants Intended for Hybrid Hearing: A Two-Year Follow-Up. *Ear and Hearing*, 36 (5), pp. e271-e278. DOI: 10.1097/AUD.0000000000000171

Helbig, S., Helbig, M., Leinung, M., Stöver, T., Baumann, U., Rader, T. (2015), Hearing preservation and improved speech perception with a flexible 28-mm electrode. *Otology and Neurotology*, 36 (1), pp. 34-42.

Kobosko, J., Jędrzejczak, W.W., Piłka, E., Pankowska, A., Skarżyński, H. (2015), Satisfaction with Cochlear Implants in Postlingually Deaf Adults and Its Nonaudiological Predictors: Psychological Distress, Coping Strategies, and Self-Esteem. *Ear and Hearing*, 36 (5), pp. 605-618. DOI: 10.1097/AUD.0000000000000179

Lorens, A., Zgoda, M., Polak, M., Skarżyński, H. (2014), FS4 for partial deafness treatment. *Cochlear Implants International*, 15 (SUPPL. 1), pp. S78-S80. DOI: 10.1179/1467010014Z.000000000166

Lammers, M.J.W., Lenarz, T., Van Zanten, G.A., Grolman, W., Buechner, A. (2014), Sound localization abilities of unilateral hybrid cochlear implant users with bilateral low-frequency hearing. *Otology and Neurotology*, 35 (8), pp. 1433-1439. DOI: 10.1097/MAO.0000000000000433

Mick, P., Amoodi, H., Shipp, D., Friesen, L., Symons, S., Lin, V., Nedzelski, J., Chen, J. (2014), Hearing preservation with full insertion of the FLEXsoft electrode. *Otology and Neurotology*, 35 (1), pp. e40-e44. DOI: 10.1097/MAO.0b013e318291c66d

Amann, E., Anderson, I. (2014), Development and validation of a questionnaire for hearing implant users to self-assess their auditory abilities in everyday communication situations: The Hearing Implant Sound Quality Index (HISQUI19). *Acta Oto-Laryngologica*, 134 (9), pp. 915-923. DOI: 10.3109/00016489.2014.909604

Dillon, M.T., Buss, E., Pillsbury, H.C., Adunka, O.F., Buchman, C.A., Adunka, M.C. (2014), Effects of hearing aid settings for electric-acoustic stimulation. *Journal of the American Academy of Audiology*, 25 (2), pp. 133-140. DOI: 10.3766/jaaa.25.2.2

Mistry, N., Nolan, L.S., Saeed, S.R., Forge, A., Taylor, R.R. (2014), Cochlear implantation in the mouse via the round window: Effects of array insertion. *Hearing Research*, 312, pp. 81-90. DOI: 10.1016/j.heares.2014.03.005

Russell, J.L., Pine, H.S., Young, D.L. (2013), Pediatric Cochlear Implantation. Expanding Applications and Outcomes. *Pediatric Clinics of North America*, 60 (4), pp. 841-863. DOI: 10.1016/j.pcl.2013.04.008

Gifford, R.H., Dorman, M.F., Skarżyński, H., Lorens, A., Polak, M., Driscoll, C.L.W., Roland, P., Buchman, C.A. (2013), Cochlear implantation with hearing preservation yields significant benefit for speech recognition in complex listening environments. *Ear and Hearing*, 34 (4), pp. 413-425. DOI: 10.1097/AUD.0b013e31827e8163

Cosetti, M.K., Friedmann, D.R., Zhu, B.Z., Heman-Ackah, S.E., Fang, Y., Keller, R.G., Shapiro, W.H., Roland, J.T., Waltzman, S.B. (2013), The effects of residual hearing in traditional cochlear implant candidates after implantation with a conventional electrode. *Otology and Neurotology*, 34 (3), pp. 516-521. DOI: 10.1097/MAO.0b013e3182785210

Incerti, P.V., Ching, T.Y.C., Cowan, R. (2013), A systematic review of electric-acoustic stimulation: Device fitting ranges, outcomes, and clinical fitting practices. *Trends in Amplification*, 17 (1), pp. 3-26. DOI: 10.1177/1084713813480857

Jędrzejczak, W.W., Kochanek, K., Trzaskowski, B., Piłka, E., Skarżyński, P.H., Skarżyński, H. (2012), Tone-burst and click-evoked otoacoustic emissions in subjects with hearing loss above 0.25, 0.5, and 1 kHz. *Ear and Hearing*, 33 (6), pp. 757-767. DOI: 10.1097/AUD.0b013e31825c05ac

Bas, E., Dinh, C.T., Garnham, C., Polak, M., Van de Water, T.R. (2012), Conservation of hearing and protection of hair cells in cochlear implant patients' with residual hearing. *Anatomical Record*, 295 (11), pp. 1909-1927. DOI: 10.1002/ar.22574

Reiss, L.A.J., Perreau, A.E., Turner, C.W. (2012), Effects of lower frequency-to-electrode allocations on speech and pitch perception with the hybrid short-electrode cochlear implant. *Audiology and Neurotology*, 17 (6), pp. 357-372. DOI: 10.1159/000341165

Erixon, E., Köbler, S., Rask-Andersen, H. (2012), Cochlear implantation and hearing preservation: Results in 21 consecutively operated patients using the round window approach. *Acta Oto-Laryngologica*, 132 (9), pp. 923-931. DOI: 10.3109/00016489.2012.680198

Lorens, A., Zgoda, M., Skarżyński, H. (2012), A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. *Acta Oto-Laryngologica*, 132 (7), pp. 739-750. DOI: 10.3109/00016489.2012.654852

Polak, M. (2012), Benefits of EAS and hearing preservation in partially deaf patients: A review. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 47-52.

Usami, S.-I. (2012), Our experience with EAS (Electric Acoustic Stimulation) in Japan - atraumatic surgery, hearing preservation, outcome, and genetic background of the patients. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 3-12.

Radeloff, A., Shehata-Dieler, W., Scherzed, A., Rak, K., Harnisch, W., Hagen, R., Mlynski, R. (2012), Intraoperative monitoring using cochlear microphonics in cochlear implant patients with residual hearing. *Otology and Neurotology*, 33 (3), pp. 348-354. DOI: 10.1097/MAO.0b013e318248ea86

Skarżyński, H., Lorens, A., Zgoda, M., Piotrowska, A., Skarżyński, P.H., Szielkowska, A. (2011), Atraumatic round window deep insertion of cochlear electrodes. *Acta Oto-Laryngologica*, 131 (7), pp. 740-749. DOI: 10.3109/00016489.2011.557780

Gifford, R.H. (2011), Who is a cochlear implant candidate?. *Hearing Journal*, 64 (6), pp. 16-22. DOI: 10.1097/01.HJ.0000399149.53245.b1

Electric acoustic stimulation (2011), *Otolaryngology - Head and Neck Surgery (Tokyo)*, 83 (6), pp. 393-401.

Cosetti, M.K., Waltzman, S.B. (2011), Cochlear implants: Current status and future potential. *Expert Review of Medical Devices*, 8 (3), pp. 389-401. DOI: 10.1586/erd.11.12

Von Ilberg, C.A., Baumann, U., Kiefer, J., Tillein, J., Adunka, O.F. (2011), Electric-acoustic stimulation of the auditory system: A review of the first decade. *Audiology and Neurotology*, 16 (SUPPL. 2), pp. 1-30. DOI: 10.1159/000327765

Lorens, A., Zgoda, M., Obrycka, A., Skarżyński, H. (2010), Fine Structure Processing improves speech perception as well as objective and subjective benefits in pediatric MED-EL COMBI 40+ users. *International Journal of Pediatric Otorhinolaryngology*, 74 (12), pp. 1372-1378. DOI: 10.1016/j.ijporl.2010.09.005

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Case Reports and Clinical Practice Review*, 16 (11), pp. CR555-CR562.

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Medical Science Monitor*, 16 (11), pp. 555-562.

Brown, R.F., Hullar, T.E., Cadieux, J.H., Chole, R.A. (2010), Residual hearing preservation after pediatric cochlear implantation. *Otology and Neurotology*, 31 (8), pp. 1221-1226. DOI: 10.1097/MAO.0b013e3181f0c649

Walker, A., Mawman, D., Brough, J., O'Driscoll, M., Ramsden, R., Green, K., Freeman, S. (2010), Preliminary results of electric and Acoustic Stimulation using the MED-EL Sonata FlexEAS electrode array. *Cochlear Implants International*, 11 (SUPPL. 2), pp. 64-68. DOI: 10.1179/146701010X12726366067851

Helbig, S., Baumann, U. (2010), Acceptance and fitting of the DUET device - A combined speech processor for electric acoustic stimulation. *Advances in Oto-Rhino-Laryngology*, 67, pp. 81-87. DOI: 10.1159/000262599

Nopp, P., Polak, M. (2010), From electric acoustic stimulation to improved sound coding in cochlear implants. *Advances in Oto-Rhino-Laryngology*, 67, pp. 88-95. DOI: 10.1159/000262600

Skarżyński, H., Lorens, A. (2010), Electric acoustic stimulation in children. *Advances in Oto-Rhino-Laryngology*, 67, pp. 135-143. DOI: 10.1159/000262605

Cosetti, M.K., Lalwani, A.K. (2010), Cochlear implants: An update. *Otorinolaringologia*, 60 (2), pp. 101-114.

Skarżyński, H., Podskarbi-Fayette, R. (2010), A new cochlear implant electrode design for preservation of residual hearing: A temporal bone study. *Acta Oto-Laryngologica*, 130 (4), pp. 435-442. DOI: 10.3109/00016480903283733

Staecker, H., Jolly, C., Garnham, C. (2010), Cochlear implantation: an opportunity for drug development. *Drug Discovery Today*, 15 (7-8), pp. 314-321. DOI: 10.1016/j.drudis.2010.02.005

Prentiss, S., Sykes, K., Staecker, H. (2010), Partial deafness cochlear implantation at the University of Kansas: Techniques and outcomes. *Journal of the American Academy of Audiology*, 21 (3), pp. 197-203. DOI: 10.3766/jaaa.21.3.8

Podskarbi-Fayette, R., Piłka, A., Skarżyński, H. (2010), Electric stimulation complements functional residual hearing in partial deafness. *Acta Oto-Laryngologica*, 130 (8), pp. 888-896. DOI: 10.3109/00016480903567189

Stronks, H.C., Versnel, H., Prijs, V.F., Klis, S.F.L. (2010), Suppression of the acoustically evoked auditory-nerve response by electrical stimulation in the cochlea of the guinea pig. *Hearing Research*, 259 (1-2), pp. 64-74. DOI: 10.1016/j.heares.2009.10.004

Helbig, S., Baumann, U. (2009), Acceptance and fitting of the DUET device - a combined speech processor for electric acoustic stimulation. *Cochlear Implants and Hearing Preservation*, 67, pp. 81-87. DOI: 10.1159/000262599

Nopp, P., Polak, M. (2009), From electric acoustic stimulation to improved sound coding in cochlear implants. *Cochlear Implants and Hearing Preservation*, 67, pp. 88-95. DOI: 10.1159/000262600

Skarżyński, H., Lorens, A. (2009), Electric acoustic stimulation in children. *Cochlear Implants and Hearing Preservation*, 67, pp. 135-143. DOI: 10.1159/000262605

Baumann, U., Helbig, S. (2009), Hearing with combined electric acoustic stimulation [Hören mit kombinierter elektrischer und akustischer Stimulation]. *HNO*, 57 (6), pp. 542-550. DOI: 10.1007/s00106-009-1923-2

Jędrzejczak, W.W., Lorens, A., Piotrowska, A., Kochanek, K., Skarżyński, H. (2009), Otoacoustic emissions evoked by 0.5 kHz tone bursts. *Journal of the Acoustical Society of America*, 125 (5), pp. 3158-3165. DOI: 10.1121/1.3097464

Skarżyński, H., Lorens, A., Piotrowska, A., Podskarbi-Fayette, R. (2009), Results of partial deafness cochlear implantation using various electrode designs. *Audiology and Neurotology*, 14 (SUPPL. 1), pp. 39-45. DOI: 10.1159/000206494

Talbot, K.N., Hartley, D.E.H. (2008), Combined electro-acoustic stimulation: A beneficial union?. *Clinical Otolaryngology*, 33 (6), pp. 536-545. DOI: 10.1111/j.1749-4486.2008.01822.x