

Skarzynski, H., Lorens, A., Zgoda, M., Piotrowska, A., Skarzynski, P. H., & Szkielkowska, A. (2011). *Atraumatic round window deep insertion of cochlear electrodes*. *Acta Oto-Laryngologica*, 131(7), 740-749. doi:10.3109/00016489.2011.557780

Cited by: 31 times

Cited by:

Luers, J.C., Hüttenbrink, K.B., Beutner, D. (2018), Surgical anatomy of the round window—Implications for cochlear implantation. *Clinical Otolaryngology*, 43 (2), pp. 417-424. DOI: 10.1111/coa.13048

Usami, S.-I., Moteki, H., Tsukada, K., Miyagawa, M., Nishio, S.-Y., Takumi, Y., Iwasaki, S., Kumakawa, K., Naito, Y., Takahashi, H., Kanda, Y., Tono, T. (2018), Hearing preservation and clinical outcome of 32 consecutive electric acoustic stimulation (EAS) surgeries. *Acta Oto-Laryngologica*, 138 (3), pp. 317-328. DOI: 10.1080/00016489.2018.1438161

Lechowicz, U., Pollak, A., Frączak, A., Rydzanicz, M., Stawiński, P., Lorens, A., Skarżyński, P.H., Skarżyński, H., Płoski, R., Ołdak, M. (2018), Application of next-generation sequencing to identify mitochondrial mutations: Study on m.7511T>C in patients with hearing loss. *Molecular Medicine Reports*, 17 (1), pp. 1782-1790. DOI: 10.3892/mmr.2017.8064

Welch, C., Dillon, M.T., Pillsbury, H.C. (2018), Electric and Acoustic Stimulation in Cochlear Implant Recipients with Hearing Preservation. *Seminars in Hearing*, 39 (4), pp. 414-427. DOI: 10.1055/s-0038-1670707

Piotrowska, A., Paradowska-Stankiewicz, I., Skarżyński, H. (2017), Rates of vaccination against streptococcus pneumoniae in cochlear implant patients. *Medical Science Monitor*, 23, pp. 4567-4573. DOI: 10.12659/MSM.903188

Skarzynski, H., Lorens, A., Kruszynska, M., Obrycka, A., Pastuszek, D., Skarzynski, P.H. (2017), The hearing benefit of cochlear implantation for individuals with unilateral hearing loss, but no tinnitus. *Acta Oto-Laryngologica*, 137 (7), pp. 723-729. DOI: 10.1080/00016489.2016.1274427

Hod, R., Attias, J., Raveh, E., Nageris, B.I. (2016), Cochlear implantation via round window or cochleostomy: Effect on hearing in an animal model. *Laryngoscope*, 126 (11), pp. E375-E378. DOI: 10.1002/lary.26033

Scheper, V., Leifholz, M., von der Leyen, H., Keller, M., Denkena, U., Koch, A., Karch, A., Miller, J., Lenarz, T. (2016), ACEMg-mediated hearing preservation in cochlear implant patients receiving different electrode lengths (PROHEARING): Study protocol for a randomized controlled trial. *Trials*, 17 (1), art. no. 394. DOI: 10.1186/s13063-016-1526-7

Skarzynski, H., Matusiak, M., Lorens, A., Furmanek, M., Pilka, A., Skarzynski, P.H. (2016), Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. *Journal of Laryngology and Otology*, 130 (4), pp. 332-339. DOI: 10.1017/S0022215115003436

Nordfalk, K.F., Rasmussen, K., Bunne, M., Jablonski, G.E. (2016), Deep round window insertion versus standard approach in cochlear implant surgery. *European Archives of Oto-Rhino-Laryngology*, 273 (1), pp. 43-50. DOI: 10.1007/s00405-014-3451-2

Campbell, L., Kaicer, A., Briggs, R., O'Leary, S. (2016), Cochlear response telemetry: Intracochlear electrocochleography via cochlear implant neural response telemetry pilot study results. *Otology and Neurotology*, 36 (3), pp. 399-405. DOI: 10.1097/MAO.0000000000000678

Attias, J., Hod, R., Raveh, E., Mizrachi, A., Avraham, K.B., Lenz, D.R., Nageris, B.I. (2016), Hearing loss patterns after cochlear implantation via the round window in an animal model. *American Journal of Otolaryngology - Head and Neck Medicine and Surgery*, 37 (2), pp. 162-168. DOI: 10.1016/j.amjoto.2015.12.004

Raveh, E., Attias, J., Nageris, B., Kornreich, L., Ulanovski, D. (2015), Pattern of hearing loss following cochlear implantation. *European Archives of Oto-Rhino-Laryngology*, 272 (9), pp. 2261-2266. DOI: 10.1007/s00405-014-3184-2

Sun, C.-H., Hsu, C.-J., Chen, P.-R., Wu, H.-P. (2015), Residual hearing preservation after cochlear implantation via round window or cochleostomy approach. *Laryngoscope*, 125 (7), pp. 1715-1719. DOI: 10.1002/lary.25122

Hochmair, I., Hochmair, E., Nopp, P., Waller, M., Jolly, C. (2015), Deep electrode insertion and sound coding in cochlear implants. *Hearing Research*, 322, pp. 14-23. DOI: 10.1016/j.heares.2014.10.006

Anagiotos, A., Hamdan, N., Lang-Roth, R., Gostian, A.-O., Lüers, J.-C., Hüttenbrink, K.-B., Beutner, D. (2015), Young age is a positive prognostic factor for residual hearing preservation in conventional cochlear implantation. *Otology and Neurotology*, 36 (1), pp. 28-33.

Breinbauer, H.A., Praetorius, M. (2015), Variability of an ideal insertion vector for cochlear implantation. *Otology and Neurotology*, 36 (4), pp. 610-617. DOI: 10.1097/MAO.0000000000000719

Causon, A., Verschuur, C., Newman, T.A. (2015), A Retrospective Analysis of the Contribution of Reported Factors in Cochlear Implantation on Hearing Preservation Outcomes. *Otology and Neurotology*, 36 (7), pp. 1137-1145. DOI: 10.1097/MAO.0000000000000753

Skarzynski, P.H., Olszewski, L., Lorens, A., Włodarczyk, A.W., Skarzynski, H. (2014), Cochlear implantation in the elderly. *Audiology and Neurotology*, 19, pp. 33-35. DOI: 10.1159/000371607

Skarżyński, H., Matusiak, M., Furmanek, M., Skarżyński, P.H. (2014), Deep insertion - Round window approach by using SRA electrode. *Cochlear Implants International*, 15 (SUPPL. 1), pp. S4-S7. DOI: 10.1179/1467010014Z.000000000159

Skarzynski, H. (2014), Long-term results of partial deafness treatment. *Cochlear Implants International*, 15 (SUPPL. 1), pp. S21-S23. DOI: 10.1179/1467010014Z.000000000170

Usami, S.-I., Moteki, H., Tsukada, K., Miyagawa, M., Nishio, S.-Y., Takumi, Y., Iwasaki, S., Kumakawa, K., Naito, Y., Takahashi, H., Kanda, Y., Tono, T. (2014), Hearing preservation and clinical outcome of 32 consecutive electric acoustic stimulation (EAS) surgeries. *Acta Oto-Laryngologica*, 134 (7), pp. 717-727. DOI: 10.3109/00016489.2014.894254

Pau, H.W., Grünbaum, A., Ehrt, K., Dahl, R., Just, T., Van Rienen, U. (2014), Would an endosteal CI-electrode make sense? Comparison of the auditory nerve excitability from different stimulation sites using ESRT measurements and mathematical models. *European Archives of Oto-Rhino-Laryngology*, 271 (6), pp. 1375-1381. DOI: 10.1007/s00405-013-2543-8

Skarzynski, P.H., Wolak, T., Skarzynski, H., Lorens, A., Śliwa, L., Rusiniak, M., Pluta, A., Lewandowska, M., Ciesla, K., Wiktor Jedrzejczak, W., Olszewski, L. (2013), Application of the functional magnetic resonance imaging (fMRI) for the assessment of the primary auditory cortex function in partial deafness patients - A preliminary study. *Journal of International Advanced Otology*, 9 (2), pp. 153-160.

Gifford, R.H., Dorman, M.F., Skarzynski, H., Lorens, A., Polak, M., Driscoll, C.L.W., Roland, P., Buchman, C.A. (2013), Cochlear implantation with hearing preservation yields significant benefit for speech recognition in complex listening environments. *Ear and Hearing*, 34 (4), pp. 413-425. DOI: 10.1097/AUD.0b013e31827e8163

Causon, A., Verschuur, C., Newman, T.A. (2013), Trends in cochlear implant complications: Implications for improving long-term outcomes. *Otology and Neurotology*, 34 (2), pp. 259-265. DOI: 10.1097/MAO.0b013e31827d0943

Jutila, T., Aalto, H., Hirvonen, T.P. (2013), Cochlear implantation rarely alters horizontal vestibulo-ocular reflex in motorized head impulse test. *Otology and Neurotology*, 34 (1), pp. 48-52. DOI: 10.1097/MAO.0b013e318277a430

Trabalzini, F., Muzzi, E., Orzan, E. (2012), Current standards in Cochlear Implantation. Preliminary results of a survey among Politzer Society. *Journal of International Advanced Otology*, 8 (3), pp. 379-384.

Bas, E., Dinh, C.T., Garnham, C., Polak, M., Van de Water, T.R. (2012), Conservation of hearing and protection of hair cells in cochlear implant patients' with residual hearing. *Anatomical Record*, 295 (11), pp. 1909-1927. DOI: 10.1002/ar.22574

Jolly, C., Mistrík, P., Rajan, G., Green, K., Staecker, H., Helbig, S., Usami, S.-I. (2012), New trends with cochlear implants and atraumaticity demonstrated by deep electrode insertion and hearing preservation. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 40-46.

Usami, S.-I. (2012), Our experience with EAS (Electric Acoustic Stimulation) in Japan - atraumatic surgery, hearing preservation, outcome, and genetic background of the patients. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 3-12.