

Skarzynski, H., & Lorens, A. (2010). *Electric acoustic stimulation in children. Advances in oto-rhino-laryngology*, 67, pp. 135-143. doi:10.1159/000262605.

Cited: 27 times

Cited by:

Kaczmarczyk, K., Błazkiewicz, M., Wiszomirska, I., Pietrasik, K., Zdrodowska, A., Wit, A., Barton, G., Skarżyński, H. (2019), Assessing Gait Stability before and after Cochlear Implantation. *BioMed Research International*, 2019, art. no. 2474273. DOI: 10.1155/2019/2474273

Simon, F., Roman, S., Truy, E., Barone, P., Belmin, J., Blanchet, C., Borel, S., Charpiot, A., Coez, A., Deguine, O., Farinetti, A., Godey, B., Lazard, D., Marx, M., Mosnier, I., Nguyen, Y., Teissier, N., Virole, B., Lescanne, E., Loundon, N. (2019), Guidelines (short version) of the French Society of Otorhinolaryngology (SFORL) on pediatric cochlear implant indications. *European Annals of Otorhinolaryngology, Head and Neck Diseases*. DOI: 10.1016/j.anorl.2019.05.018 (Article in Press)

Simon, F., Roman, S., Truy, E., Barone, P., Belmin, J., Blanchet, C., Borel, S., Charpiot, A., Coez, A., Deguine, O., Farinetti, A., Godey, B., Lazard, D., Marx, M., Mosnier, I., Nguyen, Y., Teissier, N., Virole, B., Lescanne, E., Loundon, N. (2019), Recommandations de la SFORL (version courte) sur l'indication de l'implant cochléaire chez l'enfant. *Annales Francaises d'Oto-Rhino-Laryngologie et de Pathologie Cervico-Faciale*. DOI: 10.1016/j.aforl.2019.01.004 (Article in Press)

Bruce, I.A., Todt, I. (2018), Hearing preservation cochlear implant surgery. *Advances in Oto-Rhino-Laryngology*, 81, pp. 66-73. DOI: 10.1159/000485544

Welch, C., Dillon, M.T., Pillsbury, H.C. (2018), Electric and Acoustic Stimulation in Cochlear Implant Recipients with Hearing Preservation. *Seminars in Hearing*, 39 (4), pp. 414-427. DOI: 10.1055/s-0038-1670707

Mady, L.J., Sukato, D.C., Fruit, J., Palmer, C., Raz, Y., Hirsch, B.E., McCall, A.A. (2017), Hearing Preservation: Does Electrode Choice Matter?. *Otolaryngology - Head and Neck Surgery (United States)*, 157 (5), pp. 837-847. DOI: 10.1177/0194599817707167

Krüger, B., Büchner, A., Nogueira, W. (2017), Simultaneous masking between electric and acoustic stimulation in cochlear implant users with residual low-frequency hearing. *Hearing Research*, 353, pp. 185-196. DOI: 10.1016/j.heares.2017.06.014

Sato, M., Baumhoff, P., Tillein, J., Kral, A. (2017), Physiological Mechanisms in Combined Electric-Acoustic Stimulation. *Otology and Neurotology*, 38 (8), pp. e215-e223. DOI: 10.1097/MAO.0000000000001428

Driscoll, V.D., Welhaven, A.E., Gfeller, K., Oleson, J., Olszewski, C.P. (2016), Music perception of adolescents using electroacoustic hearing. *Otology and Neurotology*, 37 (2), pp. e141-e147. DOI: 10.1097/MAO.0000000000000945

Sato, M., Baumhoff, P., Kral, A. (2016), Cochlear implant stimulation of a hearing ear generates separate electrophonic and electroneural responses. *Journal of Neuroscience*, 36 (1), pp. 54-64. DOI: 10.1523/JNEUROSCI.2968-15.2016

Gratacap, M., Thierry, B., Rouillon, I., Marlin, S., Garabedian, N., Loundon, N. (2015), Pediatric cochlear implantation in residual hearing candidates. *Annals of Otolaryngology, Rhinology and Laryngology*, 124 (6), pp. 443-451. DOI: 10.1177/0003489414566121

Tillein, J., Hartmann, R., Kral, A. (2015), Electric-acoustic interactions in the hearing cochlea: Single fiber recordings. *Hearing Research*, 322, pp. 112-126. DOI: 10.1016/j.heares.2014.09.011

Skarzynski, H., Lorens, A., Dziendziel, B., Skarzynski, P.H. (2015), Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. *International Journal of Pediatric Otorhinolaryngology*, 79 (11), pp. 1896-1900. DOI: 10.1016/j.ijporl.2015.08.040

Plant, K.L., Van Hoesel, R.J.M., McDermott, H.J., Dawson, P.W., Cowan, R.S. (2015), Clinical Outcomes for Adult Cochlear Implant Recipients Experiencing Loss of Usable Acoustic Hearing in the Implanted Ear. *Ear and Hearing*, 36 (3), pp. 338-356. DOI: 10.1097/AUD.0000000000000122

Santa Maria, P.L., Gluth, M.B., Yuan, Y., Atlas, M.D., Blevins, N.H. (2014), Hearing preservation surgery for cochlear implantation: A meta-analysis. *Otology and Neurotology*, 35 (10), pp. e256-e269. DOI: 10.1097/MAO.0000000000000561

Mistry, N., Nolan, L.S., Saeed, S.R., Forge, A., Taylor, R.R. (2014), Cochlear implantation in the mouse via the round window: Effects of array insertion. *Hearing Research*, 312, pp. 81-90. DOI: 10.1016/j.heares.2014.03.005

Salam, S.A., Tayel, S., Mehanna, A., Eid, M., Farouk, W. (2013), Comparison of scalar location and insertion depth of cochlear implant electrode implanted through the round window versus cochleostomy approach. *Journal of International Advanced Otolaryngology*, 9 (1), pp. 30-37.

Cosetti, M.K., Friedmann, D.R., Zhu, B.Z., Heman-Ackah, S.E., Fang, Y., Keller, R.G., Shapiro, W.H., Roland, J.T., Waltzman, S.B. (2013), The effects of residual hearing in traditional cochlear implant candidates after implantation with a conventional electrode. *Otology and Neurotology*, 34 (3), pp. 516-521. DOI: 10.1097/MAO.0b013e3182785210

Incerti, P.V., Ching, T.Y.C., Cowan, R. (2013), A systematic review of electric-acoustic stimulation: Device fitting ranges, outcomes, and clinical fitting practices. *Trends in Amplification*, 17 (1), pp. 3-26. DOI: 10.1177/1084713813480857

Bas, E., Dinh, C.T., Garnham, C., Polak, M., Van de Water, T.R. (2012), Conservation of hearing and protection of hair cells in cochlear implant patients' with residual hearing. *Anatomical Record*, 295 (11), pp. 1909-1927. DOI: 10.1002/ar.22574

Polak, M. (2012), Benefits of EAS and hearing preservation in partially deaf patients: A review. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 47-52.

Cosetti, M.K., Waltzman, S.B. (2012), Outcomes in cochlear implantation: Variables affecting performance in adults and children. *Otolaryngologic Clinics of North America*, 45 (1), pp. 155-171. DOI: 10.1016/j.otc.2011.08.023

Gifford, R.H. (2011), Who is a cochlear implant candidate?. *Hearing Journal*, 64 (6), pp. 16-22. DOI: 10.1097/01.HJ.0000399149.53245.b1

Cosetti, M.K., Waltzman, S.B. (2011), Cochlear implants: Current status and future potential. *Expert Review of Medical Devices*, 8 (3), pp. 389-401. DOI: 10.1586/erd.11.12

Skarzynski, H., Lorens, A., Piotrowska, A., Skarzynski, P.H. (2010), Hearing preservation in partial deafness treatment. *Case Reports and Clinical Practice Review*, 16 (11), pp. CR555-CR562.

Skarzynski, H., Lorens, A., Piotrowska, A., Skarzynski, P.H. (2010), Hearing preservation in partial deafness treatment. *Medical Science Monitor*, 16 (11), pp. 555-562.

Cosetti, M.K., Lalwani, A.K. (2010), Cochlear implants: An update. *Otorinolaringologia*, 60 (2), pp. 101-114.