

Van de Heyning, P., Arauz, S.L., Atlas, M., Baumgartner, W.-D., Caversaccio, M., Chester-Browne, R., Estienne, P., Gavilan, J., Godey, B., Gstöttner, W., Han, D., Hagen, R., Kompis, M., Kuzovkov, V., Lassaletta, L., Lefevre, F., Li, Y., Müller, J., Parnes, L., Kleine Punte, A., Raine, C., Rajan, G., Rivas, A., Rivas, J.A., Royle, N., Sprinzl, G., Stephan, K., Walkowiak, A., Yanov, Y., Zimmermann, K., Zorowka, P., Skarżyński, H. (2016), *Electrically evoked compound action potentials are different depending on the site of cochlear stimulation*. *Cochlear Implants International*, 17 (6), pp. 251-262.

**Cited: 6 times**

**Cited by:**

Lee, J.Y., Hong, S.H., Moon, I.J., Kim, E.Y., Baek, E., Seol, H.Y., Kang, S. (2019), Effect of cochlear implant electrode array design on electrophysiological and psychophysical measures: Lateral wall versus perimodiolar types. *Journal of Audiology and Otology*, 23 (3), pp. 145-152. DOI: 10.7874/jao.2019.00164

Christov, F., Gluth, M.B., Hans, S., Lang, S., Arweiler-Harbeck, D. (2019), Impact of cochlear tonotopy on electrically evoked compound action potentials (ECAPs). *Acta Oto-Laryngologica*, 139 (1), pp. 22-26. DOI: 10.1080/00016489.2018.1533993

Yanov, Y., Kuzovkov, V., Sugarova, S., Levin, S., Lilenko, A., Kliachko, D. (2018), Successful application and timing of a remote network for intraoperative objective measurements during cochlear implantation surgery. *International Journal of Audiology*, 57 (9), pp. 688-694. DOI: 10.1080/14992027.2018.1479783.

Saki, N., Khorram, H., Nikakhlagh, S., Abshirini, H., Karimi, M., Bayat, A. (2018), Comparison of neural response telemetry and electrical Stapedius reflexes with behavioral thresholds in cochlear implant users. *Asian Journal of Pharmaceutics*, 12 (3), pp. S1089-S1093.

Lassaletta, L., Polak, M., Huesers, J., Díaz-Gómez, M., Calvino, M., Varela-Nieto, I., Gavilán, J. (2017), Usefulness of electrical auditory brainstem responses to assess the functionality of the cochlear nerve using an intracochlear test electrode. *Otology and Neurotology*, 38 (10), pp. e413-e420. DOI: 10.1097/MAO.0000000000001584

He, S., Teagle, H.F.B., Buchman, C.A. (2017), The electrically evoked compound action potential: From laboratory to clinic. *Frontiers in Neuroscience*, 11 (JUN), art. no. 339. DOI: 10.3389/fnins.2017.00339.