

Skarżyński, H., Lorens, A., & Piotrowska, A. (2003). A new method of partial deafness treatment. [Новый метод лечения частичной глухоты.]. Medical Science Monitor, 9(4), CS20-CS24.

Цитировалось: 75 раз

Цитировалось:

Skarżyński, H., Lorens, A., Dziendziel, B., Rajchel, J.J., Matusiak, M., Skarżyński, P.H. (2019), Electro-Natural Stimulation in Partial Deafness Treatment of Adult Cochlear Implant Users: Long-Term Hearing Preservation Results. *ORL*. DOI: 10.1159/000497060 (Article in Press)

Cieśla, K., Wolak, T., Lorens, A., Heimler, B., Skarżyński, H., Amedi, A. (2019), Immediate improvement of speech-in-noise perception through multisensory stimulation via an auditory to tactile sensory substitution. *Restorative Neurology and Neuroscience*, 37 (2), pp. 155-166. DOI: 10.3233/RNN-190898

Kobosko, J., Wiktor Jędrzejczak, W., Gos, E., Geremek-Samsonowicz, A., Ludwikowski, M., Skarżyński, H. (2018), Self-esteem in the deaf who have become cochlear implant users as adults. *PLoS ONE*, 13 (9), art. no. e0203680. DOI: 10.1371/journal.pone.0203680

Távora-Vieira, D., Wedekind, A., Marino, R., Purdy, S.C., Rajan, G.P. (2018), Using aided cortical assessment as an objective tool to evaluate cochlear implant fitting in users with single-sided deafness. *PLoS ONE*, 13 (2), art. no. e0193081. DOI: 10.1371/journal.pone.0193081

Lechowicz, U., Pollak, A., Fraczak, A., Rydzanicz, M., Stawinski, P., Lorens, A., Skarżyński, P.H., Skarżyński, H., Ploski, R., Oldak, M. (2018), Application of next-generation sequencing to identify mitochondrial mutations: Study on m.7511T>C in patients with hearing loss. *Molecular Medicine Reports*, 17 (1), pp. 1782-1790. DOI: 10.3892/mmr.2017.8064

Welch, C., Dillon, M.T., Pillsbury, H.C. (2018), Electric and Acoustic Stimulation in Cochlear Implant Recipients with Hearing Preservation. *Seminars in Hearing*, 39 (4), pp. 414-427. DOI: 10.1055/s-0038-1670707

Piotrowska, A., Paradowska-Stankiewicz, I., Skarżyński, H. (2017), Rates of vaccination against streptococcus pneumoniae in cochlear implant patients. *Medical Science Monitor*, 23, pp. 4567-4573. DOI: 10.12659/MSM.903188

Távora-Vieira, D., Marino, R., Acharya, A., Rajan, G.P. (2016), Cochlear implantation in adults with unilateral deafness: A review of the assessment/evaluation protocols. *Cochlear Implants International*, 17 (4), pp. 184-189. DOI: 10.1080/14670100.2016.1176303

Skarżyński, H., Matusiak, M., Lorens, A., Furmanek, M., Piłka, A., Skarżyński, P.H. (2016), Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. *Journal of Laryngology and Otology*, 130 (4), pp. 332-339. DOI: 10.1017/S0022215115003436

Franke-Trieger, A., Mürbe, D. (2015), Estimation of insertion depth angle based on cochlea diameter and linear insertion depth: a prediction tool for the CI422. *European Archives of Oto-Rhino-Laryngology*, 272 (11), pp. 3193-3199. DOI: 10.1007/s00405-014-3352-4

Hochmair, I., Hochmair, E., Nopp, P., Waller, M., Jolly, C. (2015), Deep electrode insertion and sound coding in cochlear implants. *Hearing Research*, 322, pp. 14-23. DOI: 10.1016/j.heares.2014.10.006

Kleine Punte, A., Mertens, G., Cochet, E., De Bodt, M., Van De Heyning, P. (2015), Improved speech reception and sound quality with the DUET2 audio processor for electric acoustic stimulation. *Acta Oto-Laryngologica*, 135 (10), pp. 1022-1029. DOI: 10.3109/00016489.2015.1050605

Skarżyński, H., Lorens, A., Dziendziel, B., Skarżyński, P.H. (2015), Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. *International Journal of Pediatric Otorhinolaryngology*, 79 (11), pp. 1896-1900. DOI: 10.1016/j.ijporl.2015.08.040

Helbig, S., Helbig, M., Leinung, M., Stöver, T., Baumann, U., Rader, T. (2015), Hearing preservation and improved speech perception with a flexible 28-mm electrode. *Otology and Neurotology*, 36 (1), pp. 34-42.

Mertens, G., Punte, A.K., Cochet, E., De Bodt, M., Van De Heyning, P. (2014), Long-term follow-up of hearing preservation in electric-acoustic stimulation patients. *Otology and Neurotology*, 35 (10), pp. 1765-1772. DOI: 10.1097/MAO.0000000000000538

Castilho, A.M., Duarte, A.S.M., Pauna, H.F., Bonhin, R.G., Ramos, P.Z., Guimarães, A.C., Sartorato, E.L., De Carvalho, G.M. (2014), Cochlear implants: Genetics of deafness, CI in different approaches and clinical benefits. *Cochlear Implants: Technological Advances, Psychological/Social Impacts and Long-Term Effectiveness*, pp. 93-115.

Choudhury, B., Adunka, O.F., Awan, O., Pike, J.M., Buchman, C.A., Fitzpatrick, D.C. (2014), Electrophysiologic consequences of flexible electrode insertions in gerbils with noise-induced hearing loss. *Otology and Neurotology*, 35 (3), pp. 519-525. DOI: 10.1097/MAO.0b013e31829bdf2b

Skarżyński, H. (2014), Long-term results of partial deafness treatment. *Cochlear Implants International*, 15 (SUPPL. 1), pp. S21-S23. DOI: 10.1179/1467010014Z.000000000170

Adunka, O.F., Dillon, M.T., Adunka, M.C., King, E.R., Pillsbury, H.C., Buchman, C.A. (2014), Cochleostomy versus round window insertions: Influence on functional outcomes in electric-acoustic stimulation of the auditory system. *Otology and Neurotology*, 35 (4), pp. 613-618. DOI: 10.1097/MAO.0000000000000269

Távora-Vieira, D., Rodrigues, S. (2013), The use of nucleus® CI422 in a ski-slope high-frequency hearing loss and chronic external ear pathology: A case study. *Cochlear Implants International*, 14 (5), pp. 291-294. DOI: 10.1179/1754762812Y.00000000022

Skarżyński, P.H., Wolak, T., Skarżyński, H., Lorens, A., Śliwa, L., Rusiniak, M., Pluta, A., Lewandowska, M., Ciesła, K., Wiktor Jędrzejczak, W., Olszewski, L. (2013), Application of the functional magnetic resonance imaging (fMRI) for the assessment of the primary auditory cortex function in partial deafness patients - A preliminary study. *Journal of International Advanced Otology*, 9 (2), pp. 153-160.

Jędrzejczak, W.W., Piotrowska, A., Kochanek, K., Śliwa, L., Skarżyński, H. (2013), Low-frequency otoacoustic emissions in schoolchildren measured by two commercial devices. *International Journal of Pediatric Otorhinolaryngology*, 77 (10), pp. 1724-1728. DOI: 10.1016/j.ijporl.2013.08.002

Karsten, S.A., Turner, C.W., Brown, C.J., Jeon, E.K., Abbas, P.J., Gantz, B.J. (2013), Optimizing the combination of acoustic and electric hearing in the implanted ear. *Ear and Hearing*, 34 (2), pp. 142-150. DOI: 10.1097/AUD.0b013e318269ce87

Jędrzejczak, W.W., Kochanek, K., Trzaskowski, B., Piłka, E., Skarżyński, P.H., Skarżyński, H. (2012), Tone-burst and click-evoked otoacoustic emissions in subjects with hearing loss above 0.25, 0.5, and 1 kHz. *Ear and Hearing*, 33 (6), pp. 757-767. DOI: 10.1097/AUD.0b013e31825c05ac

Bas, E., Dinh, C.T., Garnham, C., Polak, M., Van de Water, T.R. (2012), Conservation of hearing and protection of hair cells in cochlear implant patients' with residual hearing. *Anatomical Record*, 295 (11), pp. 1909-1927. DOI: 10.1002/ar.22574

Lorens, A., Zgoda, M., Skarżyński, H. (2012), A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. *Acta Oto-Laryngologica*, 132 (7), pp. 739-750. DOI: 10.3109/00016489.2012.654852

Polak, M. (2012), Benefits of EAS and hearing preservation in partially deaf patients: A review. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 47-52.

Wilson, B.S., Dorman, M.F. (2012), The design of cochlear implants. *Cochlear Implants: Principles and Practices*, pp. 95-135.

Skarżyński, H., Lorens, A., Matusiak, M., Porowski, M., Skarżyński, P.H., James, C.J. (2012), Partial deafness treatment with the nucleus straight research array cochlear implant. *Audiology and Neurotology*, 17 (2), pp. 82-91. DOI: 10.1159/000329366

Guan, T., Gong, Q., Li, Z. (2011), Effects of electrode insertion depth on mandarin speech understanding using combined electric and acoustic stimulation. *Proceedings - 2011 International Conference on Multimedia and Signal Processing, CMSP 2011*, 2, art. no. 5957517, pp. 298-302. DOI: 10.1109/CMSP.2011.148

Skarżyński, H., Lorens, A., Zgoda, M., Piotrowska, A., Skarżyński, P.H., Szielkowska, A. (2011), Atraumatic round window deep insertion of cochlear electrodes. *Acta Oto-Laryngologica*, 131 (7), pp. 740-749. DOI: 10.3109/00016489.2011.557780

Von Ilberg, C.A., Baumann, U., Kiefer, J., Tillein, J., Adunka, O.F. (2011), Electric-acoustic stimulation of the auditory system: A review of the first decade. *Audiology and Neurotology*, 16 (SUPPL. 2), pp. 1-30. DOI: 10.1159/000327765

Helbig, S., Settevendemie, C., MacK, M., Baumann, U., Helbig, M., Stöver, T. (2011), Evaluation of an electrode prototype for atraumatic cochlear implantation in hearing preservation candidates: Preliminary results from a temporal bone study. *Otology and Neurotology*, 32 (3), pp. 419-423. DOI: 10.1097/MAO.0b013e31820e75d9

Derinsu, U., Serin, G.M., Akdaş, F., Batman, Ç. (2011), Cochlear implantation: Is hearing preservation necessary in severe to profound hearing loss?. *Journal of Craniofacial Surgery*, 22 (2), pp. 520-522. DOI: 10.1097/SCS.0b013e31820855ac

Basura, G.J., Adunka, O.F., Buchman, C.A. (2010), Scala tympani cochleostomy for cochlear implantation. *Operative Techniques in Otolaryngology - Head and Neck Surgery*, 21 (4), pp. 218-222. DOI: 10.1016/j.otot.2010.08.001

Campbell, A.P., Suberman, T.A., Buchman, C.A., Fitzpatrick, D.C., Adunka, O.F. (2010), Correlation of early auditory potentials and intracochlear electrode insertion properties: An animal model featuring near real-time monitoring. *Otology and Neurotology*, 31 (9), pp. 1391-1398. DOI: 10.1097/MAO.0b013e3181f6c899

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Case Reports and Clinical Practice Review*, 16 (11), pp. CR555-CR562.

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Medical Science Monitor*, 16 (11), pp. 555-562.

Adunka, O.F., Mlot, S., Suberman, T.A., Campbell, A.P., Surowitz, J., Buchman, C.A., Fitzpatrick, D.C. (2010), Intracochlear recordings of electrophysiological parameters indicating cochlear damage. *Otology and Neurotology*, 31 (8), pp. 1233-1241. DOI: 10.1097/MAO.0b013e3181f1ffdf

Turner, C.W., Gantz, B.J., Karsten, S., Fowler, J., Reiss, L.A. (2010), Impact of hair cell preservation in cochlear implantation: Combined electric and acoustic hearing. *Otology and Neurotology*, 31 (8), pp. 1227-1232. DOI: 10.1097/MAO.0b013e3181f24005

Adunka, O.F., Pillsbury, H.C., Adunka, M.C., Buchman, C.A. (2010), Is electric acoustic stimulation better than conventional cochlear implantation for speech perception in quiet?. *Otology and Neurotology*, 31 (7), pp. 1049-1054. DOI: 10.1097/MAO.0b013e3181d8d6fe

Adunka, O.F., Pillsbury, H.C., Buchman, C.A. (2010), Minimizing intracochlear trauma during cochlear implantation. *Advances in Oto-Rhino-Laryngology*, 67, pp. 96-107. DOI: 10.1159/000262601

Skarżyński, H., Lorens, A. (2010), Electric acoustic stimulation in children. *Advances in Oto-Rhino-Laryngology*, 67, pp. 135-143. DOI: 10.1159/000262605

Rask-Andersen, H., Liu, W., Linthicum, F. (2010), Ganglion cell and 'dendrite' populations in electric acoustic stimulation ears. *Advances in Oto-Rhino-Laryngology*, 67, pp. 14-27. DOI: 10.1159/000262593

Campbell, A.P., Suberman, T.A., Buchman, C.A., Fitzpatrick, D.C., Adunka, O.F. (2010), Flexible cochlear microendoscopy in the gerbil. *Laryngoscope*, 120 (8), pp. 1619-1624. DOI: 10.1002/lary.20979

Cosetti, M.K., Lalwani, A.K. (2010), Cochlear implants: An update. *Otorinolaringologia*, 60 (2), pp. 101-114.

Adunka, O.F., Pillsbury, H.C., Buchman, C.A. (2009), Minimizing intracochlear trauma during cochlear implantation. *Cochlear Implants and Hearing Preservation*, 67, pp. 96-107. DOI: 10.1159/000262601

Skarżyński, H., Lorens, A. (2009), Electric acoustic stimulation in children. *Cochlear Implants and Hearing Preservation*, 67, pp. 135-143. DOI: 10.1159/000262605

Rask-Andersen, H., Liu, W., Linthicum, F. (2009), Ganglion cell and 'dendrite' populations in electric acoustic stimulation ears. *Cochlear Implants and Hearing Preservation*, 67, pp. 14-27. DOI: 10.1159/000262593

Baumann, U., Helbig, S. (2009), Hearing with combined electric acoustic stimulation [Hören mit kombinierter elektrischer und akustischer Stimulation]. *HNO*, 57 (6), pp. 542-550. DOI: 10.1007/s00106-009-1923-2

Jędrzejczak, W.W., Lorens, A., Piotrowska, A., Kochanek, K., Skarżyński, H. (2009), Otoacoustic emissions evoked by 0.5 kHz tone bursts. *Journal of the Acoustical Society of America*, 125 (5), pp. 3158-3165. DOI: 10.1121/1.3097464

Skarżyński, H., Lorens, A., Piotrowska, A., Podskarbi-Fayette, R. (2009), Results of partial deafness cochlear implantation using various electrode designs. *Audiology and Neurotology*, 14 (SUPPL. 1), pp. 39-45. DOI: 10.1159/000206494

Talbot, K.N., Hartley, D.E.H. (2008), Combined electro-acoustic stimulation: A beneficial union?. *Clinical Otolaryngology*, 33 (6), pp. 536-545. DOI: 10.1111/j.1749-4486.2008.01822.x

Wilson, B.S., Dorman, M.F. (2008), Cochlear implants: Current designs and future possibilities. *Journal of Rehabilitation Research and Development*, 45 (5), pp. 695-730. DOI: 10.1682/JRRD.2007.10.0173

Adunka, O.F., Buss, E., Clark, M.S., Pillsbury, H.C., Buchman, C.A. (2008), Effect of preoperative residual hearing on speech perception after cochlear implantation. *Laryngoscope*, 118 (11), pp. 2044-2049. DOI: 10.1097/MLG.0b013e3181820900

Gifford, R.H., Dorman, M.F., Spahr, A.J., Bacon, S.P., Skarżyński, H., Lorens, A. (2008), Hearing preservation surgery: Psychophysical estimates of cochlear damage in recipients of a short electrode array. *Journal of the Acoustical Society of America*, 124 (4), pp. 2164-2173. DOI: 10.1121/1.2967842

Turner, C.W., Reiss, L.A.J., Gantz, B.J. (2008), Combined acoustic and electric hearing: Preserving residual acoustic hearing. *Hearing Research*, 242 (1-2), pp. 164-171. DOI: 10.1016/j.heares.2007.11.008

Lorens, A., Polak, M., Piotrowska, A., Skarżyński, H. (2008), Outcomes of treatment of partial deafness with cochlear implantation: A DUET study. *Laryngoscope*, 118 (2), pp. 288-294. DOI: 10.1097/MLG.0b013e3181598887

Vermeire, K., Anderson, I., Flynn, M., Van De Heyning, P. (2008), The influence of different speech processor and hearing aid settings on speech perception outcomes in electric acoustic

stimulation patients. *Ear and Hearing*, 29 (1), pp. 76-86. DOI: 10.1097/AUD.0b013e31815d6326

Wilson, B.S., Dorman, M.F. (2008), Interfacing sensors with the nervous system: Lessons from the development and success of the cochlear implant. *IEEE Sensors Journal*, 8 (1), pp. 131-147. DOI: 10.1109/JSEN.2007.912917

Nourski, K.V., Abbas, P.J., Miller, C.A., Robinson, B.K., Jeng, F.-C. (2007), Acoustic-electric interactions in the guinea pig auditory nerve: Simultaneous and forward masking of the electrically evoked compound action potential. *Hearing Research*, 232 (1-2), pp. 87-103. DOI: 10.1016/j.heares.2007.07.001

Skarżyński, H., Lorens, A., Piotrowska, A., Anderson, I. (2007), Partial deafness cochlear implantation in children. *International Journal of Pediatric Otorhinolaryngology*, 71 (9), pp. 1407-1413. DOI: 10.1016/j.ijporl.2007.05.014

Miller, J.M., Le Prell, C.G., Prieskorn, D.M., Wys, N.L., Altschuler, R.A. (2007), Delayed neurotrophin treatment following deafness rescues spiral ganglion cells from death and promotes regrowth of auditory nerve peripheral processes: Effects of brain-derived neurotrophic factor and fibroblast growth factor. *Journal of Neuroscience Research*, 85 (9), pp. 1959-1969. DOI: 10.1002/jnr.21320

Le Prell, C.G., Kawamoto, K., Raphael, Y., Dolan, D.F. (2006), Electromotile hearing: Acoustic tones mask psychophysical response to high-frequency electrical stimulation of intact guinea pig cochlea. *Journal of the Acoustical Society of America*, 120 (6), pp. 3889-3900. DOI: 10.1121/1.2359238

Escudé, B., James, C., Deguine, O., Cochard, N., Eter, E., Fraysse, B. (2006), The size of the cochlea and predictions of insertion depth angles for cochlear implant electrodes. *Audiology and Neurotology*, 11 (SUPPL. 1), pp. 27-33. DOI: 10.1159/000095611

James, C.J., Fraysse, B., Deguine, O., Lenarz, T., Mawman, D., Ramos, Á., Ramsden, R., Sterkers, O. (2006), Combined electroacoustic stimulation in conventional candidates for cochlear implantation. *Audiology and Neurotology*, 11 (SUPPL. 1), pp. 57-62. DOI: 10.1159/000095615

Gstoettner, W.K., Heibig, S., Maier, N., Kiefer, J., Radloff, A., Adunka, O.F. (2006), Ipsilateral electric acoustic stimulation of the auditory system: Results of long-term hearing preservation. *Audiology and Neurotology*, 11 (SUPPL. 1), pp. 49-56. DOI: 10.1159/000095614

Skarżyński, H., Lorens, A., Piotrowska, A., Anderson, I. (2006), Partial deafness cochlear implantation provides benefit to a new population of individuals with hearing loss. *Acta Oto-Laryngologica*, 126 (9), pp. 934-940. DOI: 10.1080/00016480600606632

McDermott, H.J., Sucher, C.M. (2006), Perceptual dissimilarities among acoustic stimuli and ipsilateral electric stimuli. *Hearing Research*, 218 (1-2), pp. 81-88. DOI: 10.1016/j.heares.2006.05.002

Adunka, O.F., Pillsbury, H.C., Kiefer, J. (2006), Combining perimodiolar electrode placement and atraumatic insertion properties in cochlear implantation - Fact or fantasy?. *Acta Oto-Laryngologica*, 126 (5), pp. 475-482. DOI: 10.1080/00016480500437393

Hochmair, I., Nopp, P., Jolly, C., Schmidt, M., Schöber, H., Garnham, C., Anderson, I. (2006), MED-EL Cochlear Implants: State of the Art and a Glimpse Into the Future. *Trends in Amplification*, 10 (4), pp. 201-219. DOI: 10.1177/1084713806296720

Lorens, A., Piotrowska, A., Skarżyński, H., Obrycka, A. (2005), Application of implantable electronic prostheses for patients with hearing impairment [Zastosowanie elektronicznych protez wszczepialnych w leczeniu niedosłuchów]. *Polski Merkurusz Lekarski*, 19 (111), pp. 487-489.

Dorman, M.F., Spahr, A.J., Loizou, P.C., Dana, C.J., Schmidt, J.S. (2005), Acoustic simulations of combined electric and acoustic hearing (EAS). *Ear and Hearing*, 26 (4), pp. 371-380. DOI: 10.1097/00003446-200508000-00001

Adunka, O., Unkelbach, M.H., Mack, M., Hambek, M., Gstoettner, W., Kiefer, J. (2004), Cochlear implantation via the round window membrane minimizes trauma to cochlear structures: A histologically controlled insertion study. *Acta Oto-Laryngologica*, 124 (7), pp. 807-812. DOI: 10.1080/00016480410018179

McDermott, H.J. (2004), Music Perception with Cochlear Implants: A Review. *Trends in Amplification*, 8 (2), pp. 49-82. DOI: 10.1177/108471380400800203