

**Skarżyński, H., Lorens, A., Piotrowska, A., & Anderson, I. (2007). Partial deafness cochlear implantation in children. [Лечение частичной глухоты с помощью кохлеарной имплантации у детей.]. International Journal of Pediatric Otorhinolaryngology, 71(9), 1407-1413. doi:10.1016/j.ijporl.2007.05.014**

**Цитировалось: 50 раз**

**Цитировалось:**

Chen, F., Ni, W., Li, W., Li, H. (2019), Cochlear Implantation and Rehabilitation. Advances in Experimental Medicine and Biology, 1130, pp. 129-144. DOI: 10.1007/978-981-13-6123-4\_8

Goncalves, S., Perez, E., Bas, E., Dinh, C.T., Van De Water, T.R. (2018), Trauma, inflammation, cochlear implantation induced hearing loss and otoprotective strategies to limit hair cell death and hearing loss. Inflammatory Mechanisms in Mediating Hearing Loss, pp. 165-187. DOI: 10.1007/978-3-319-92507-3\_9

Bruce, I.A., Todt, I. (2018), Hearing preservation cochlear implant surgery. Advances in Oto-Rhino-Laryngology, 81, pp. 66-73. DOI: 10.1159/000485544

Schuurbiers, J., Dingemanse, G., Metselaar, M. (2017), Decline of low-frequency hearing in people with ski-slope hearing loss: Implications for electrode array insertion. Otology and Neurotology, 38 (10), pp. 1421-1425. DOI: 10.1097/MAO.0000000000001573

Meredith, M.A., Rubinstein, J.T., Sie, K.C.Y., Norton, S.J. (2017), Cochlear implantation in children with postlingual progressive steeply sloping high-frequency hearing loss. Journal of the American Academy of Audiology, 28 (10), pp. 913-919. DOI: 10.3766/jaaa.16115

Piotrowska, A., Paradowska-Stankiewicz, I., Skarżyński, H. (2017), Rates of vaccination against streptococcus pneumoniae in cochlear implant patients. Medical Science Monitor, 23, pp. 4567-4573. DOI: 10.12659/MSM.903188

Carlson, M.L., Patel, N.S., Tombers, N.M., DeJong, M.D., Breneman, A.I., Neff, B.A., Driscoll, C.L.W. (2017), Hearing Preservation in Pediatric Cochlear Implantation. Otology and Neurotology, 38 (6), pp. e128-e133. DOI: 10.1097/MAO.0000000000001444

Wolfe, J., Neumann, S., Schafer, E., Marsh, M., Wood, M., Baker, R.S. (2017), Potential benefits of an integrated electric-acoustic sound processor with children: A preliminary report. Journal of the American Academy of Audiology, 28 (2), pp. 127-140. DOI: 10.3766/jaaa.15133

Obrycka, A., Lorens, A., Padilla García, J.-L., Piotrowska, A., Skarżyński, H. (2017), Validation of the LittleARS Auditory Questionnaire in cochlear implanted infants and toddlers. International Journal of Pediatric Otorhinolaryngology, 93, pp. 107-116. DOI: 10.1016/j.ijporl.2016.12.024

Skarżyński, H., Matusiak, M., Lorens, A., Furmanek, M., Piłka, A., Skarżyński, P.H. (2016), Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. Journal of Laryngology and Otology, 130 (4), pp. 332-339. DOI: 10.1017/S0022215115003436

Cieśla, K., Lewandowska, M., Skarżyński, H. (2016), Health-related quality of life and mental distress in patients with partial deafness: preliminary findings. European Archives of Oto-Rhino-Laryngology, 273 (3), pp. 767-776. DOI: 10.1007/s00405-015-3713-7

Acharya, A.N., Tavora-Vieira, D., Rajan, G.P. (2016), Using the implant electrode array to conduct real-Time intraoperative hearing monitoring during pediatric cochlear implantation: Preliminary experiences. Otology and Neurotology, 37 (2), pp. e148-e153. DOI: 10.1097/MAO.0000000000000950

Zanetti, D., Nassif, N., Redaelli De Zinis, L.O. (2015), Factors affecting residual hearing preservation in cochlear implantation [Fattori influenzanti la conservazione dei residui uditivi negli impianti cocleari]. Acta Otorhinolaryngologica Italica, 35 (6), pp. 433-441. DOI: 10.14639/0392-100X-619

Skarżyński, H., Lorens, A., Dziendziel, B., Skarżyński, P.H. (2015), Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. International Journal of Pediatric Otorhinolaryngology, 79 (11), pp. 1896-1900. DOI: 10.1016/j.ijporl.2015.08.040

Helbig, S., Helbig, M., Leinung, M., Stöver, T., Baumann, U., Rader, T. (2015), Hearing preservation and improved speech perception with a flexible 28-mm electrode. Otology and Neurotology, 36 (1), pp. 34-42.

Causon, A., Verschuur, C., Newman, T.A. (2015), A Retrospective Analysis of the Contribution of Reported Factors in Cochlear Implantation on Hearing Preservation Outcomes. Otology and Neurotology, 36 (7), pp. 1137-1145. DOI: 10.1097/MAO.000000000000753

Skarżyński, H. (2014), Long-term results of partial deafness treatment. Cochlear Implants International, 15 (SUPPL. 1), pp. S21-S23. DOI: 10.1179/1467010014Z.000000000170

Skarżyński, H., Matusiak, M., Furmanek, M., Skarżyński, P.H. (2014), Results of SRA Nucleus Freedom CI in population of children with functional residual hearing. Cochlear Implants International, 15 (SUPPL. 1), pp. S24-S26. DOI: 10.1179/1467010014Z.000000000187

Skarżyński, P.H., Wolak, T., Skarżyński, H., Lorens, A., Śliwa, L., Rusiniak, M., Pluta, A., Lewandowska, M., Ciesla, K., Wiktor Jędrzejczak, W., Olszewski, L. (2013), Application of the functional magnetic resonance imaging (fMRI) for the assessment of the primary auditory cortex function in partial deafness patients - A preliminary study. Journal of International Advanced Otology, 9 (2), pp. 153-160.

Russell, J.L., Pine, H.S., Young, D.L. (2013), Pediatric Cochlear Implantation. Expanding Applications and Outcomes. Pediatric Clinics of North America, 60 (4), pp. 841-863. DOI: 10.1016/j.pcl.2013.04.008

Havenith, S., Lammers, M.J.W., Tange, R.A., Trabalzini, F., Della Volpe, A., Van Der Heijden, G.J.M.G., Grolman, W. (2013), Hearing preservation surgery: Cochleostomy or round window approach? A systematic review. Otology and Neurotology, 34 (4), pp. 667-674. DOI: 10.1097/MAO.0b013e318288643e

Mlynki, R., Plontke, S. (2013), Cochlear implants in children and adolescents [Cochleaimplantatversorgung bei Kindern und Jugendlichen]. *HNO*, 61 (5), pp. 388-398. DOI: 10.1007/s00106-013-2699-y

Rajan, G.P., Kontorinis, G., Kuthubutheen, J. (2012), The effects of insertion speed on inner ear function during cochlear implantation: A comparison study. *Audiology and Neurotology*, 18 (1), pp. 17-22. DOI: 10.1159/000342821

Bas, E., Dinh, C.T., Garnham, C., Polak, M., Van de Water, T.R. (2012), Conservation of hearing and protection of hair cells in cochlear implant patients' with residual hearing. *Anatomical Record*, 295 (11), pp. 1909-1927. DOI: 10.1002/ar.22574

Kuthubutheen, J., Hedne, C.N., Krishnaswamy, J., Rajan, G.P. (2012), A case series of paediatric hearing preservation cochlear implantation: A new treatment modality for children with drug-induced or congenital partial deafness. *Audiology and Neurotology*, 17 (5), pp. 321-330. DOI: 10.1159/000339350

Ha, J.F., Wood, B., Krishnaswamy, J., Rajan, G.P. (2012), Incomplete cochlear partition type II variants as an indicator of congenital partial deafness: A first report. *Otology and Neurotology*, 33 (6), pp. 957-962. DOI: 10.1097/MAO.0b013e31825d982d

Lorens, A., Zgoda, M., Skarżyński, H. (2012), A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. *Acta Oto-Laryngologica*, 132 (7), pp. 739-750. DOI: 10.3109/00016489.2012.654852

Jayawardena, J., Kuthubutheen, J., Rajan, G. (2012), Hearing preservation and hearing improvement after reimplantation of pediatric and adult patients with partial deafness: A retrospective case series review. *Otology and Neurotology*, 33 (5), pp. 740-744. DOI: 10.1097/MAO.0b013e318255dd91

Polak, M. (2012)P, Benefits of EAS and hearing preservation in partially deaf patients: A review. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 47-52.

Jędrzejczak, W.W., Hatzopoulos, S., Śliwa, L., Piłka, E., Kochanek, K., Skarżyński, H. (2012), Otoacoustic emissions in neonates measured with different acquisition protocols. *International Journal of Pediatric Otorhinolaryngology*, 76 (3), pp. 382-387. DOI: 10.1016/j.ijporl.2011.12.016

Mangus, B., Rivas, A., Tsai, B.S., Haynes, D.S., Roland, J.T. (2012), Surgical techniques in cochlear implants. *Otolaryngologic Clinics of North America*, 45 (1), pp. 69-80. DOI: 10.1016/j.otc.2011.08.017

Rajan, G.P., Kuthubutheen, J., Hedne, N., Krishnaswamy, J. (2012), The role of preoperative, intratympanic glucocorticoids for hearing preservation in cochlear implantation: A prospective clinical study. *Laryngoscope*, 122 (1), pp. 190-195. DOI: 10.1002/lary.22142

Guan, T., Gong, Q., Li, Z. (2011), Effects of electrode insertion depth on mandarin speech understanding using combined electric and acoustic stimulation. *Proceedings - 2011 International Conference on Multimedia and Signal Processing, CMSP 2011*, 2, art. no. 5957517, pp. 298-302. DOI: 10.1109/CMSP.2011.148

Von Ilberg, C.A., Baumann, U., Kiefer, J., Tillein, J., Adunka, O.F. (2011), Electric-acoustic stimulation of the auditory system: A review of the first decade. *Audiology and Neurotology*, 16 (SUPPL. 2), pp. 1-30. DOI: 10.1159/000327765

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Case Reports and Clinical Practice Review*, 16 (11), pp. CR555-CR562.

Neumann, K. (2010), Ethical issues regarding cochlear implantation in children: An international perspective. *Ethical Considerations in Educating Children Who Are Deaf or Hard of Hearing*, pp. 38-72.

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Medical Science Monitor*, 16 (11), pp. 555-562.

Brown, R.F., Hullar, T.E., Cadieux, J.H., Chole, R.A. (2010), Residual hearing preservation after pediatric cochlear implantation. *Otology and Neurotology*, 31 (8), pp. 1221-1226. DOI: 10.1097/MAO.0b013e3181f0c649

Van De Heyning, P., Punte, A.K. (2010), Electric acoustic stimulation: A new era in prosthetic hearing rehabilitation. *Advances in Oto-Rhino-Laryngology*, 67, pp. 1-5. DOI: 10.1159/000262591

Adunka, O.F., Pillsbury, H.C., Buchman, C.A. (2010), Minimizing intracochlear trauma during cochlear implantation. *Advances in Oto-Rhino-Laryngology*, 67, pp. 96-107. DOI: 10.1159/000262601

Skarżyński, H., Lorens, A. (2010), Electric acoustic stimulation in children. *Advances in Oto-Rhino-Laryngology*, 67, pp. 135-143. DOI: 10.1159/000262605

Skarżyński, H., Podskarbi-Fayette, R. (2010), A new cochlear implant electrode design for preservation of residual hearing: A temporal bone study. *Acta Oto-Laryngologica*, 130 (4), pp. 435-442. DOI: 10.3109/00016480903283733

Van De Heyning, P., Punte, A.K. (2009), Electric acoustic stimulation: A new era in prosthetic hearing rehabilitation. *Cochlear Implants and Hearing Preservation*, 67, pp. 1-5. DOI: 10.1159/000262591

Adunka, O.F., Pillsbury, H.C., Buchman, C.A. (2009), Minimizing intracochlear trauma during cochlear implantation. *Cochlear Implants and Hearing Preservation*, 67, pp. 96-107. DOI: 10.1159/000262601

Skarżyński, H., Lorens, A. (2009), Electric acoustic stimulation in children. *Cochlear Implants and Hearing Preservation*, 67, pp. 135-143. DOI: 10.1159/000262605

Maurer, J. (2009), Actual status of the cochlear implantation in adults and children [Gegenwärtiger Stand der Kochleaimplantatversorgung bei Erwachsenen und Kindern]. *HNO*, 57 (7), pp. 693-706. DOI: 10.1007/s00106-009-1959-3

Baumann, U., Helbig, S. (2009), Hearing with combined electric acoustic stimulation [Hören mit kombinierter elektrischer und akustischer Stimulation]. HNO, 57 (6), pp. 542-550. DOI: 10.1007/s00106-009-1923-2

Skarżyński, H., Lorens, A., Piotrowska, A., Podskarbi-Fayette, R. (2009), Results of partial deafness cochlear implantation using various electrode designs. Audiology and Neurotology, 14 (SUPPL. 1), pp. 39-45. DOI: 10.1159/000206494

Uchanski, R.M., Davidson, L.S., Quadrizius, S., Reeder, R., Cadieux, J., Kettel, J., Chole, R.A. (2009), Two Ears and Two (or More?) Devices: A Pediatric Case Study of Bilateral Profound Hearing Loss. Trends in Amplification, 13 (2), pp. 107-123. DOI: 10.1177/1084713809336423

Friedland, D.R., Runge-Samuelson, C. (2009), Soft Cochlear Implantation: Rationale for the Surgical Approach. Trends in Amplification, 13 (2), pp. 124-138. DOI: 10.1177/1084713809336422