

Skarżyński, H., Lorens, A., Piotrowska, A., & Podskarbi-Fayette, R. (2009). Results of partial deafness cochlear implantation using various electrode designs. [Результаты после кохlearной имплантации при частичной глухоте с использованием электродов различной формы.]. *Audiology and Neurotology*, 14(SUPPL. 1), 39-45. doi:10.1159/000206494

Цитировалось: 39 раз

Цитировалось:

Lorens, A., Kruszynska, M., Obrycka, A., Skarżyński, P.H., Wilson, B., Skarżyński, H. (2019), Binaural advantages in using a cochlear implant for adults with profound unilateral hearing loss. *Acta Oto-Laryngologica*, 139 (2), pp. 153-161. DOI: 10.1080/00016489.2018.1535190

Cieśla, K., Wolak, T., Lorens, A., Heimler, B., Skarżyński, H., Amedi, A. (2019), Immediate improvement of speech-in-noise perception through multisensory stimulation via an auditory to tactile sensory substitution. *Restorative Neurology and Neuroscience*, 37 (2), pp. 155-166. DOI: 10.3233/RNN-190898

Menegatti Pavan, A.L., Alves, A.F.F., Giacomini, G., Altemani, J.M.C., Castilho, A.M., Lauria, R.A., da Silva, V.A.R., Guimarães, A.C., de Pina, D.R. (2018), Cochlear implants: Insertion assessment by computed tomography. *American Journal of Otolaryngology - Head and Neck Medicine and Surgery*, 39 (4), pp. 431-435. DOI: 10.1016/j.amjoto.2018.04.009

Takahashi, M., Arai, Y., Sakuma, N., Yabuki, K., Sano, D., Nishimura, G., Oridate, N., Usami, S.-I. (2018), Cochlear volume as a predictive factor for residual-hearing preservation after conventional cochlear implantation. *Acta Oto-Laryngologica*, 138 (4), pp. 345-350. DOI: 10.1080/00016489.2017.1393840

Bruce, I.A., Todt, I. (2018), Hearing preservation cochlear implant surgery. *Advances in Oto-Rhino-Laryngology*, 81, pp. 66-73. DOI: 10.1159/000485544

Welch, C., Dillon, M.T., Pillsbury, H.C. (2018), Electric and Acoustic Stimulation in Cochlear Implant Recipients with Hearing Preservation. *Seminars in Hearing*, 39 (4), pp. 414-427. DOI: 10.1055/s-0038-1670707

Skarżyński, H., Lorens, A., Kruszynska, M., Obrycka, A., Pastuszek, D., Skarżyński, P.H. (2017), The hearing benefit of cochlear implantation for individuals with unilateral hearing loss, but no tinnitus. *Acta Oto-Laryngologica*, 137 (7), pp. 723-729. DOI: 10.1080/00016489.2016.1274427

Jia, H., François, F., Bourien, J., Eybalin, M., Lloyd, R.V., Van De Water, T.R., Puel, J.-L., Venail, F. (2016), Prevention of trauma-induced cochlear fibrosis using intracochlear application of anti-inflammatory and antiproliferative drugs. *Neuroscience*, 316, pp. 261-278. DOI: 10.1016/j.neuroscience.2015.12.031

Driscoll, V.D., Welhaven, A.E., Gfeller, K., Oleson, J., Olszewski, C.P. (2016), Music perception of adolescents using electroacoustic hearing. *Otology and Neurotology*, 37 (2), pp. e141-e147. DOI: 10.1097/MAO.0000000000000945

Todt, I., Mittmann, P., Ernst, A. (2016), Hearing preservation with a midscalp electrode comparison of a regular and steroid/pressure optimized surgical approach in patients with residual hearing. *Otology and Neurotology*, 37 (9), pp. e349-e352. DOI: 10.1097/MAO.0000000000001068

Sun, C.-H., Hsu, C.-J., Chen, P.-R., Wu, H.-P. (2015), Residual hearing preservation after cochlear implantation via round window or cochleostomy approach. *Laryngoscope*, 125 (7), pp. 1715-1719. DOI: 10.1002/lary.25122

Guimarães, A.C., De Carvalho, G.M., Duarte, A.S.M., Bianchini, W.A., Sarasty, A.B., Di Gregorio, M.F., Zernotti, M.E., Sartorato, E.L., Castilho, A.M. (2015), Hearing preservation and cochlear implants according to inner ear approach: Multicentric evaluation. *Brazilian Journal of Otorhinolaryngology*, 81 (2), pp. 190-196. DOI: 10.1016/j.bjorl.2014.12.002

Doshi, J., Johnson, P., Mawman, D., Green, K., Bruce, I.A., Freeman, S., Lloyd, S.K.W. (2015), Straight versus modiolar hugging electrodes: Does one perform better than the other?. *Otology and Neurotology*, 36 (2), pp. 223-227. DOI: 10.1097/MAO.0000000000000603

Skarżyński, H., Lorens, A., Dziendziel, B., Skarżyński, P.H. (2015), Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. *International Journal of Pediatric Otorhinolaryngology*, 79 (11), pp. 1896-1900. DOI: 10.1016/j.ijporl.2015.08.040

Wanna, G.B., Noble, J.H., Gifford, R.H., Dietrich, M.S., Sweeney, A.D., Zhang, D., Dawant, B.M., Rivas, A., Labadie, R.F. (2015), Impact of Intrascalar Electrode Location, Electrode Type, and Angular Insertion Depth on Residual Hearing in Cochlear Implant Patients: Preliminary Results. *Otology and Neurotology*, 36 (8), pp. 1343-1348. DOI: 10.1097/MAO.0000000000000829

Plant, K.L., McDermott, H.J., Van Hoesel, R.J.M., Dawson, P.W., Cowan, R.S. (2014), Factors influencing electrical place pitch perception in bimodal listeners. *Journal of the Acoustical Society of America*, 136 (3), pp. 1199-1211. DOI: 10.1121/1.4892790

Skarżyński, H., Lorens, A., Matusiak, M., Porowski, M., Skarżyński, P.H., James, C.J. (2014), Cochlear implantation with the nucleus slim straight electrode in subjects with residual low-frequency hearing. *Ear and Hearing*, 35 (2), pp. e33-e43. DOI: 10.1097/01.aud.0000444781.15858.f1

Skarżyński, P.H., Wolak, T., Skarżyński, H., Lorens, A., Śliwa, L., Rusiniak, M., Pluta, A., Lewandowska, M., Ciesła, K., Wiktor Jędrzejczak, W., Olszewski, L. (2013), Application of the functional magnetic resonance imaging (fMRI) for the assessment of the primary auditory cortex function in partial deafness patients - A preliminary study. *Journal of International Advanced Otology*, 9 (2), pp. 153-160.

Gifford, R.H., Dorman, M.F., Skarżyński, H., Lorens, A., Polak, M., Driscoll, C.L.W., Roland, P., Buchman, C.A. (2013), Cochlear implantation with hearing preservation yields significant benefit for speech recognition in complex listening environments. *Ear and Hearing*, 34 (4), pp. 413-425. DOI: 10.1097/AUD.0b013e31827e8163

Havenith, S., Lammers, M.J.W., Tange, R.A., Trabalzini, F., Della Volpe, A., Van Der Heijden, G.J.M.G., Grolman, W. (2013), Hearing preservation surgery: Cochleostomy or round window approach? A systematic review. *Otology and Neurotology*, 34 (4), pp. 667-674. DOI: 10.1097/MAO.0b013e318288643e

Skarżyński, H., Van De Heyning, P., Agrawal, S., Arauz, S.L., Atlas, M., Baumgartner, W., Caversaccio, M., De Bodt, M., Gavilan, J., Godey, B., Green, K., Gstoettner, W., Hagen, R., Han, D., Kameswaran, M., Karltorp, E., Kompis, M., Kuzovkov, V., Lassaletta, L., Levevre, F., Li, Y., Manikoth, M., Martin, J., Mlynski, R., Mueller, J., O'Driscoll, M., Parnes, L., Prentiss, S., Pulibalathingal, S., Raine, C.H., Rajan, G., Rajeswaran, R., Rivas, J.A., Rivas, A., Skarżyński, P.H., Sprinzl, G., Staecker, H., Stephan, K., Usami, S., Yanov, Y., Zernotti, M.E., Zimmermann, K., Lorens, A., Mertens, G. (2013), Towards a consensus on a hearing preservation classification system. *Acta Oto-Laryngologica*, 133 (S564), pp. 3-13. DOI: 10.3109/00016489.2013.869059

Incerti, P.V., Ching, T.Y.C., Cowan, R. (2013), A systematic review of electric-acoustic stimulation: Device fitting ranges, outcomes, and clinical fitting practices. *Trends in Amplification*, 17 (1), pp. 3-26. OI: 10.1177/1084713813480857

Jia, H., Wang, J., Francois, F., Uziel, A., Puel, J.-L., Venail, F. (2013), Molecular and cellular mechanisms of loss of residual hearing after cochlear implantation. *Annals of Otology, Rhinology and Laryngology*, 122 (1), pp. 33-39. DOI: 10.1177/000348941312200107

Lorens, A., Zgoda, M., Skarżyński, H. (2012), A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. *Acta Oto-Laryngologica*, 132 (7), pp. 739-750. DOI: 10.3109/00016489.2012.654852

Polak, M. (2012), Benefits of EAS and hearing preservation in partially deaf patients: A review. *Practica Oto-Rhino-Laryngologica*, (SUPPL. 132), pp. 47-52.

Skarżyński, H., Lorens, A., Matusiak, M., Porowski, M., Skarżyński, P.H., James, C.J. (2012), Partial deafness treatment with the nucleus straight research array cochlear implant. *Audiology and Neurotology*, 17 (2), pp. 82-91. DOI: 10.1159/000329366

Bruce, I.A., Bates, J.E.H.M., Melling, C., Mawman, D., Green, K.M.J. (2011), Hearing preservation via a cochleostomy approach and deep insertion of a standard length cochlear implant electrode. *Otology and Neurotology*, 32 (9), pp. 1444-1447. DOI: 10.1097/MAO.0b013e3182355824

Arnoldner, C., Gstoettner, W., Riss, D., Wagenblast, J., Honeder, C., Blineder, M., Hamzavi, J.-S., Jappel, A., Baumgartner, W.-D. (2011), Residual hearing preservation using the suprameatal approach for cochlear implantation. *Wiener Klinische Wochenschrift*, 123 (19-20), pp. 599-602. DOI: 10.1007/s00508-011-0043-7

Skarżyński, H., Lorens, A., Zgoda, M., Piotrowska, A., Skarżyński, P.H., Szielkowska, A. (2011), Atraumatic round window deep insertion of cochlear electrodes. *Acta Oto-Laryngologica*, 131 (7), pp. 740-749. DOI: 10.3109/00016489.2011.557780

Von Ilberg, C.A., Baumann, U., Kiefer, J., Tillein, J., Adunka, O.F. (2011), Electric-acoustic stimulation of the auditory system: A review of the first decade. *Audiology and Neurotology*, 16 (SUPPL. 2), pp. 1-30. DOI: 10.1159/000327765

Derinsu, U., Serin, G.M., Akdaş, F., Batman, Ç. (2011), Cochlear implantation: Is hearing preservation necessary in severe to profound hearing loss?. *Journal of Craniofacial Surgery*, 22 (2), pp. 520-522. DOI: 10.1097/SCS.0b013e31820855ac

Cosetti, M., Roland, J.T. (2010), Cochlear implant electrode insertion. *Operative Techniques in Otolaryngology - Head and Neck Surgery*, 21 (4), pp. 223-232. DOI: 10.1016/j.otot.2010.10.003

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Case Reports and Clinical Practice Review*, 16 (11), pp. CR555-CR562.

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Medical Science Monitor*, 16 (11), pp. 555-562.

Brown, R.F., Hullar, T.E., Cadieux, J.H., Chole, R.A. (2010), Residual hearing preservation after pediatric cochlear implantation. *Otology and Neurotology*, 31 (8), pp. 1221-1226. DOI: 10.1097/MAO.0b013e3181f0c649

Skarżyński, H., Podskarbi-Fayette, R. (2010), A new cochlear implant electrode design for preservation of residual hearing: A temporal bone study. *Acta Oto-Laryngologica*, 130 (4), pp. 435-442. DOI: 10.3109/00016480903283733

Prentiss, S., Sykes, K., Staecker, H. (2010), Partial deafness cochlear implantation at the University of Kansas: Techniques and outcomes. *Journal of the American Academy of Audiology*, 21 (3), pp. 197-203. DOI: 10.3766/jaaa.21.3.8

Podskarbi-Fayette, R., Piłka, A., Skarżyński, H. (2010), Electric stimulation complements functional residual hearing in partial deafness. *Acta Oto-Laryngologica*, 130 (8), pp. 888-896. DOI: 10.3109/00016480903567189

Lee, A., Jiang, D., McLaren, S., Nunn, T., Demler, J.M., Tysome, J.R., Connor, S., Fitzgerald O'Connor, A. (2010), Electric acoustic stimulation of the auditory system: Experience and results of ten patients using MED-EL's M and FlexEAS electrodes. *Clinical Otolaryngology*, 35 (3), pp. 190-197. DOI: 10.1111/j.1749-4486.2010.02140.x