

Skarżyński, H., Lorens, A., Piotrowska, A., & Skarżyński, P. H. (2010). Hearing preservation in partial deafness treatment. [Preservación de la audición en el tratamiento de la sordera parcial]. Medical Science Monitor, 16(11), 555-562.a

Citado: 31 veces

Citado por:

Sosna, M., Tacikowska, G., Pietrasik, K., Skarżyński, H., Lorens, A., Skarżyński, P.H. (2019), Effect on vestibular function of cochlear implantation by partial deafness treatment-electro acoustic stimulation (PDT-EAS). European Archives of Oto-Rhino-Laryngology, 276 (7), pp. 1951-1959. DOI: 10.1007/s00405-019-05425-5

Schart-Morén, N., Agrawal, S.K., Ladak, H.M., Li, H., Rask-Andersen, H. (2019), Effects of Various Trajectories on Tissue Preservation in Cochlear Implant Surgery: A Micro-Computed Tomography and Synchrotron Radiation Phase-Contrast Imaging Study. Ear and Hearing, 40 (2), pp. 393-400. DOI: 10.1097/AUD.0000000000000624

Skarżyński, H., Lorens, A., Dziendziel, B., Rajchel, J.J., Matusiak, M., Skarżyński, P.H. (2019), Electro-Natural Stimulation in Partial Deafness Treatment of Adult Cochlear Implant Users: Long-Term Hearing Preservation Results. ORL. DOI: 10.1159/000497060 (Article in Press)

Kobosko, J., Wiktor Jedrzejczak, W., Gos, E., Geremek-Samsonowicz, A., Ludwikowski, M., Skarżyński, H. (2018), Self-esteem in the deaf who have become cochlear implant users as adults. PLoS ONE, 13 (9), art. no. e0203680. DOI: 10.1371/journal.pone.0203680

Atturo, F., Schart-Morén, N., Larsson, S., Rask-Andersen, H., Li, H. (2018), The Human Cochlear Aqueduct and Accessory Canals: A Micro-CT Analysis Using a 3D Reconstruction Paradigm. Otology and Neurotology, 39 (6), pp. e429-e435. DOI: 10.1097/MAO.0000000000001831

Skarżyńska, M.B., Skarżyński, P.H., Król, B., Kozięł, M., Osińska, K., Gos, E., Skarżyński, H. (2018), Preservation of hearing following cochlear implantation using different steroid therapy regimens: A prospective clinical study. Medical Science Monitor, 24, pp. 2437-2445. DOI: 10.12659/MSM.906210

Lechowicz, U., Pollak, A., Frączak, A., Rydzanicz, M., Stawiński, P., Lorens, A., Skarżyńskii, P.H., Skarżyński, H., Płoski, R., Ołdak, M. (2018), Application of next-generation sequencing to identify mitochondrial mutations: Study on m.7511T>C in patients with hearing loss. Molecular Medicine Reports, 17 (1), pp. 1782-1790. DOI: 10.3892/mmr.2017.8064

Pollak, A., Lechowicz, U., Kędra, A., Stawiński, P., Rydzanicz, M., Furmanek, M., Brzozowska, M., Mrówka, M., Skarżyńskii, H., Skarżyńskii, P.H., Ołdak, M., Płoski, R. (2016), Novel and De Novo mutations extend association of POU3F4 with distinct clinical and radiological phenotype of hearing loss. PLoS ONE, 11 (12), art. no. e0166618. DOI: 10.1371/journal.pone.0166618

Skarżyński, H., Matusiak, M., Lorens, A., Furmanek, M., Pilka, A., Skarżyński, P.H. (2016), Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. *Journal of Laryngology and Otology*, 130 (4), pp. 332-339. DOI: 10.1017/S0022215115003436

Guo, R., Zhang, H.L., Chen, W., Zhu, X.Q., Liu, W., Rask-Andersen, H. (2016), The inferior cochlear vein: surgical aspects in cochlear implantation. *European Archives of Oto-Rhino-Laryngology*, 273 (2), pp. 355-361. DOI: 10.1007/s00405-015-3549-1

Gratacap, M., Thierry, B., Rouillon, I., Marlin, S., Garabedian, N., Loundon, N. (2015), Pediatric cochlear implantation in residual hearing candidates. *Annals of Otology, Rhinology and Laryngology*, 124 (6), pp. 443-451. DOI: 10.1177/0003489414566121

Skarżyński, H., Lorens, A., Dziendziel, B., Skarżyński, P.H. (2015), Expanding pediatric cochlear implant candidacy: A case study of electro-natural stimulation (ENS) in partial deafness treatment. *International Journal of Pediatric Otorhinolaryngology*, 79 (11), pp. 1896-1900. DOI: 10.1016/j.ijporl.2015.08.040

Blamey, P.J., Maat, B., Baškent, D., Mawman, D., Burke, E., Dillier, N., Beynon, A., Kleine-Punte, A., Govaerts, P.J., Skarżyński, P.H., Huber, A.M., Sterkers-Artières, F., Van De Heyning, P., O'Leary, S., Fraysse, B., Green, K., Sterkers, O., Venail, F., Skarżyński, H., Vincent, C., Truy, E., Dowell, R., Bergeron, F., Lazard, D.S. (2015), A retrospective multicenter study comparing speech perception outcomes for bilateral implantation and bimodal rehabilitation. *Ear and Hearing*, 36 (4), pp. 408-416. DOI: 10.1097/AUD.0000000000000150

Santa Maria, P.L., Gluth, M.B., Yuan, Y., Atlas, M.D., Blevins, N.H. (2014), Hearing preservation surgery for cochlear implantation: A meta-analysis. *Otology and Neurotology*, 35 (10), pp. e256-e269. DOI: 10.1097/MAO.0000000000000561

Skarżyński, P.H., Olszewski, L., Lorens, A., Włodarczyk, A.W., Skarżyński, H. (2014), Cochlear implantation in the elderly. *Audiology and Neurotology*, 19, pp. 33-35. DOI: 10.1159/000371607

Skarżyński, H., Lorens, A., Matusiak, M., Porowski, M., Skarżyński, P.H., James, C.J. (2014), Cochlear implantation with the nucleus slim straight electrode in subjects with residual low-frequency hearing. *Ear and Hearing*, 35 (2), pp. e33-e43. DOI: 10.1097/01.aud.0000444781.15858.f1

Skarżyński, H. (2014), Long-term results of partial deafness treatment. *Cochlear Implants International*, 15 (SUPPL. 1), pp. S21-S23. DOI: 10.1179/1467010014Z.000000000170

Skarżyńskii, H., Matusiak, M., Furmanek, M., Skarżyńskii, P.H. (2014), Results of SRA Nucleus Freedom CI in population of children with functional residual hearing. *Cochlear Implants International*, 15 (SUPPL. 1), pp. S24-S26. DOI: 10.1179/1467010014Z.000000000187

Lorens, A., Zgoda, M., Polak, M., Skarżyński, H. (2014), FS4 for partial deafness treatment. Cochlear Implants International, 15 (SUPPL. 1), pp. S78-S80. DOI: 10.1179/1467010014Z.000000000166

Atturo, F., Barbara, M., Rask-Andersen, H. (2014), Is the human round window really round? An anatomic study with surgical implications. Otology and Neurotology, 35 (8), pp. 1354-1360. DOI: 10.1097/MAO.0000000000000332

Skarżyński, P.H., Wolak, T., Skarżyński, H., Lorens, A., Śliwa, L., Rusiniak, M., Pluta, A., Lewandowska, M., Ciesla, K., Wiktor Jedrzejczak, W., Olszewski, L. (2013), Application of the functional magnetic resonance imaging (fMRI) for the assessment of the primary auditory cortex function in partial deafness patients - A preliminary study. Journal of International Advanced Otology, 9 (2), pp. 153-160.

Jedrzejczak, W.W., Piotrowska, A., Kochanek, K., Sliwa, L., Skarżyński, H. (2013), Low-frequency otoacoustic emissions in schoolchildren measured by two commercial devices. International Journal of Pediatric Otorhinolaryngology, 77 (10), pp. 1724-1728. DOI: 10.1016/j.ijporl.2013.08.002

Nguyen, Y., Mosnier, I., Borel, S., Ambert-Dahan, E., Bouccara, D., Bozorg-Grayeli, A., Ferrary, E., Sterkers, O. (2013), Evolution of electrode array diameter for hearing preservation in cochlear implantation. Acta Oto-Laryngologica, 133 (2), pp. 116-122. DOI: 10.3109/00016489.2012.723824

Incerti, P.V., Ching, T.Y.C., Cowan, R. (2013), A systematic review of electric-acoustic stimulation: Device fitting ranges, outcomes, and clinical fitting practices. Trends in Amplification, 17 (1), pp. 3-26. DOI: 10.1177/1084713813480857

Rodgers, B., Prentiss, S., Staecker, H. (2012), Expanding cochlear implantation to patients with residual mid and high frequency hearing. Otorinolaringologia, 62 (4), pp. 183-190.

Lazard, D.S., Vincent, C., Venail, F., van de Heyning, P., Truy, E., Sterkers, O., Skarżyński, P.H., Skarżyński, H., Schauwers, K., O'Leary, S., Mawman, D., Maat, B., Kleine-Punte, A., Huber, A.M., Green, K., Govaerts, P.J., Fraysse, B., Dowell, R., Dillier, N., Burke, E., Beynon, A., Bergeron, F., Başkent, D., Artières, F., Blamey, P.J. (2012), Pre-, Per- and Postoperative Factors Affecting Performance of Postlinguistically Deaf Adults Using Cochlear Implants: A New Conceptual Model over Time. PLoS ONE, 7 (11), art. no. e48739. DOI: 10.1371/journal.pone.0048739

Jedrzejczak, W.W., Kochanek, K., Trzaskowski, B., Pilka, E., Skarżyński, P.H., Skarżyński, H. (2012), Tone-burst and click-evoked otoacoustic emissions in subjects with hearing loss above 0.25, 0.5, and 1 kHz. Ear and Hearing, 33 (6), pp. 757-767. DOI: 10.1097/AUD.0b013e31825c05ac

Jedrzejczak, W.W., Hatzopoulos, S., Sliwa, L., Pilka, E., Kochanek, K., Skarżyński, H. (2012), Otoacoustic emissions in neonates measured with different acquisition protocols.

International Journal of Pediatric Otorhinolaryngology, 76 (3), pp. 382-387. DOI: 10.1016/j.ijporl.2011.12.016

Wiatr, M., Składzień, J., Tomik, J., Strek, P., Przeklasa-Muszyńska, A. (2012), Bony wall damage in the region of the middle and posterior cranial fossa observed during otosurgery. Medical Science Monitor, 18 (6), pp. BR215-BR220. DOI: 10.12659/MSM.882871

Ryszard, T., Paweł, R. (2012), From cochlear implants to brain-computer interfaces. Bio-Algorithms and Med-Systems, 8, pp. 267-286. DOI: 10.2478/bams-2012-0022

Green, K. (2011), The role of active middle-ear implants in the rehabilitation of hearing loss (2011) Expert Review of Medical Devices, 8 (4), pp. 441-447. DOI: 10.1586/erd.11.18