

Skarżyński, H., Olszewski, L., Skarżyński, P. H., Lorens, A., Piotrowska, A., Porowski, M., Pilka, A. (2014). Direct round window stimulation with the med-el vibrant soundbridge: 5 years of experience using a technique without interposed fascia. [Прямая стимуляция круглого окна с помощью импланта med-el vibrant soundbridge: 5-летний опыт использования техники без применения фасции.]. European Archives of Oto-Rhino-Laryngology, 271(3), 477-482. doi:10.1007/s00405-013-2432-1

Цитировалось: 25 раз

Цитировалось:

Maw, J. (2019), The Vibrant Soundbridge: A Global Overview. *Otolaryngologic Clinics of North America*, 52 (2), pp. 285-295. DOI: 10.1016/j.otc.2018.11.007

Zahnert, T., Mlynski, R., Löwenheim, H., Beutner, D., Hagen, R., Ernst, A., Zehlicke, T., Kühne, H., Friese, N., Tropitzsch, A., Luers, J.C., Todt, I., Hüttenbrink, K.-B. (2019), Long-Term Outcomes of Vibroplasty Coupler Implantations to Treat Mixed/Conductive Hearing Loss. *Audiology and Neurotology*, 23 (6), pp. 316-325. DOI: 10.1159/000495560

Reimann, K., Schraven, S., Dalhoff, E., Zenner, H.-P., Arnold, H. (2019), Implantability of endaurally insertable active vibratory middle-ear implants—an anatomical study. *Acta Oto-Laryngologica*. DOI: 10.1080/00016489.2019.1607974 (Article in Press)

Prenzler, N.K., Gruber, L., Lenarz, T., Maier, H., Schwab, B. (2018), The Impact of Two-Stage Subtotal Petrossectomy and Round Window Vibroplasty on Bone Conduction Thresholds. *ORL*, 80 (2), pp. 77-84. DOI: 10.1159/000489463

Skarżyński, H. (2018), Implantable hearing aids. *Master Techniques in Otolaryngology - Head and Neck Surgery: Otology, Neurotology, and Lateral Skull Base Surgery*, pp. 321-336.

Donnelly, N.P., Pennings, R.J.E. (2018), Hearing rehabilitation with active middle ear implants. *Advances in Oto-Rhino-Laryngology*, 81, pp. 43-56. DOI: 10.1159/000485529

Olszewski, L., Jędrzejczak, W.W., Piotrowska, A., Skarżyński, H. (2017), Round window stimulation with the Vibrant Soundbridge: Comparison of direct and indirect coupling. *Laryngoscope*, 127 (12), pp. 2843-2849. DOI: 10.1002/lary.26536

Shin, D.H., Seong, K.W., Puria, S., Lee, K.-Y., Cho, J.-H. (2016), A tri-coil bellows-type round window transducer with improved frequency characteristics for middle-ear implants. *Hearing Research*, 341, pp. 144-154. DOI: 10.1016/j.heares.2016.08.013

Zahnert, T., Löwenheim, H., Beutner, D., Hagen, R., Ernst, A., Pau, H.-W., Zehlicke, T., Kühne, H., Friese, N., Tropitzsch, A., Lüers, J.-C., Mlynski, R., Todt, I., Hüttenbrink, K.-B. (2016), Multicenter clinical trial of vibroplasty couplers to treat mixed/conductive hearing loss: First results. *Audiology and Neurotology*, 21 (4), pp. 212-222. DOI: 10.1159/000444616

Leinung, M., Zaretsky, Y., Ernst, B., Vaerst, B., Stöver, T., Hey, C. (2016), Vibrant Soundbridge®: An Alternative Hearing System for Preschool Children with Aural Atresia [Die Vibrant Soundbridge®: Ein alternatives Hörsystem bei Vorschulkindern mit

Gehörgangsatresie]. *Laryngo- Rhino- Otologie*, 95 (9), pp. 627-633. DOI: 10.1055/s-0042-100906

Kaulitz, S., Großmann, W., Steinbach, J., Hackenberg, S., Kraus, F., Köhler, C., Mlynski, R., Radeloff, A., Rak, K., Schraven, S.P., Hagen, R. (2016), Direct Drive Simulation - Sound-Simulation of the Vibrant Soundbridge® [Direct Drive Simulation - Klangsimulation des Vibrant Soundbridge®-Hörens]. *Laryngo- Rhino- Otologie*, 95 (5), pp. 336-342. DOI: 10.1055/s-0035-1564262

Chen, K., Lyu, H., Xie, Y., Yang, L., Zhang, T., Dai, P. (2016), The positional relationship between facial nerve and round window niche in patients with congenital aural atresia and stenosis. *European Archives of Oto-Rhino-Laryngology*, 273 (3), pp. 587-591. DOI: 10.1007/s00405-015-3592-y

Inagaki, Y., Kanzaki, S., Yamada, H., Watabe, T., Oishi, N., Ogawa, K., Iwasaki, S. (2016), A case of middle ear implant VSB (Vibrant Soundbridge®). *Practica Oto-Rhino-Laryngologica*, 109 (4), pp. 239-246. DOI: 10.5631/jibirin.109.239

Renninger, D., Ernst, A., Todt, I. (2016), MRI scanning in patients implanted with a round window or stapes coupled floating mass transducer of the Vibrant Soundbridge. *Acta Oto-Laryngologica*, 136 (3), pp. 241-244. DOI: 10.3109/00016489.2015.1115552

Schraven, S.P., Großmann, W., Rak, K., Shehata-Dieler, W., Hagen, R., Mlynski, R. (2016), Long-Term stability of the active middle-ear implant with floating-mass transducer technology: A single-center study. *Otology and Neurotology*, 37 (3), pp. 252-266. DOI: 10.1097/MAO.0000000000000943

Kumakawa, K., Kanzaki, S., Usami, S., Iwasaki, S., Yamanaka, N., Doi, K., Naito, Y., Gyo, K., Tono, T., Takahashi, H., Kanda, Y. (2015), Multicenter clinical study of vibrant soundbridge in Japan : Analysis of subjective questionnaires. *Journal of Otolaryngology of Japan*, 118 (11), pp. 1309-1318. DOI: 10.3950/jibiinkoka.118.1309

Doi, K., Kanzaki, S., Kumakawa, K., Usami, S.-I., Iwasaki, S., Yamanaka, N., Naito, Y., Gyo, K., Tono, T., Takahashi, H., Kanda, Y. (2015), Evaluation of the effectiveness and safety in a multi-center clinical trial of VIBRANT SOUNDBRIDGE® in Japan. *Journal of Otolaryngology of Japan*, 118 (12), pp. 1449-1458. DOI: 10.3950/jibiinkoka.118.1449

Chen, K., Lyu, H., Xie, Y., Yang, L., Zhang, T., Dai, P. (2015), Morphological Characteristics of Round Window Niche in Congenital Aural Atresia and Stenosis Patients. *Journal of Computer Assisted Tomography*, 39 (4), pp. 547-551. DOI: 10.1097/RCT.0000000000000237

Marino, R., Lampacher, P., Dittrich, G., Tavora-Vieira, D., Kuthubutheen, J., Rajan, G.P. (2015), Does Coupling and Positioning in Vibroplasty Matter? A Prospective Cohort Study. *Otology and Neurotology*, 36 (7), pp. 1223-1230. DOI: 10.1097/MAO.0000000000000790

Lassaletta, L., Calvino, M., Sánchez-Cuadrado, I., Pérez-Mora, R.M., Muñoz, E., Gavilán, J. (2015), Pros and Cons of Round Window Vibroplasty in Open Cavities: Audiological, Surgical, and Quality of Life Outcomes. *Otology and Neurotology*, 36 (6), pp. 944-952. DOI: 10.1097/MAO.0000000000000763

Zernotti, M.E., Grasso, P. (2014), Middle ear implants (MEI): Vibrant soundbridge. *Implantable Hearing Devices Other Than Cochlear Implants*, 9788132219101, pp. 71-83. DOI: 10.1007/978-81-322-1910-1_4

Doi, K. (2014), The efficacy and safety of surgically implanted hearing devices. *Practica Oto-Rhino-Laryngologica*, 107 (7), pp. 509-519. DOI: 10.5631/jibirin.107.509

Perez, R., Adelman, C., Chordekar, S., De Jong, M.A., Sohmer, H. (2014), The mechanism of direct stimulation of the cochlea by vibrating the round window. *Journal of Basic and Clinical Physiology and Pharmacology*, 25 (3), pp. 273-276. DOI: 10.1515/jbcpp-2014-0042

Dillon, M.T., Tubbs, R.S., Adunka, M.C., King, E.R., Hillman, T.A., Adunka, O.F., Chen, D.A., Buchman, C.A. (2014), Round window stimulation for conductive and mixed hearing loss. *Otology and Neurotology*, 35 (9), pp. 1601-1608. DOI: 10.1097/MAO.0000000000000525

Beltrame, A.M., Todt, I., Sprinzi, G., Profant, M., Schwab, B. (2014), Consensus statement on round window vibroplasty. *Annals of Otology, Rhinology and Laryngology*, 123 (10), pp. 734-740. DOI: 10.1177/0003489414534013