

Podskarbi-Fayette, R., Pilka, A., & Skarżyński, H. (2010). Electric stimulation complements functional residual hearing in partial deafness. [Электрическая стимуляция дополняет функциональный остаточный слух при частичной глухоте.]. Acta Oto-Laryngologica, 130(8), 888-896. doi:10.3109/00016480903567189

Цитировалось: 22 раз

Цитировалось:

Sosna, M., Tacikowska, G., Pietrasik, K., Skarżyński, H., Lorens, A., Skarżyński, P.H. (2019), Effect on vestibular function of cochlear implantation by partial deafness treatment–electro acoustic stimulation (PDT–EAS). *European Archives of Oto-Rhino-Laryngology*, 276 (7), pp. 1951-1959. DOI: 10.1007/s00405-019-05425-5

Kim, J.-S., Tejani, V.D., Abbas, P.J., Brown, C.J. (2018), Postoperative Electrocochleography from Hybrid Cochlear Implant users: An Alternative Analysis Procedure. *Hearing Research*, 370, pp. 304-315. DOI: 10.1016/j.heares.2018.10.016

Dalbert, A., Pfiffner, F., Hoesli, M., Koka, K., Veraguth, D., Roosli, C., Huber, A. (2018), Assessment of cochlear function during cochlear implantation by extra- and intracochlear electrocochleography. *Frontiers in Neuroscience*, 12 (JAN), art. no. 18. DOI: 10.3389/fnins.2018.00018

Schuurbiers, J., Dingemans, G., Metselaar, M. (2017), Decline of low-frequency hearing in people with ski-slope hearing loss: Implications for electrode array insertion. *Otology and Neurotology*, 38 (10), pp. 1421-1425. DOI: 10.1097/MAO.0000000000001573

Chang, M.Y., Gwon, T.M., Lee, H.S., Lee, J.H., Oh, S.H., Kim, S.J., Park, M.-H. (2017), The effect of systemic lipoic acid on hearing preservation after cochlear implantation via the round window approach: A guinea pig model. *European Journal of Pharmacology*, 799, pp. 67-72. DOI: 10.1016/j.ejphar.2017.01.042

Abbas, P.J., Tejani, V.D., Schepeler, R.A., Brown, C.J. (2017), Using Neural Response Telemetry to Monitor Physiological Responses to Acoustic Stimulation in Hybrid Cochlear Implant Users. *Ear and Hearing*, 38 (4), pp. 409-425. DOI: 10.1097/AUD.0000000000000400

Chang, M.Y., Rah, Y.C., Choi, J.J., Woo, S.W., Hwang, Y.-J., Eastwood, H., O'Leary, S.J., Lee, J.H. (2017), The effect of systemic steroid on hearing preservation after cochlear implantation via round window approach: A Guinea pig model. *Otology and Neurotology*, 38 (7), pp. 962-969. DOI: 10.1097/MAO.0000000000001453

Dalbert, A., Huber, A., Veraguth, D., Roosli, C., Pfiffner, F. (2016), Assessment of cochlear trauma during cochlear implantation using electrocochleography and cone beam computed tomography. *Otology and Neurotology*, 37 (5), pp. 446-453. DOI: 10.1097/MAO.0000000000000998

Carland, E.M., Stoddart, P.R., Cadusch, P.J., Fallon, J.B., Wade, S.A. (2016), Effect of embedded optical fibres on the mechanical properties of cochlear electrode arrays. *Medical Engineering and Physics*, 38 (2), pp. 155-162. DOI: 10.1016/j.medengphy.2015.11.015

Gratacap, M., Thierry, B., Rouillon, I., Marlin, S., Garabedian, N., Loundon, N. (2015), Pediatric cochlear implantation in residual hearing candidates. *Annals of Otolaryngology, Rhinology and Laryngology*, 124 (6), pp. 443-451. DOI: 10.1177/0003489414566121

Kopelovich, J.C., Reiss, L.A.J., Etlar, C.P., Xu, L., Bertroche, J.T., Gantz, B.J., Hansen, M.R. (2015), Hearing Loss After Activation of Hearing Preservation Cochlear Implants Might Be Related to Afferent Cochlear Innervation Injury. *Otology and Neurotology*, 36 (6), pp. 1035-1044. DOI: 10.1097/MAO.0000000000000754

Gillespie, L.N., Richardson, R.T., Wise, A.K., Nayagam, B.A. (2015), Cell and gene therapies for the treatment of hearing disorders. *Gene and Cell Therapy: Therapeutic Mechanisms and Strategies*, Fourth Edition, pp. 949-963. DOI: 10.1201/b18002

Gillespie, L.N., Richardson, R.T., Nayagam, B.A., Wise, A.K. (2014), Treating hearing disorders with cell and gene therapy. *Journal of Neural Engineering*, 11 (6), art. no. 065001, . DOI: 10.1088/1741-2560/11/6/065001

Rebol, J. (2013), Hearing preservation with a hybrid cochlear implant (electro-acoustic stimulation) - Case report [Ohranitev sluha s hibridnim polževim vsadkom (elektroakustična stimulacija) -klinični primer]. *Zdravniški Vestnik*, 82 (12), pp. 859-863.

Havenith, S., Lammers, M.J.W., Tange, R.A., Trabalzini, F., Della Volpe, A., Van Der Heijden, G.J.M.G., Grolman, W. (2013), Hearing preservation surgery: Cochleostomy or round window approach? A systematic review. *Otology and Neurotology*, 34 (4), pp. 667-674. DOI: 10.1097/MAO.0b013e318288643e

Incerti, P.V., Ching, T.Y.C., Cowan, R. (2013), A systematic review of electric-acoustic stimulation: Device fitting ranges, outcomes, and clinical fitting practices. *Trends in Amplification*, 17 (1), pp. 3-26. DOI: 10.1177/1084713813480857

Rau, T.S., Würfel, W., Lenarz, T., Majdani, O. (2013), Three-dimensional histological specimen preparation for accurate imaging and spatial reconstruction of the middle and inner ear. *International Journal of Computer Assisted Radiology and Surgery*, 8 (4), pp. 481-509. DOI: 10.1007/s11548-013-0825-7

Rajan, G.P., Kontorinis, G., Kuthubutheen, J. (2012), The effects of insertion speed on inner ear function during cochlear implantation: A comparison study. *Audiology and Neurotology*, 18 (1), pp. 17-22. DOI: 10.1159/000342821

Rodgers, B., Prentiss, S., Staecker, H. (2012), Expanding cochlear implantation to patients with residual mid and high frequency hearing. *Otorinolaringologia*, 62 (4), pp. 183-190.

Demason, C., Choudhury, B., Ahmad, F., Fitzpatrick, D.C., Wang, J., Buchman, C.A., Adunka, O.F. (2012), Electrophysiological properties of cochlear implantation in the gerbil using a flexible array. *Ear and Hearing*, 33 (4), pp. 534-542. DOI: 10.1097/AUD.0b013e3182498c28

Rajan, G.P., Kuthubutheen, J., Hedne, N., Krishnaswamy, J. (2012), The role of preoperative, intratympanic glucocorticoids for hearing preservation in cochlear implantation: A prospective clinical study. *Laryngoscope*, 122 (1), pp. 190-195. DOI: 10.1002/lary.22142

de Carvalho, G.M., Valente, J.P.P., Duarte, A.S.M., Muranaka, E.B., Guimarães, A.C., Soki, M.N., Bianchini, W.A., Castilho, A.M., Paschoal, J.R. (2012), Electro acoustic stimulation of the auditory system: UNICAMP's surgical approach. *Brazilian Journal of Otorhinolaryngology*, 78 (1), pp. 43-50. DOI: 10.1590/S1808-86942012000100007