

Skarżyński, H., & Lorens, A. (2010). Partial deafness treatment. [Лечение частичной глухоты]. Cochlear Implants International, 11 Suppl 1, 29-41. doi:10.1179/146701010X12671178390799

Цитировалось: 10 раз

Цитировалось:

Yoon, Y.-S., Shin, Y.-R., Kim, J.-M., Coltisor, A., Chun, Y.-M. (2019), Optimizing maps for electric acoustic stimulation users. *Cochlear Implants International*, 20 (3), pp. 106-115. DOI: 10.1080/14670100.2019.1572939

Kaczmarczyk, K., Blazkiewicz, M., Wiszomirska, I., Pietrasik, K., Zdrodowska, A., Wit, A., Barton, G., Skarżyński, H. (2019), Assessing Gait Stability before and after Cochlear Implantation. *BioMed Research International*, 2019, art. no. 2474273. DOI: 10.1155/2019/2474273

Roland, N., András, J.J., Balázs, D., Ádám, P., Ferenc, T., Viktória, S., Jozsef, J., Géza, K.J., László, R. (2018), Possibilities for residual hearing preservation with Nucleus CI532 Slim Modiolar electrode array: Case report. *Orvosi Hetilap*, 159 (41), pp. 1680-1688. DOI: 10.1556/650.2018.31113

Hotton, M., Bergeron, F. (2018), A systematic review of the effectiveness of hearing technologies on speech perception outcomes for people with a severe-to-profound high-frequency hearing loss [Revue systématique sur l'efficacité des technologies de suppléance auditive pour améliorer la perception de la parole chez les personnes présentant une perte auditive sévère à profonde dans les hautes fréquences]. *Canadian Journal of Speech-Language Pathology and Audiology*, 42 (2), pp. 95-115.

Causon, A., Verschuur, C., Newman, T.A. (2015), A Retrospective Analysis of the Contribution of Reported Factors in Cochlear Implantation on Hearing Preservation Outcomes. *Otology and Neurotology*, 36 (7), pp. 1137-1145. DOI: 10.1097/MAO.0000000000000753

Russell, J.L., Pine, H.S., Young, D.L. (2013), Pediatric Cochlear Implantation. Expanding Applications and Outcomes. *Pediatric Clinics of North America*, 60 (4), pp. 841-863. DOI: 10.1016/j.pcl.2013.04.008

Bas, E., Dinh, C.T., Garnham, C., Polak, M., Van de Water, T.R. (2012), Conservation of hearing and protection of hair cells in cochlear implant patients' with residual hearing. *Anatomical Record*, 295 (11), pp. 1909-1927. DOI: 10.1002/ar.22574

Skarżyński, H., Lorens, A., Matusiak, M., Porowski, M., Skarżyński, P.H., James, C.J. (2012), Partial deafness treatment with the nucleus straight research array cochlear implant. *Audiology and Neurotology*, 17 (2), pp. 82-91. DOI: 10.1159/000329366

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Case Reports and Clinical Practice Review*, 16 (11), pp. CR555-CR562.

Skarżyński, H., Lorens, A., Piotrowska, A., Skarżyński, P.H. (2010), Hearing preservation in partial deafness treatment. *Medical Science Monitor*, 16 (11), pp. 555-562.

