

Rajan, G., Tavora-Vieira, D., Baumgartner, W. -, Godey, B., Müller, J., O'Driscoll, M., Van de Heyning, P. (2018). Hearing preservation cochlear implantation in children: The HEARRING group consensus and practice guide. [Кохлеарная имплантация с сохранением остаточного слуха у детей: Консенсус и практическое руководство группы HEARRING.]. Cochlear Implants International, 19(1), 1-13. doi:10.1080/14670100.2017.1379933

Цитировалось: 6 раз

Цитировалось:

Jones, H.A.S., Powell, H.R.F., Hall, A., Lavy, J., Shaida, A., Saeed, S., Khalil, S. (2018), Evaluating inter-aural hearing preservation in bilateral paediatric cochlear implantation. Cochlear Implants International, 19 (6), pp. 307-311. DOI: 10.1080/14670100.2018.1493969

Rader, T., Bohnert, A., Matthias, C., Koutsimpelas, D., Kainz, M.-A., Strieth, S. (2018), Hearing preservation in children with electric-acoustic stimulation after cochlear implantation: Outcome after electrode insertion with minimal insertion trauma (German version) [Hörerhalt bei Kindern mit elektrisch-akustischer Stimulation nach Cochleaimplantation: Ergebnisse nach Elektrodeninsertion mit minimalem Insertionstrauma]. HNO, 66 (9), pp. 660-667. DOI: 10.1007/s00106-018-0530-5

Rader, T., Bohnert, A., Matthias, C., Koutsimpelas, D., Kainz, M.-A., Strieth, S. (2018), Hearing preservation in children with electric-acoustic stimulation after cochlear implantation: Outcome after electrode insertion with minimal insertion trauma. HNO, 66, pp. 56-62. DOI: 10.1007/s00106-018-0532-3

Waechter, S.M., Lopez Valdes, A., Simoes-Franklin, C., Viani, L., Reilly, R.B. (2018), Depth matters - Towards finding an objective neurophysiological measure of behavioral amplitude modulation detection based on neural threshold determination. Hearing Research, 359, pp. 13-22. DOI: 10.1016/j.heares.2017.12.005

Manjaly, J.G., Nash, R., Ellis, W., Britz, A., Lavy, J.A., Shaida, A., Saeed, S.R., Khalil, S.S. (2018), Hearing preservation with standard length electrodes in pediatric cochlear implantation. Otolology and Neurotology, 39 (9), pp. 1109-1114. DOI: 10.1097/MAO.0000000000001917

Welch, C., Dillon, M.T., Pillsbury, H.C. (2018), Electric and Acoustic Stimulation in Cochlear Implant Recipients with Hearing Preservation. Seminars in Hearing, 39 (4), pp. 414-427. DOI: 10.1055/s-0038-1670707