Lorens, A., Zgoda, M., & Skarżyński, H. (2012). A new audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. [Un nuevo procesador de audio para la estimulación combinada eléctrica y acústica para el tratamiento de la sordera parcial]. Acta Oto-Laryngologica, 132(7), 739-750. doi:10.3109/00016489.2012.654852

Citado: 6 veces

Citado por:

Weissgerber, T., Stöver, T., Baumann, U. (2019), Speech perception in noise: Impact of directional microphones in users of combined electric-acoustic stimulation. PLoS ONE, 14 (3), art. no. e0213251. DOI: 10.1371/journal.pone.0213251

Martin, J., Poncet-Wallet, C., Illg, A., Webb, S.P., Henderson, L., Noël-Petroff, N., Auletta, G., Barezzani, M.G., Houri, K., Indian Research Group, Bagus, H., Hoppe, U., Humphries, J., van Treeck, W., Briaire, J.J., Brendel, M., Mathias, N. (2016), Multicentre evaluation of the Naída Ci Q70 sound processor: Feedback from cochlear implant users and professionals. Audiology Research, 6 (2), art. no. 160, pp. 58-63. DOI: 10.4081/audiores.2016.160

Kleine Punte, A., Mertens, G., Cochet, E., De Bodt, M., Van De Heyning, P. (2015), Improved speech reception and sound quality with the DUET2 audio processor for electric acoustic stimulation. Acta Oto-Laryngologica, 135 (10), pp. 1022-1029. DOI: 10.3109/00016489.2015.1050605

Lorens, A., Zgoda, M., Polak, M., Skarżyński, H. (2014), FS4 for partial deafness treatment. Cochlear Implants International, 15 (SUPPL. 1), pp. S78-S80. DOI: 10.1179/1467010014Z.000000000166

Dillon, M.T., Buss, E., Pillsbury, H.C., Adunka, O.F., Buchman, C.A., Adunka, M.C. (2014), Effects of hearing aid settings for electric-acoustic stimulation. Journal of the American Academy of Audiology, 25 (2), pp. 133-140. DOI: 10.3766/jaaa.25.2.2

Sanchez-Cuadrado, I., Lassaletta, L., Perez-Mora, R., Muñoz, E., Gavilan, J. (2013), Reliability and validity of the Spanish Glasgow Benefit Inventory after cochlear implant surgery in adults. European Archives of Oto-Rhino-Laryngology, 272 (2), pp. 333-336. DOI: 10.1007/s00405-013-2844-y