

**Walkowiak, A., Lorens, A., Kostek, B., Skarżyński, H., Polak, M. (2010), ESRT, ART, and MCL correlations in experienced paediatric cochlear implant users. [Корреляции ESRT, ART и MCL у детей, имеющих кохлеарные импланты в течение длительного периода времени]. Cochlear implants international, 11 Suppl 1, pp. 482-484.**

**Цитировалось: 5 раз**

**Цитировалось:**

Kosaner, J., Spitzer, P., Bayguzina, S., Gultekin, M., Behar, L.A. (2018), Comparing eSRT and eCAP measurements in pediatric MED-EL cochlear implant users. Cochlear Implants International, 19 (3), pp. 153-161. DOI: 10.1080/14670100.2017.1416759

De Andrade, K.C.L., Muniz, L.F., De Lemos Menezes, P., Silvio Da Silva, C.N., Carnaúba, A.T.L., De Carvalho Leal, M. (2018), The value of electrically evoked stapedius reflex in determining the maximum comfort level of a cochlear implant. Journal of the American Academy of Audiology, 29 (4), pp. 292-299. DOI: 10.3766/jaaa.16117

Smeds, H., Wales, J., Asp, F., Löfkvist, U., Falahat, B., Anderlid, B.-M., Anmyr, L., Karltorp, E. (2017), X-linked malformation and cochlear implantation. Otology and Neurotology, 38 (1), pp. 38-46. DOI: 10.1097/MAO.0000000000001253

Bergeron, F., Hotton, M. (2015), Comparison of eSRTs and comfort levels in users of digisonic SP cochlear implants. Cochlear Implants International, 16 (2), pp. 110-114. DOI: 10.1179/1754762814Y.0000000092

Steel, M.M., Abbasalipour, P., Salloum, C.A.M., Hasek, D., Papsin, B.C., Gordon, K.A. (2014), Unilateral cochlear implant use promotes normal-like Loudness perception in adolescents with childhood deafness. Ear and Hearing, 35 (6), pp. e291-e301. DOI: 10.1097/AUD.000000000000069