
Artykuły w czasopismach zagranicznych

1. Zgoda M., Lorens A., Obrycka A., Skarżyński H. Academic achievement of Polish children with cochlear implants at the end of their primary education. *Journal of Hearing Science*, 2019; 9(1): 25–31
2. Wolak T., Cieśla K., Włodarczyk E., Pluta A., Skarżyński H., Biswal B.B. Altered functional connectivity in patients with sloping sensorineural hearing loss. *Frontiers in Human Neuroscience*, 2019; 13: 284
3. Kaczmarczyk K., Błażkiewicz M., Wiszomirska I., Pietrasik K., Zdrodowska A., Wit A., Barton G., Skarżyński H. Assessing gait stability before and after cochlear implantation. *BioMed Research International*, 2019; 11: cr555-562
4. Raj-Koziak, D., Bieńkowska K., Gos E., Włodarczyk E., Skarżyński H., Skarżyński P.H. Audiological and psychological profiles of children with tinnitus. *Hearing, Balance and Communication*, 2019; ... 1–5
5. Lorens A., Kruszyńska M., Obrycka A., Skarżyński P.H., Wilson D.B., Skarżyński H. Binaural advantages in using a cochlear implant for adults with profound unilateral hearing loss. *Acta Oto-Laryngologica*, 2019; 139(2): 153–61
6. Ratuszniak A., Skarżyński P.H., Gos E., Skarżyński H. Bonebridge implant in older children and adolescents with mixed or conductive hearing loss: Audiological outcomes, *International Journal of Pediatric Otorhinolaryngology*, 2019; 118: 97–102
7. Skarżyński P.H., Ratuszniak A., Król B., Kozieł M., Osińska K., Cywka K.B., Sztabnicka A., Skarżyński H. Bonebridge in adults with mixed and conductive hearing loss: audiological and quality of life outcomes. *Audiology and Neuro-Otology*, 2019; 29: 1–10
8. Dziendziel B., Skarżyński H., Gos E., Skarżyński P.H. Changes in hearing threshold and tinnitus severity after stapes surgery: Which is more important to the patient's quality of life? *ORL – Journal for Oto-Rhino-Laryngology and its Related Specialties*, 2019; 81(4): 224–33
9. Skarżyński P.H., Ratuszniak A., Osińska K., Kozieł M., Król B., Cywka K., Skarżyński H. A comparative study of a novel adhesive bone conduction device and conventional treatment options for conductive hearing loss. *Otology & Neurotology*, 2019; 40(7): 858–64
10. Skarżyński H., Bieńkowska K., Gos E., Skarżyński P.H., Grudzień D., Czajka N., Wołujewicz K., Włodarczyk E. Cross-cultural adaptation of the scale of Auditory Behaviors Questionnaire. *Language, Speech, and Hearing Services in Schools*, 2019; 50(4): 683–92
11. Wiszomirska I., Zdrodowska A., Tacikowska G., Sosna M., Kaczmarczyka K., Skarżyński H. Does cochlear implantation influence postural stability in patients with hearing loss? *Gait & Posture*, 2019; 74: 40–44
12. Włodarczyk E., Jetka T., Raj-Koziak D., Panasiewicz A., Szkiełkowska A., Skarżyński P.H., Skarżyński H. Diagnosis of laryngopharyngeal reflux in children with voice disorders using 24-hour pharyngeal pH monitoring. *International Journal of Pediatric Otorhinolaryngology*, 2019; 121: 188–96
13. Sosna M., Tacikowska G., Pietrasik K., Skarżyński H., Lorens A., Skarżyński P.H. Effect on vestibular function of cochlear implantation by partial deafness treatment-electro acoustic stimulation (PDT-EAS). *European Archives of Oto-Rhino-Laryngology*, 2019; 276(7): 1951–59

14. Niedziałek I., Raj-Koziak D., Milner R., Wolak T., Ganc M., Wójcik J., Gos E., Skarżyński H., Skarżyński P.H. Effect yoga training on the tinnitus induced distress. *Complementary Therapies in Clinical Practice*, 2019; 36: 7–11
15. Skarżyński H., Lorens A., Dziendziel B., Rajchel J.J., Matusiak M., Skarżyński P.H. Electro-natural stimulation in partial deafness treatment of adult cochlear implant users: long-term hearing preservation results. *ORL – Journal for Oto-Rhino-Laryngology and its Related Specialties*, 2019; 28: 1–10
16. Oziębło D., Sarosiak A., Leja M.L., Budde B.S., Tacikowska G., Di Donato N., Bolz H.J., Nürnberg P., Skarżyński H., Ołdak M. First confirmatory study on PTPRQ as an autosomal dominant non-syndromic hearing loss gene. *Journal of Translational Medicine*, 2019; 17: 351
17. Porowski M., Skarżyński H., Skarżyński P.H., Pastuszek A. Hearing impairment in oculoauriculovertebral dysplasia (goldenhar syndrome): literature review. *Journal of Hearing Science*, 2019; 9(1): 9–13
18. Skarżyński H., Kordowska K., Skarżyński P.H. Hearing loss due to osteogenesis imperfecta in two children. *Journal of Hearing Science*, 2019; 9(1): 35–39
19. Skarżyński P.H., Skarżyński H., Dziendziel B., Rajchel J., Gos E., Lorens A. Hearing preservation with the use of Flex20 and Flex24 electrodes in patients with partial deafness. *Otology & Neurotology*, 2019; 40
20. Skarżyński P.H., Łuszcz C., Świerniak W., Tarczyński K., Matusiak M., Włodarczyk A., Skarżyński H. Hearing screening of school children in a Warmian-Masurian voivodeship. *Journal of Hearing Science*, 2019; 9(2): 36–44
21. Pluta A., Wolak T., Sobańska M., Gawron N., Egbert A.R., Szymańska B., Horban A., Firląg-Burkacka E., Bieńkowski P., Sienkiewicz-Jarosz H., Ścińska-Bieńkowska A., Desowska A., Rusiniak M., Biswal BB., Rao S., Bornstein R., Skarżyński H., Łojek E. HIV and age underlie specific patterns of brain abnormalities and cognitive changes in high functioning patients. *Neurophysiology*, 2019; 33(3): 358–69
22. Cieśla K., Wolak T., Lorens A., Himmler B., Amedi A., Skarżyński H. Immediate improvement of speech-in-noise perception through multisensory stimulation via an auditory to tactile sensory substitution. *Restorative Neurology and Neuroscience*, 2019; 37(2): 155–66
23. Ołdak M., Lechowicz U., Pollak A., Oziębło D., Skarżyński H. Overinterpretation of high throughput sequencing data in medical genetics: first evidence against TMPRSS3/GJB2 digenic inheritance of hearing loss. *Journal of Translational Medicine*, 2019; 17(1): 269
24. Skarżyński P.H., Dziendziel B., Gos E., Włodarczyk E., Miaśkiewicz B., Rajchel J., Skarżyński H. Prevalence and severity of tinnitus in otosclerosis: Preliminary findings from validated questionnaires. *Journal of International Advanced Otology*, 2019; 15(2): 277–82
25. Dziendziel B., Skarżyński P.H., Rajchel J.J., Gos E., Skarżyński H. Prevalence and severity of tinnitus in Polish otosclerosis patients qualified for stapes surgery. *European Archives of Oto-Rhino-Laryngology*, 2019; 276 (6): 1585–90
26. Skarżyński H., Gos E., Świerniak W., Skarżyński P.H. Prevalence of hearing loss among Polish school-age children from rural areas – results of hearing screening program in the sample of 67 416 children. *International Journal of Pediatric Otorhinolaryngology*, 2019; 128: 109676
27. Włodarczyk E., Szkiełkowska A., Skarżyński H., Miaśkiewicz B., Skarżyński P.H., Skarżyński H. Reference values for psychoacoustic tests on Polish school children 7–10 years old. *PLoS ONE*, 2019; 14(8)
28. Raj-Koziak D., Gos E., Świerniak W., Karpiesz L., Niedziałek I., Włodarczyk E., Skarżyński H., Skarżyński P.H. Relationship between tinnitus loudness measure by Visual Analogue Scale and psychoacoustic matching of tinnitus loudness. *Otology & Neurotology*, 2019; 40(1): 16–21

29. Obrycka A., Lorens A., Skarżyński P.H., Cywka K., Skarżyński H. Report on the 16th Symposium on Cochlear Implants in Children {CI2019 Pediatrie}, July 2018, Miami, USA. *Journal of Hearing Science*, 2019; 9(3): 73–74
30. Skarżyński H., Kordowska K., Skarżyński P.H., Gos E. Results of stapedotomy in otosurgical treatment of adult patients. *Auris Nasus Larynx*, 2019; 46: 853–58
31. Cieśla K., Wolak T., Lorens A., Heimler B., Skarżyński H., Amedi A. Results of stapedotomy in otosurgical treatment of adult patients with osteogenesis imperfecta. *Restorative Neurology and Neuroscience*, 2019; 37(2): 155–66
32. Skarżyński P.H., Rajchel J., Gos E., Dziendziel B., Kutyba J., Bieńkowska K., Świerniak W., Gocel M., Raj-Koziak D., Włodarczyk E., Skarżyński H. A revised grading system for the Tinnitus Handicap Inventory based on a large clinical population. *International Journal of Audiology*, 2019
33. Skarżyński H., Dziendziel B., Świerniak W., Gos E., Skarżyński P.H. Stapes surgery for otosclerosis: Audiometric and self-reported hearing outcomes. *Journal of Hearing Science*, 2019; 9(1): 17
34. Dziendziel B., Skarżyński H., Gos E., Skarżyński P.H. Tinnitus severity change following stapedotomy in patients with otosclerosis. *Otol Neurotol*, 2019; 40(5): 578–83
35. Piłka E., Jędrzejczak W.W., Kochanek K., Skarżyński H. Variability of high-frequency distortion product otoacoustic emissions measured by the SmartOAE device: preliminary study. *Journal of Hearing Science*, 2019; 9(3)
36. Sosna M., Tacikowska G., Pietrasik K., Skarżyński H., Skarżyński P.H. Condição vestibular na surdez parcial [Vestibular status in partial deafness]. *Brazilian Journal of Otorhinolaryngology*, 2019
37. Milner R., Lewandowska M., Ganc M., Włodarczyk E., Grudzień D., Skarżyński H. Abnormal resting-state quantitative electroencephalogram in children with central auditory processing disorder – a pilot study. *Frontiers in Neuroscience*, 2018; 12: 292
38. Lechowicz U., Pollak A., Frączak A., Rydzanicz M., Stawiński P., Lorens A., Skarżyński P.H., Skarżyński H., Płoski R., Ołdak M. Application of next-generation sequencing to identify mitochondrial mutations: study on m.7511T>C in patients with hearing loss. *Molecular Medicine Reports*, 2018; 17(1): 1782–90
39. Dąbrowska-Bień J., Skarżyński H., Skarżyński P.H., Gos E., Gwizdalska I., Łazęcka K. Clinical evaluation of the a Polish translation and cross-cultural adaptation of the Nasal Obstruction Symptom Evaluation (NOSE) scale. *Medical Science Monitor*, 2018; 24: 7958–64
40. Skarżyński H., Gos E., Dziendziel B., Raj-Koziak D., Włodarczyk E., Skarżyński P.H., Clinically important change in tinnitus sensation after stapedotomy. *Health and Quality of Life Outcomes*, 2018; 16(1): 208
41. Dąbrowska-Bień J., Skarżyński P.H., Gwizdalska I., Łazęcka K., Skarżyński H. Complications in septoplasty based on a large group of 5639 patients. *European Archives of Oto-Rhino-Laryngology*, 2018; 275(7): 1789–94
42. Skarżyński P.H., Świerniak W., Bruski Ł., Ludwikowski M., Skarżyński H. Comprehensive approach to the National Network of Teleaudiology in World Hearing Center in Kajetany, Poland, *Finnish Journal of eHealth and eWelfare*, 2018; 10(4), 354–63
43. Szkiełkowska A., Krasnodębska P., Miaśkiewicz B., Skarżyński H. Electroglottography in the diagnosis of functional dysphonia. *European Archives of Oto-Rhino-Laryngology*, 2018; 275(10): 2523–28
44. Skarżyński H., Lorens A., Dziendziel B., Skarżyński P.H. Electro-natural stimulation (ENS) in partial deafness treatment: pediatric case series. *Otology & Neurotology* (ahead of print - 2019; 40(2): 171–76

45. Skarżyński P.H., Skarżyński H., Lorens A., Rajan G., Tavora-Vieira D., Baumgartner WD., Godey B., Muller J., O'Driscoll M., Usami SI., Adunka O., Agrawal S., Bruce I., De Bodt M., Caversaccio M., Pilsbury H., Gavilan J., Hagen R., Hagr A., Kameswaran M., Karltorp E., Kompis M., Kuzovkov V., Lassaletta L., Yongxin L., Manoj M., Martin J., Mertens G., Młyński R., Parnes L., Pulibalathingal S., Radeloff A., Raine CH., Rajeswaran R., Schmutzhard J., Sprinzl G., Staecker H., Stephan K., Sugarova S., Zernotti M., Zorowka P., Van de Heyning P. Hearing preservation cochlear implantation in children: the HEARRING Group consensus and practice guide, Cochlear Implants International, 2018; 19 (1), 1–13
46. Raj-Koziak D., Zalewska A., Szczygielska A., Skarżyński H., Skarżyński P.H. Impact of International Tinnitus Awareness Week 5–11.02.2018. Journal of Hearing Science, 2018; 8(2): 50–51
47. Krasnodębska P., Szkiełkowska A., Miałkiewicz B., Włodarczyk E., Domeracka-Kołodziej A., Skarżyński H. Objective measurement of mucosal wave parameters in diagnosing benign lesions of the vocal folds. Logopedics, Phoniatrics, Vocology, 2018; 10: 1–6
48. Osinska K., Skarżyński H., Skarżyński P.H. Ossiculoplasty in hearing loss treatment of patients with osteogenesis imperfecta. Journal of Hearing Science, 2018; 8(1): 25–30
49. Skarżyński H., Osińska K., Skarżyński P.H. Osteogenesis imperfecta: phenotypic and intraoperative findings observed in patients treated surgically at the World Hearing Centre. Journal of International Advanced Otology, 2018; 14(3): 478–83
50. Jedrzejczak W.W., Kochanek K., Skarżyński H. Otoacoustic emissions from ears with spontaneous activity behave differently to those without: Stronger responses to tone bursts as well as to clicks. PLoS One, 2018; 13
51. Oziebło D., Tacikowska G., Skarżyński H., Oldak M. Postlingual sensorineural hearing loss due to a very rare COCH pathogenic variant. Journal of Hearing Science, 2018; 8(1): 31–37
52. Skarżyńska M.B., Skarżyński P.H., Król B., Koziel M., Osińska K., Gos E., Skarżyński H. Preservation of hearing following cochlear implantation using different steroid therapy regimens: A prospective clinical study. Medical Science Monitor, 2018; 24: 2437–45
53. Skarżyński H., Matusiak M., Furmanek M., Piłka A., Włodarczyk E., Ołdak M., Skarżyński P.H. Radiologic measurement of cochlea and hearing preservation rate using slim straight electrode (CI422) and round window approach. Acta Otorhinolaryngologica Italica, 2018; 38(5): 468–75
54. Rajchel J., Kruszyńska M., Kutyba J., Boruta M., Skarżyński P.H., Skarżyński H. Report from the 31st Politzer Society Meeting and 2nd Otology Research Forum, 21–24.02.2018, Gran Canaria, Spain. Journal of Hearing Science, 2018; 8(2): 47–49
55. Kobosko J., Jedrzejczak W.W., Gos E., Geremek-Samsonowicz A., Ludwikowski M., Skarżyński H. Self-esteem in the deaf who have become cochlear implant users as adults. PLoS ONE, 2018; 13(9): e0203680
56. Skarżyński H., Gos E., Raj-Koziak D., Skarżyński P.H. Skarzynski Tinnitus Scale: validation of a brief and robust tool for assessing tinnitus in a clinical population. European Journal of Medical Research, 2018; 23(1): 54
57. Skarżyński H., Plichta L., Dziendziel B., Boruta M., Skarżyński P.H. Some reasons for the failure of Surgical treatment of otosclerosis: lessons from a case study. Journal of Hearing Science, 2018; 8(1): 41–46
58. Skarżyński H., Dziendziel B., Rajchel J., Skarżyński P.H. Surgery for juvenile otosclerosis: a literature review. Journal of Hearing Science, 2018; 8(1): 15–21
59. Skarżyński H., Boruta M., Dziendziel B., Rajchel J., Skarżyński P.H. Surgical treatment of a 5-year-old boy with otosclerosis: a case study. Journal of Hearing Science, 2018; 8(1): 47–52

60. Skarżyński H. Surgical treatment of otosclerosis: expanding indications and new recommendations. *Journal of Hearing Science*, 2018; 8(1): 9–12
61. Krasnodębska P., Furmanek M., Raj-Koziak D., Skarżyński H. Tinnitus as a symptom of transotic schwannoma. *Global Journal of Otolaryngology*, 2018; 14(4)
62. Lechowicz U., Pollak A., Raj-Koziak D., Dziendziel B., Skarżyński P.H., Skarżyński H., Ołdak M. Tinnitus in patients with hearing loss due to mitochondrial DNA pathogenic variants. *European Archives of Oto-Rhino-Laryngology*, 2018; 275(8): 1979–85
63. Osińska K., Król B., Wawszczyk S., Matusiak M., Skarżyński H., Ratuszniak A. Use of the vibrant soundbridge middle ear implant with short process incus coupler for chronic obstructive Inflammation of the external ear canal: case study. *Journal of Hearing Science*, 2018; 8(2): 25–31
64. Rzeski M., Pietrasik K., Sosna M., Skarżyński H., Tacikowska G. Vestibular migraine: reference to International Classification of Headache Disorders, 3rd edition. *Journal of Vestibular Research*, 2018; 28 (1–2): 1–281
65. Raj-Koziak D., Gos E., Świerniak W., Rajchel J.J., Karpiesz L., Niedziątek I., Włodarczyk E., Skarżyński H., Skarżyński P.H. Visual analogue scales as a tool for initial assessment of tinnitus severity: psychometric evaluation in a clinical population. *Audiology and Neuro-Otology*, 2018; 23(4): 229–37
66. Skarżyński P.H., Raj-Koziak D., Rajchel J.J., Piłka A., Włodarczyk A.W., Skarżyński H. Adaptation of the Tinnitus Handicap Inventory into Polish and its testing on a clinical population of tinnitus sufferers. *International Journal of Audiology*, 2017; 56(10): 711–15
67. Krasnodębska P., Szkietkowska A., Miaškiewicz B., Skarżyński H. Characteristics of euphony in direct and indirect mucosal wave imaging techniques. *Journal of Voice*, 2017; 31(3): 383–e13 (Epub 2016)
68. Wolak T., Ciesla K., Wojcik J., Skarżyński H. Effect of sound intensity on level of activation in auditory cortex as measured by fMRI. *Journal of Hearing Science*, 2017; 7(4): 20–27
69. Skarżyński H., Lorens A., Kruszynska M., Obrycka A., Pastuszek D., Skarzynski P.H. Hearing benefit of cochlear implantation for individuals with unilateral hearing loss, but no tinnitus. *Acta Oto-Laryngologica*, 2017; 18: 1–10
70. Jędrzejczak W.W., Milner R., Olszewski L., Skarżyński H. Heightened visual attention does not affect inner ear function as measured by otoacoustic emissions. *PeerJ*, 2017; 21
71. Lechowicz U., Gambin T., Pollak A., Podgorska A., Stawinski P., Franke A., Petersen B.S., Firczuk M., Ołdak M., Skarzynski H., Ploski R. Iterative Sequencing and Variant Screening (ISVS) as a novel pathogenic mutations search strategy – application for TMPRSS3 mutations screen. *Scientific Reports of the Nature Publishing Group*, 2017; 7(1): 2543
72. Skarżyński P.H., Raj-Koziak D., Rajchel J.J., Skarżyński H. Management of non-organic hearing loss in children – a case study. *International Journal of Pediatric Otorhinolaryngology*, 2017; 97: 223–27
73. Ołdak M., Oziębło D., Pollak A., Stępnik I., Lazniewski M., Lechowicz U., Kochanek K., Furmanek M., Tacikowska G., Plewczynski D., Wolak T., Płoski R, Skarżyński H. Novel neuro-audiological findings and further evidence for TWNK involvement in Perrault syndrome. *Journal of Translational Medicine*, 2017; 15(1): 25
74. Pollak A., Skarżyński H. Prevalence of DFNB1 hearing loss among cochlear implant users established with the 3-step DFNB1 approach. *Journal of Hearing Science*, 2017; 7(1): 33–40
75. Osińska K., Jędrzejczak W.W., Skarżyński H., Skarżyński P.H. Report of the 33rd World Congress Of Audiology, 18–21 September 2016, Vancouver, Canada. *Journal of Hearing Science*, 2017; 6(4): 65–66

76. Olszewski Ł., Jędrzejczak W.W., Piotrowska A., Skarżyński H. Round window stimulation with the Vibrant Soundbridge: comparison of direct and indirect coupling. *Laryngoscope*, 2017; 127(12): 2843–49
77. Raj-Koziak D., Zalewska A., Skarżyński H. Tinnitus – all you should know. Report on International Tinnitus Week. *Journal of Hearing Science*, 2017; 7(3): 65
78. Raj-Koziak D., Gos E., Rajchel J., Piłka A., Skarżyński H., Rostkowska J., Skarżyński P.H., Tinnitus and Hearing Survey: a Polish study of validity and reliability in a clinical population. *Audiology and Neuro-Otology*, 2017; 22: 197–204
79. Skarżyński P.H., Świerniak W., Rajchel J.J., Dziendziel B., Raj-Koziak D., Skarżyński H. Tinnitus feeling in cochlear implanted patients. *Journal of Hearing Science*, 2017; 7(3): 29–36
80. Skarżyński P.H., Świerniak W., Rajchel J., Dziendziel B., Raj-Koziak D., Skarżyński H. Tinnitus severity in patients with Cochlear implants. *Journal of Hearing Science*, 2017; 8(3): 21–36
81. Wolak T., Cieśla K., Lorens A., Kochanek K., Lewandowska M., Rusiniak M., Pluta A., Wójcik J., Skarżyński H. Tonotopic organisation of the auditory cortex in sloping sensorineural hearing loss. *Hearing Research*, 2017; 355: 81–96
82. Pastuszek A., Skarżyński H., Pastuszek D., Ołdak M., Skarżyński P.H. Use of cochlear implant system in profound sensorineural hearing loss in patient with Cogan’s syndrome – a case study. *Journal of Hearing Science*, 2017; 7(3): 55–61
83. Olszewski Ł., Jędrzejczak W.W., Śliwa L., Fabijańska A., Skarżyński H. Use of wideband absorbance measurement to assess large vestibular aqueduct syndrome: a case study. *Journal of Hearing Science*, 2017; 7(1): 52–55
84. Pollak A., Lechowicz U., Murcia Pieńkowski V.A., Stawiński P., Kosińska J., Skarżyński H., Ołdak M., Płoski R. Whole exome sequencing identifies TRIOBP pathogenic variants as a cause of post-lingual bilateral moderate-to-severe sensorineural hearing loss. *BMC Medical Genetics*, 2017; 18(1): 142
85. Aimoni C., Ciorba A., Hatzopoulos S., Ramacciotti G., Mazzoli M., Bianchini C., Rosignoli M., Skarżyński H., Skarżyński P.H. Cochlear implants in subjects over age 65: quality of life and audiological outcomes. *Medical Science Monitor*, 2016; 22: 3035–42
86. Sanecka A., Biernacka E.K., Sosna M., Mueller-Malesinska M., Ploski R., Skarżyński H., Piotrowicz R. Evaluation of electrocardiographic parameters in patients with hearing loss genotyped for the connexin 26 gene (GJB2) mutations, *Brazilian Journal of Otorhinolaryngology*, 2016; 83(2): 176–82
87. Ciesla K., Lewandowska M., Skarżyński H. Health-related quality of life and mental distress in patients with partial deafness: preliminary findings. *European Archives of Otorhinolaryngology*, 2016; 273(3): 767–76
88. Wolak T., Cieśla K., Rusiniak M., Piłka A., Lewandowska M., Pluta A., Skarżyński H., Skarżyński P.H. Influence of acoustic overstimulation on central auditory system: an fMRI study. *Medical Science Monitor*, 2016; 22:
89. Lorens A., Skarżyński H., Rivas A., Rivas J.A., Zimmermann K., Parnes L., Lassaletta L., Gavilán J., Bodt M.D., van de Heyning P., Martin J., Raine C.H., Rajeswaran R., Kameswaran M., Manoj M., Pulibalathingal S. Patient management for cochlear implant recipients in audiology departments: a practice review. *Cochlear Implants International*, 2016; 17(3): 123–8
90. Skarżyński H., Matusiak M., Lorens A., Furmanek M., Piłka A., Skarżyński P.H. Preservation of cochlear structures and hearing when using the Nucleus Slim Straight (CI422) electrode in children. *Journal of Laryngology and Otology*, 2016; 130(4): 332–39
91. Campos Ude P., Hatzopoulos S., Śliwa L.K., Skarżyński P.H., Jędrzejczak W.W., Skarżyński H., Carvallo R.M. Relationship between distortion product – otoacoustic emissions (DPOAEs) and high-frequency acoustic immittance measures. *Medical Science Monitor*, 2016; 22: 2028–34

92. Milner R., Lewandowska M., Ganc M., Cieśla K., Niedziałek I., Skarżyński H. Slow cortical potential neurofeedback in chronic tinnitus therapy: a case report. *Applied Psychophysiology and Biofeedback*, 2016; 41(2): 225–49
93. Jędrzejczak W.W., Kochanek K., Pilka E., Skarżyński H. Spontaneous otoacoustic emissions in schoolchildren. *International Journal of Pediatric Otorhinolaryngology*, 2016; 89: 67–71
94. Ciorba A., Corazzi V., Bianchini C., Aimoni C., Skarzynski H., Skarzynski P.H., Hatzopoulos S. Sudden sensorineural hearing loss: Is there a connection with inner ear electrolytic disorders? A literature review. *International Journal of Immunopathology and Pharmacology*, 2016; 29(4): 595–602
95. Iwanicka-Pronicka K., Pollak A., Skórka A., Lechowicz U., Korniszewski L., Westfal P., Skarżyński H., Płoski R. Audio profiles in mitochondrial deafness m.1555A>G and m.3243A>G show distinct differences. *Medical Science Monitor*, 2015; 21: 694–700
96. Kochanek K.M., Sliwa L., Golebiewski M., Pilka A., Skarżyński H. Comparison of 3 ABR methods for diagnosis of retrocochlear hearing impairment. *Medical Science Monitor*, 2015; 21: 3814–24
97. Trzaskowski B., Piłka E., Jędrzejczak W.W., Skarżyński H. Criteria for detection of transiently evoked otoacoustic emissions in school children. *International Journal of Pediatric Otorhinolaryngology*, 2015; 79(9): 1455–61
98. Skarżyński H., Lorens A., Dziendziel B., Skarżyński P.H. Expanding pediatric cochlear implant candidacy: a case study of electro-natural stimulation (ENS) in partial deafness treatment. *International Journal of Pediatric Otorhinolaryngology*, 2015; 79(11): 1896–900
99. Ciorba A., Hatzopoulos S., Bianchini C., Aimoni C., Skarżyński H., Skarżyński P.H. Genetics of presbycusis and presbystasis. *International Journal of Immunopathology and Pharmacology*, 2015; 28: 29–35
100. Szczepański M.J., Łuczak M., Olszewska E., Molinska-Glura M., Zagor M., Krzeski A., Skarżyński H., Misiak J., Dzaman K., Bilusiak M., Kopec T., Leszczyńska M., Witmanowski H., Whiteside T.L. Molecular signaling of the HMGB1/RAGE axis contributes to cholesteatoma pathogenesis. *Journal of Molecular Medicine (Berl.)*, 2015; 93(3): 305–14
101. Jędrzejczak W.W., Konopka W., Kochanek K., Skarżyński H. Otoacoustic emissions in newborns evoked by 0.5 kHz tone bursts. *International Journal of Pediatric Otorhinolaryngology*, 2015; 79(9): 1522–6
102. Jędrzejczak W.W., Koziel M., Kochanek K., Skarżyński H. Otoacoustic emissions in smoking and nonsmoking young adults. *Clinical and experimental otorhinolaryngology*, 2015; 8(4): 303–11
103. Skarżyński P.H., Świerniak W., Dajos K., Pierzyńska I., Żelazowska M., Piłka A., Skarżyński H., Program of hearing screening in school children in Tajikistan, *Сибирское медицинское образование*, 2015; 2(92): 89–95
104. Sanecka A., Biernacka E.K., Szperl M., Sosna M., Mueller-Malesińska M., Kozicka U., Baranowski R., Kosiec A., Łazarczyk H., Skarżyński H., Hoffman P., Bieganowska K., Piotrowicz R. QTc prolongation in patients with hearing loss. *Electrocardiographic and genetic study. Cardiology Journal*, 2015 (Epub) [2016; 23(1): 34–41]
105. Gavilan J., Adunka O., Agrawal S., Atlas M., Baumgartner W.D., Brill S., Bruce I., Buchman C., Caversaccio M., De Bodt M.T., Dillon M., Godey B., Green K., Gstoettner W., Hagen R., Hagr A., Han D., Kameswaran M., Karltorp E., Kompis M., Kuzovkov V., Lassaletta L., Li Y., Lorens A., Martin J., Manoj M., Mertens G., Mlynski R, Mueller J., O'Driscoll M., Parnes L., Pulibalathingal S., Radeloff A., Raine C.H., Rajan G., Rajeswaran R., Schmutzhard J., Skarżyński H., Skarżyński P.H., Sprinzi G., Staecker H., Stephan K., Sugarova S., Tavora D.,

- Usami S.I., Yanov Y., Zernotti M., Zorowka P., de Heyning P.V. Quality standards for bone conduction implants. *Acta Oto-Laryngologica*, 2015; 135: 1277–85
106. Blamey P.J., Maat B., Bařkent D., Mawman D., Burke E., Dillier N., Beynon A., Kleine-Punte A., Govaerts P.J., Skarżyński P.H., Huber A.M., Sterkers-Artières F., Van de Heyning P., O'Leary S., Fraysse B., Green K., Sterkers O., Venail F., Skarżyński H., Vincent C., Truy E., Dowell R., Bergeron F., Lazard D.S. A retrospective multicenter study comparing speech perception outcomes for bilateral implantation and bimodal rehabilitation. *Ear and Hearing*, 2015; 36(4): 408–16
107. Kobosko J., Jędrzejczak W.W., Piłka E., Pankowska A., Skarżyński H. Satisfaction with cochlear implants in postlingually deaf adults and its nonaudiological predictors: psychological distress, coping strategies, and self-esteem. *Ear and Hearing*, 2015; 36(5): 605–18
108. Skarżyński H., Osinska K., Dziendziel B., Skarżyński P.H. Stapedotomy to treat mixed hearing loss in osteogenesis imperfecta: a case study. *Journal of Hearing Science*, 2015; 5(4): 43–48
109. Piotrowska A., Raj-Koziak D., Lorens A., Skarżyński H. Tinnitus reported by children aged 7 and 12 years. *International Journal of Pediatric Otorhinolaryngology*, 2015; 79(8): 1346–50
110. Jędrzejczak W.W., Piłka E., Skarżyński P.H., Olszewski L., Skarżyński H. Tone burst evoked otoacoustic emissions in different age-groups of schoolchildren. *International Journal of Pediatric Otorhinolaryngology*, 2015; 79(8): 1310–5
111. Skarżyński H. Third International Symposium on Otosclerosis and Stapes Surgery with participation of representatives of the World Hearing Center. *Journal of Hearing Science*, 2014; 4(2): SR50–52
112. Skarżyński H. Atrophy of the long crus of incus of unclear etiology: case report. *Journal of Hearing Science*, 2014; 4(2): CS33–37
113. Lewandowska M., Milner R., Ganc M., Włodarczyk E., Skarżyński H. Attention dysfunction subtypes of developmental dyslexia. *Medical Science Monitor*, 2014; 20: 2256–68
114. Skarżyński H., Lorens A., Matusiak M., Porowski M., Skarżyński P.H., James C.J. Cochlear implantation with the nucleus slim straight electrode in subjects with residual low-frequency hearing. *Ear and Hearing*, 2014; 35(2): e33–43
115. Lenarz T., Verhaert N., Desloovere C., Desmet J., D'hondt C., González J.C., Kludt E., Macías A.R., Skarżyński H., Van de Heyning P., Vyncke C., Wąsowski A. Comparative study on speech in noise understanding with a direct acoustic cochlear implant in subjects with severe to profound mixed hearing loss. *Audiology and Neuro-Otology*, 2014; 19(3): 164–74
116. Skarżyński H., Olszewski Ł., Skarżyński P.H., Lorens A., Piotrowska A., Porowski M., Mrówka M., Piłka A. Direct round window stimulation with the Med-El Vibrant Soundbridge: 5 years of experience using a technique without interposed fascia. *European Archives of Oto-Rhino-Laryngology*, 2014; 271(3): 477–82
117. Skarżyński H., Lorens A., Skarżyński P.H. Electro-natural stimulation (ENS) in partial deafness treatment: a case study. *Journal of Hearing Science*, 2014; 4(4): CS67–71
118. Lorens A., Zgoda M., Polak M., Skarżyński H. FS4 for partial deafness treatment. *Cochlear Implants International*, 2014; 15(Supl. 1): S78–80
119. Skarżyński H. Long-term results of partial deafness treatment. *Cochlear Implants International*, 2014; 15(Supl. 1): S21–3

120. Behr R., Colletti V., Matthies C., Morita A., Nakatomi H., Dominique L., Darrouzet V., Brill S., Shehata-Dieler W., Lorens A., Skarżyński H. New outcomes with auditory brainstem implants in NF2 patients. *Otol Neurotol*, 2014; 35(10): 1844–51
121. Trzaskowski B., Jędrzejczak W.W., Piłka E., Cieślicka M., Skarżyński H. Otoacoustic emissions before and after listening to music on a personal player. *Medical Science Monitor*, 2014; 20: 1426–31
122. Pluta A., Wolak T., Czajka N., Lewandowska M., Cieśla K., Rusiniak M., Grudzień D., Skarżyński H. Reduced resting-state brain activity in the default mode network in children with (central) auditory processing disorders. *Behavioral and Brain Functions*, 2014; 10(1): 33
123. Jędrzejczak W.W., Hatzopoulos S., Skarżyński P.H., Skarżyński H. Time-frequency properties of neonatal transiently evoked otoacoustic emissions measured in three different acquisition modes. *Journal of International Advanced Otology*, 2014; 10: 52–55
124. Milner R., Rusiniak M., Lewandowska M., Wolak T., Ganc M., Piątkowska-Janko E., Bogorodzki P., Skarżyński H. Towards neural correlates of auditory stimulus processing: a simultaneous auditory evoked potentials and functional magnetic resonance study using an odd-ball paradigm. *Medical Science Monitor*, 2014; 20: 35–46
125. Piłka E., Jędrzejczak W.W., Trzaskowski B., Skarżyński H. Variability of distortion product otoacoustic emissions at 10, 12 and 16 KHz: a preliminary study. *Journal of Hearing Science*, 2014; 4(4): OA59–64
126. Skarżyński P.H., Wolak T., Skarżyński H., Lorens A., Sliwa L., Rusiniak M., Pluta A., Lewandowska M., Ciesla K., Jędrzejczak W.W., Olszewski Ł. Application of the functional magnetic resonance imaging (fMRI) for the assessment of the primary auditory cortex function in partial deafness patients – a preliminary study. *The Journal of International Advanced Otology*, 2013; 9(2) 153–60
127. Matthies C., Brill S., Kaga K., Morita A., Kumakawa K., Skarżyński H., Claassen A., Hui Y., Chiong C., Müller J., Behr R. Auditory brainstem implantation improves speech recognition in neurofibromatosis type II patients. *ORL – Journal for Oto-Rhino-Laryngology and its Related Specialties*, 2013; 75(5): 282–95
128. Trzaskowski B., Jędrzejczak W., Piłka E., Kochanek K., Skarżyński H. Automatic removal of sonomotor waves from auditory brainstem responses. *Computers in Biology and Medicine*, 2013; 43(5): 524–32
129. Lewandowska M., Ganc M., Włodarczyk E., Skoczylas A., Skarżyński H. Central auditory and attentional processes in developmental dyslexia: relations with literacy and phonological abilities. *Cognitive Neuropsychology*, 2013; : 17
130. Lewandowska M., Ganc M., Włodarczyk E., Senderski A., McPherson D., Bednarek D., Skarżyński H. Central auditory processes predict reading abilities of children with developmental dyslexia. *Journal of Hearing Science*, 2013; 3(2): 30–40
131. Jędrzejczak W.W., Kochanek K., Sliwa L., Piłka E., Piotrowska A., Skarżyński H. Chirp-evoked otoacoustic emissions in children. *International Journal of Pediatric Otorhinolaryngology*, 2013; 77: 101–6
132. Gifford R.H., Dorman M.F., Skarżyński H., Lorens A., Polak M., Driscoll C.L., Roland P., Buchman C.A. Cochlear implantation with hearing preservation yields significant benefit for speech recognition in complex listening environments. *Ear and Hearing*, 2013; 34(4): 413–25
133. Kelm M., Dąrowska A., Skarżyński P.H., Skarżyński H. Diagnostic and rehabilitation of vestibular disorders with using of telemedicine tools. *ScienceMED*, 2013; 4(1): 17–19
134. Ciorba A., Hatzopoulos S., Petruccielli J., Mazzoli M., Pastore A., Kochanek K., Skarżyński P.H., Włodarczyk A., Skarżyński H. Identifying congenital hearing impairment:

- preliminary results from a comparative study using objective and subjective audiometric protocols. *Acta Otorhinolaryngologica Italica*, 2013; 33(1): 29–35
135. Jedrzejczak W.W., Piotrowska A., Kochanek K., Sliwa L., Skarżyński H. Low-frequency otoacoustic emissions in schoolchildren measured by two commercial devices. *International Pediatric Otorhinolaryngology*, 2013; 77(10): 1724–8
 136. Rusiniak M., Lewandowska M., Wolak T., Pluta A., Milner R., Ganc M., Włodarczyk A., Senderski A., Śliwa L., Skarżyński H. Modified oddball paradigm for investigating of neural correlates of attention – a simultaneous ERP-fMRI study. *Magnetic Resonance Materials in Physics Biology and Medicine*, 2013; 26(6): 511–26
 137. Kramer S., Lorens A., Coninx F., Zekveld N., Piotrowska A., Skarżyński H. Processing load during listening: the influence of task characteristics on the pupil response. *Language and Cognitive Processes*, 2013; 28(4): 1–17
 138. Szkielkowska A., Miaskiewicz B., Remacle M., Krasnodebska P., Skarżyński H. Quality of the voice after injection of hyaluronic acid into the vocal fold. *Medical Science Monitor*, 2013; 19: 276–82
 139. Van de Heyning P., Adunka O., Arauz S.L., Atlas M., Baumgartner W.D., Brill S., Bruce I., Buchman C., Caversaccio M., Dillon M., Eikelboom R., Eskilsson G., Gavilan J., Godey B., Green K., Gstoettner W., Hagen R., Han D., Iwasaki S., Kameswaran M., Karltorp E., Kleine Punte A., Kompis M., Kuthubutheen J., Kuzovkov V., Lassaletta L., Li Y., Lorens A., Manikoth M., Martin J., Mlynski R., Mueller J., O'Driscoll M., Parnes L., Pillsbury H., Prentiss S., Pulibalathingal S., Raine CH., Rajan G., Rajeswaran R., Riechelmann H., Rivas A., Rivas J.A., Senn P., Skarżyński P.H., Sprinzl G., Staecker H., Stephan K., Sugarova S., Usami S.I., Wolf-Magele A., Yanov Y., Zernotti M.E., Zimmermann K., Zorowka P., Skarżyński H. Standards of practice in the field of hearing implants. *Cochlear Implants International*, 2013; 14(Supl. 2): 1–5
 140. Skarżyński H., Van de Heyning P., Agrawal S., Arauz S. L., Atlas M., Baumgartner W., Caversaccio M., de Bodt M., Gavilan J., Godey B., Green K., Gstoettner W., Hagen R., Han DM., Kameswaran M., Karltorp E., Kompis M., Kuzovkov V., Lassaletta L., Levevre F., Li Y., Manikoth M., Martin J., Mlynski R., Mueller J., O'Driscoll M., Parnes L., Prentiss S., Pulibalathingal S., Raine C. H., Rajan G., Rajeswaran R., J. Rivas A., Rivas A., Skarżyński P. H., Sprinzl G., Staecker H., Stephan K., Usami S., Yanov Y., Zernotti M. E., Zimmermann K., Lorens A., Mertens G. Towards a consensus on a hearing preservation classification system. *Acta Oto-Laryngologica* 2013; 133 (Supl. 564): 3–13
 141. Skarżyński P.H., Tacikowska G., Skarżyński H., Matusiak M., Sosna M., Pietrasik K. Vestibular aspects in cochlear implant procedure. *ScienceMED*, 2013; 4(1): 21–23
 142. Szkiełkowska A., Ratyńska J., Skarżyński H., Michalak T. Acoustic structure of voice in children considered for partial deafness treatment (PDT). *Journal of Hearing Science*, 2012; 2(2): OA75–80
 143. De P. Campos U., Sanches S., Hatzopoulos S., Carvallo R., Kochanek K., Skarżyński H. Alteration of distortion product otoacoustic emission input/output functions in subjects with a previous history of middle ear dysfunction. *Medical Science Monitor*, 2012; 18(4): MT 27 – 31
 144. Skarżyński P.H., Olszewski Ł., Skarżyński H., Lorens A. Cochlear implantation in aging population. *Audiology and Neurotology*, 2012; 17(1): 15–17 MNiSW 35
 145. Skarżyński H., Piotrowska A., Kamyk P., Czupryniak A., Saniewska-Kilim A., Włodarczyk A., Kochanek K, Skarżyński P.H. EU Council conclusions on early detection and treatment of communication disorders in children, including the use of e-health tools and innovative solutions. *Journal of Hearing Science*, 2012; 2: 49–50

146. Blamey P., Artieres F., Bařkent D., Bergeron F., Beynon A., Burke E., Dillier N., Dowell R., Fraysse B., Gallęgo S., Govaerts P.J., Green K., Huber A.M., Kleine-Punte A., Maat B., Marx M., Mawman D., Mosnier I., O'Connor A.F., O'Leary .S, Rousset A., Schauwers K., Skarżyński H., Skarżyński P.H., Sterkers O., Terranti A., Truy E., Van de Heyning P., Venail F., Vincent C., Lazard D.S. Factors affecting auditory performance of postlinguistically deaf adults using cochlear implants: an update with 2251 patients. *Audiology and Neuro-Otology*, 2012; 18(1): 36–47
147. Skarżyński H., Wolak T., Pluta A., M. Lewandowska, M. Rusiniak, Lorens A., Sliwa L., Skarżyński P.H. Functional magnetic resonance imaging of auditory cortex in partial deafness treatment. *Journal of Hearing Science*, 2012; 2(2): OA53–60
148. Skarżyński H., Van de Heyning P., DeMin H., Li Y., Bo L., Caversaccio M., Rivas J., A., Raine Ch., Arauz S., Zernotti M., Manoj M., Kameswaran M., Sprinzi G., Zorowka P., Staecker H., Parnes L., Gavilan J., Lassaletta L., Green K., Usami S., Muelle J., Atlas M., Rajan G., Godey B., Karltorp E., Yanov Y., Kuzovkov V., Adunka O., Buchman C., Baumgartner W.D., Gstoettner W., Hagen R., Skarżyński P.H., Lorens A. Hearing Preservation Classification. *Journal of Hearing Science*, 2012; 2(2): SR95–96
149. Hatzopoulos S., Petruccelli J., Śliwa L., Jędrzejczak W.W., Kochanek K., Skarżyński H. Hearing threshold prediction with Auditory Steady State Responses and estimation of correction functions to compensate for differences with behavioral data, in adult subjects. Part1: Audera and chartr EP devices. *Medical Science Monitor*, 2012; 18(7): MT47–53
150. Ratyńska J., Szkiełkowska A., Markowska R., Kurkowski M., Mularzuk M., Skarżyński H. Immediate speech fluency improvement after application of the digital speech aid in stuttering patients. *Medical Science Monitor*, 2012; 18(1): CR 9–12
151. Pollak A., Malesinska M., Lechowicz U., Skorka A., Korniszewski L., Sobczyk-Kopciol A., Waskiewicz A., Broda G., Iwanicka-Pronicka K., Skarżyński H., Ploski R. MTHFR 677T is a strong determinant of a degree of hearing loss among Polish males with postlinguall sensorineural hearing impairment. *DNA and Cell Biology*, 2012; 31(7): 1267–73
152. Blinowska K.J., Kwaskiewicz K., Jędrzejczak W.W., Skarżyński H. Musical ratios in sounds from the human cochlea. *PlosOne*, 2012; 7(5): e37988
153. Lorens A., Zgoda M., Skarżyński H. New audio processor for combined electric and acoustic stimulation for the treatment of partial deafness. *Acta Oto-Laryngologica*, 2012; 132(7): 739–50
154. Cascella V., Giordano P., Hatzopoulos S., Petruccelli J., Prosser S., Simoni E, Astolfi L., Fetoni A.R., Skarżyński H., Martini A. New oral otoprotective agent. Part 1: Electrophysiology data from protection against noise-induced hearing loss. *Medical Science Monitor*, 2012; 18(2): BR 1–8
155. Jędrzejczak W., Kochanek K., Sliwa L., Pilka E., Trzaskowski B., Skarżyński P.H., Skarżyński H. Otoacoustic emissions for the evaluating the low-frequency hearing of patients considered for partial deafness treatment. *Journal of Hearing Science*, 2012; 2(2): OA86–91
156. Jędrzejczak W.W., Hatzopoulos S., Sliwa L., Pilka E., Kochanek K., Skarżyński H. Otoacoustic emissions in neonates measured with different acquisition protocols. *International Journal of Pediatric Otorhinolaryngology*, 2012; 76: 382–87
157. Obrycka A., Padilla J.L., Putkiewicz-Aleksandrowicz J., Lorens A., Skarżyński H. partial deafness treatment in children: a preliminary report of the parents' perspective. *Journal of Hearing Science*, 2012; 2(2): OA61–69
158. Zgoda M., Lorens A., Skarżyński H. partial deafness treatment in children: educational settings after 5 to 7 years of cochlear implant use. *Journal of Hearing Science*, 2012; 2(2): OA70–74

159. Skarżyński H., Lorens A., Matusiak M., Porowski M., Skarżyński P.H., James C.J. partial deafness treatment with the nucleus straight research array cochlear implant. *Audiology and Neuro-Otology*, 2012; 17(2): 82–91
160. Cudejko R., Dziekiewicz M., Banaszekiewicz A., Skarżyński H., Radzikowski A. Persistent upper respiratory diseases in children: role of gastroesophageal reflux studied using intraluminal impedance and pH. *Journal of Hearing Science*, 2012; 2(1): OA41–45
161. Iwanicka-Pronicka K., Pollak A., Skórka A., Lechowicz U., Pajdowska M., Furmanek M., Rzeski M., Korniszewski L., Skarżyński H., Płoski R. Postlingual hearing loss as a mitochondrial 3243A>G mutation phenotype. *PLoS One*, 2012; 7(10): e44054
162. Lazard D.S., Vincent C., Venail F., Van de Heyning P., Truy E., Sterkers O., Skarżyński P.H., Skarżyński H., Schauwers K., O'Leary S., Mawman D., Maat B., Kleine-Punte A., Huber A.M., Green K., Govaerts P.J., Fraysse B., Dowell R., Dillier N., Burke E., Beynon A., Bergeron F., Başkent D., Artières F., Blamey P.J. Pre-, per- and postoperative factors affecting performance of postlinguistically deaf adults using cochlear implants: a new conceptual model over time. *PLoS One*, 2012; 7(11): e48739
163. Skarżyński H., Piotrowska A. Prevention of communication disorders – screening pre-school and school-age children for problems with hearing, vision and speech: European Consensus Statement. *Medical Science Monitor*, 2012; 18(4): SR17–21
164. Fabijańska A., Smurzyński J., Hatzopoulos S., Kochanek K., Bartnik G., Raj-Koziak D., Mazzoli M., Skarżyński P.H., Jędrzejczak W.W., Szkiefkowska A., Skarżyński H. Relationship between distortion product otoacoustic emissions and extended high-frequency audiometry in tinnitus patients. Part 1: Normally hearing patients with unilateral tinnitus. *Medical Science Monitor*, 2012; 18(12): CR765–770
165. Skarżyński H., Piotrowska A. Screening for pre-school and school-age hearing problems: European consensus statement. *International Journal of Pediatric Otorhinolaryngology*, 2012; 76(1): 120–21
166. Skarżyński H., Matusiak M., Piotrowska A., Skarżyński P.H. Surgical techniques in partial deafness treatment. *Journal of Hearing Science*, 2012; 2(3): 9–13
167. Wąsowski A., Bruski L., Lorens A., Obrycka A., Walkowiak A., Skarżyński P.H., Skarżyński H. Telefitting method used in the National Network of Teleaudiology: assessment of quality and cost effectiveness. *Journal of Hearing Science*, 2012; 2(2): OA81–85
168. Skarżyński H. Ten years' experience with a new strategy of partial deafness treatment. *Journal of Hearing Science*, 2012; 2(2): RA11–18
169. Jędrzejczak W.W., Bell A., Skarżyński P.H., Kochanek K., Skarżyński H. Time-frequency analysis of linear and nonlinear otoacoustic emissions and removal of a short-latency stimulus artifact. *Journal of the Acoustical Society of America*, 2012; 131(3): 2200–8
170. Jędrzejczak W.W., Kochanek K., Trzaskowski B., Pilka E., Skarżyński PH, Skarżyński H. Tone-burst and click-evoked otoacoustic emissions in subjects with hearing loss above 0.25, 0.5, and 1 kHz. *Ear and Hearing*, 2012; 33(6): 757–67
171. Bartnik G., Stępień A., Raj-Koziak D., Fabijańska A., Niedziałek I., Skarżyński H. Troublesome tinnitus in children: epidemiology, audiological profile, and preliminary results of treatment. *International Journal of Pediatrics*, 2012; 2012: 945356
172. Skarżyński H., Lorens A., Zgoda M., Piotrowska A., Skarżyński P.H., Szkiefkowska A. Atraumatic round window deep insertion of cochlear electrodes. *Acta Oto-Laryngologica*, 2011; 131(7): 740–49
173. Wysocki J., Kwacz M., Mrówka M., Skarżyński H. Comparison of round-window membrane mechanics before and after experimental stapedotomy. *Laryngoscope*, 2011; 121: 1958–64

174. Lalaki P., Hatzopoulos S., Lorito G., Kochanek K., Śliwa L., Skarżyński H. Connection between the efferent auditory system and noise-induced tinnitus generation. Reduced contralateral suppression of TEOAEs in patients with noise-induced tinnitus. *Medical Science Monitor*, 2011; 17(7): MT56–62
175. De Paula Campos U., Hatzopoulos H., Kochanek K., Śliwa L., Skarżyński H. Mamede Carvalho R.M. Contralateral suppression of otoacoustic emissions: input-output functions in neonates. *Medical Science Monitor*, 2011; 17(10): CR 557–62
176. Rydzanicz M., Cywińska K., Wróbel M., Pollak A., Gawęcki W., Wojsyk-Banaszak I., Lechowicz U., Mueller-Malesińska M., Ołdak M., Płoski R., Skarżyński H., Szyfter K., Szyfter W. Contribution of the mitochondrial COI/tRNA(Ser(UCN)) gene mutations to non-syndromic and aminoglycoside-induced hearing loss in Polish patients. *Molecular Genetics and Metabolism*, 2011; 104(1–2): 153–9
177. Скаржиньски Г., Лоренс А., Барияк Р., Пьотровска А., Скаржиньски П.Г. Сбереження слуху при лікуванні хворих з частковою глухотою (PDT). *Журнал вушних, носових і горлових хвороб*, 2011; 2: 2–10
178. Lorito G., Hatzopoulos S., Laurell G., Campbell K.C.M., Petruccelli J., Giordano P., Kochanek K., Sliwa L., Martini A., Skarżyński H. Dose-dependent protection on cisplatin-induced ototoxicity – an electrophysiological study on the effect of three antioxidants in the Sprague Dawley rat animal model. *Medical Science Monitor*, 2011; 17(8): BR179–86
179. Skarżyński H., Piotrowska A., Szaflik J., Luxon L., Zehnhoff-Dinnesen A., Kaufmann-Meyer M., Kamyk P., Skarżyński P.H. European consensus statement on hearing, vision, and speech screening in pre-school and school-age children. *Journal of Hearing Science*, 2011; 1(2): 89–90
180. Walkowiak A., Lorens A., Polak M., Kostek B., Skarżyński H., Szkiełkowska A., Skarżyński P.H. Evoked stapedius reflex and compound action potential thresholds versus most comfortable loudness level: assessment of their relation for charge-based fitting strategies in implant users. *Journal of Oto-Rhino-Laryngology, Head and Neck Surgery*, 2011; 73: 189–95
181. Skarżyński P.H., Kochanek K., Skarżyński H., Senderski A., Wysocki J., Szkiełkowska A., Bartnik G., Lorens A., Piotrowska A., Śliwa L., Jędrzejczak W., Piłka A., Bruski Ł., Wanatowska O., Kopaczewski M., Łazęcka K., Ludwikowski M., Olszewski Ł. Hearing screening program in school-age children in Western Poland. *Journal of International Advanced Otology*, 2011; 7(2): 194–200
182. Szkiełkowska A., Włodarczyk E., Skarżyński H. Hoarseness and allergy in children [Охриплость и аллергия у детей]. *Voice and Speech [Голос и речь]*, 2011; 3(5): 56–63
183. McPherson D.L., Senderski A., Burnham M., Fujiki A., Harris R.W., Skarżyński H., Kochanek K. Masking level difference in an adaptive procedure for clinical investigation. *International Journal of Audiology*, 2011; 50(9): 613–20
184. Olszewski Ł., Ratuszniak A., Obrycka A., Porowski M., Skarżyński P.H., Pastuszek A., Skarżyński H. Middle ear implant – a chance for elimination of certain restrictions on sound perception tied with the hearing aids in partial deafness treatment. *International Journal of Pediatric Otorhinolaryngology*, 2011; 75(Supl. 1): 8
185. Pluta A., Kurkowski M., Rusiniak M., Wolak T., Wasilewska N., Grudzień D., Skarżyński H. Neural deficits in children with auditory processing disorder. Evidence from functional MRI. *Journal of Hearing Science*, 2011; 1(2): 70–72
186. Piotrowska A., Lorens A., Jędrzejczak W.W., Skarżyński H. Analysis of factors affecting hearing preservation after cochlear implantation. *Cochlear Implants International*, 2010; 11(Supl. 1): 114–16

187. Obrycka A., Skarżyński H., Lorens A., Piotrowska A., Zgoda M. Assessment of benefit after bilateral cochlear implantation in children. *Cochlear Implants International*, 2010; 11(Supl. 1): 79–82
188. Skarżyński H., Lorens A., Kochanek K., Mrówka M. Bilateral auditory brainstem implantation in a patient with neurofibromatosis type II. *Cochlear Implants International*, 2010; 11(Supl. 1): 88–93
189. Zgoda M., Lorens A., Pankowska A., Woźniak A., Piotrowska A., Skarżyński H. Computer-based, word-free phoneme identification test Teetahtoo – adaptation into Polish. *Cochlear Implants International*, 2010; 11(Supl. 1): 403–5
190. Markowska R., Szkiełkowska A., Ratyńska J., Włodarczyk E., Skarżyński H. Diseases in professional voice users. *IALP International Association of Logopedics and Phoniatrics*, 2010; 1: 821–27
191. Skarżyński H., Lorens A. Electric acoustic stimulation in children. *Advances in Oto-Rhino-Laryngology*, 2010; 67: 135–43
192. Podskarbi-Fayette R., Pilka A., Skarżyński H. Electric stimulation complements functional residual hearing in partial deafness. *Acta Oto-Laryngologica*, 2010; 130(8): 888–96
193. Wakowiak A., Lorens A., Kostek B., Skarżyński H. ESRT, ART and MCL correlations in experienced paediatric cochlear implant users. *Cochlear Implants International*, 2010; 11(Supl. 1): 482–84
194. Jędrzejczak W.W., Lorens A., Piotrowska A., Piłka E., Kochanek K., Skarżyński H. Evaluation of patients with partial deafness by transiently evoked otoacoustic emissions. *Cochlear Implants International*, 2010; 11(Supl. 1): 110–13
195. Skarżyński H., Lorens A., Piotrowska A., Skarżyński P.H. Hearing preservation in partial deafness treatment. *Medical Science Monitor*, 2010; 16(11): CR555–62
196. Pankowska A., Zgoda M., Skarżyński H., Wąsowski A., Geremek A. Home rehabilitation clinic as a form of support for parents of implanted children. *Cochlear Implants International*, 2010; 11(Supl. 1): 360–63
197. Senderski A., Skarżyński H., Milner R., Skarżyński P.H., McPherson D.L.: Improving Central Auditory Processing in Children with Cochlear Implants – Challenges and New Possibilities. *Cochlear Implants International*, 2010; 11(Supl. 1): 379–81
198. Wąsowski A., Lorens A., Obrycka A., Walkowiak A., Woźniak A., Skarżyński H. Influence of non-optimal levels of electrical stimulation in cochlear implantees on hearing benefits. *Cochlear Implants International*, 2010; 11(Supl. 1): 485–88
199. Brockmeier S.J., Peterreins M., Lorens A., Vermeire K., Helbig S., Anderson I., Skarżyński H., Van de Heyning P., Gstoettner W., Kiefer J. Music perception in electric acoustic stimulation users as assessed by the Mu.S.I.C. test. *Advances in Oto-Rhino-Laryngology*, 2010; 67: 70–80
200. Rydzanicz M., Wróbel M., Pollak A., Gawecki W., Brauze D., Kostrzewska-Poczekaj M., Wojsyk-Banaszak I., Lechowicz U., Mueller-Malesińska M., Ołdak M., Płoski R., Skarżyński H., Szyfter K. Mutation analysis of mitochondrial 12S rRNA gene in Polish patients with non-syndromic and aminoglycoside-induced hearing loss. *Biochemical and Biophysical Research Communications*, 2010; 395(1): 116–21
201. Skarżyński H., Podskarbi-Fayette R. New cochlear implant electrode design for preservation of residual hearing: a temporal bone study. *Acta Oto-Laryngologica*, 2010; 130(8): 888–96
202. Skarżyński H., Kochanek K., Senderski A., Skarżyński P.H., Ludwikowski M., Kopaczewski M., Bruski Ł. Organization of the hearing screening examinations in Polish

- schools in rural areas and small towns. *Cochlear Implants International*, 2010; 11(Supl. 1): 143–47.
203. Skarżyński H., Lorens A. partial deafness treatment. *Cochlear Implants International*, 2010; 11(Supl. 1): 29–41.
204. Lorens A., Zgoda M., Waśkiewicz B., Lutek A., Skarżyński H. Preliminary results of Duet to Duet 2 Upgrade. *Cochlear Implants International*, 2010; 11(Supl. 1): 75–78
205. Wesarg T., Wąsowski A., Skarżyński H. Ramos A., Falcon Gonzalez J.C., Kyriafinis G., Junge F., Novakovich A., Mauch H., Laszig R. Remote fitting in Nucleus cochlear implant recipients. *Acta Oto-Laryngologica*, 2010; 30(12): 1379–88
206. Lorens A., Zgoda M., Skarżyński H. Speech perception and subjective benefit in paediatric C40+ users after the upgrade to Fine Structure Processing (FSP). *Cochlear Implants International*, 2010; 11(Supl. 1): 444–48
207. Walkowiak A., Kostek B., Lorens A., Obrycka A., Wąsowski A., Skarżyński H. Spread of Excitation (SoE) – a non-invasive assessment of cochlear implant electrode placement. *Cochlear Implants International*, 2010; 11(Supl. 1): 479–81
208. Putkiewicz J., Lorens A., Piotrowska A., Obrycka A., Lutek A., Skarżyński H. Subjective benefit after partial deafness cochlear implantation. *Cochlear Implants International*, 2010; 11(Supl. 1): 122–24
209. Hatzopoulos S., Prosser S., Ciorba A., Giarbini N., Kochanek K., Śliwa L., Skarżyński H., Martini A. Threshold estimation in adult normal- and impaired hearing subjects using auditory steady-state responses. *Medical Science Monitor*, 2010; 16(1): CR21–27
210. Obrycka A., Pankowska A., Lorens A., Skarżyński H., Padilla J.L. Translation of the LittLEARS Questionnaire into Polish. *Cochlear Implants International*, 2010; 11(Supl. 1): 340–45
211. Obrycka A., Pankowska A., Lorens A., Skarżyński H., Padilla J.L. Validation of results of the Polish version of the LittLEARS questionnaire. *Cochlear Implants International*, 2010; 11(Supl. 1): 346–50
212. Skarżyński H., Behr R., Lorens A., Podskarbi-Fayette R., Kochanek K. Bilateral electric stimulation from auditory brainstem implants in a patient with neurofibromatosis type 2. *Medical Science Monitor*, 2009; 15(6): CS100–4
213. Hatzopoulos S., Ciorba A., Petruccielli J., Grasso D., Śliwa L., Kochanek K., Skarżyński H., Martini A. Estimation of pure-tone thresholds in adults using extrapolated distortion product otoacoustic emission input-output-functions and auditory steady state responses. *International Journal of Audiology*, 2009; 48(9): 625–31
214. Jędrzejczak W.W., Lorens A., Piotrowska A., Kochanek K., Skarżyński H. Otoacoustic emissions evoked by 0.5 kHz tone bursts. *Journal of the Acoustical Society of America*, 2009; 125: 3158–65
215. Obrycka A., Pankowska A., Padilla Garcia J.L., Lorens A., Skarżyński H. Production and evaluation of a Polish version of the LittLEARS questionnaire for the assessment of auditory development in infants. *International Journal of Pediatric Otorhinolaryngology*, 2009, 73, 1035–42
216. Skarżyński H., Lorens A., Piotrowska A., Podskarbi-Fayette R. Results of partial deafness cochlear implantation using various electrode designs. *Audiology and Neuro-Otology*, 2009; 14: 39–45
217. Ratyńska J., Szkiełkowska A., Markowska R., Kurkowski M., Mularzuk M., Skarżyński H. Stuttering patients' opinions on the digital speech aid. *Medical Science Monitor*, 2009; 15(7): 355–60

218. Skarżyński H., Podskarbi-Fayette R. Treatment of otorhinolaryngological manifestations of three rare genetic syndromes: Branchio-Oculo-Facial (BOF), Ectrodactyly Ectodermal dysplasia Clefing (EEC) and focal dermal hypoplasia (Goltz syndrome). *International Journal of Pediatric Otorhinolaryngology*, 2009; 73(1): 143–51
219. Jędrzejczak W.W., Kwaskiewicz K., Blinowska K.J., Kochanek K., Skarżyński H. Use of the matching pursuit algorithm with a dictionary of asymmetric waveforms in the analysis of transient evoked otoacoustic emissions. *Journal of the Acoustical Society of America*, 2009; 126(6): 3137–46
220. Markowska R., Szkiełkowska A., Ratyńska J., Skarżyński H. Coherence between Tomatis test and Central Auditory Processing audiologic test battery in children with dyslexia. *Polish Journal of Environmental Studies*, 2008; 17(4A)
221. Markowska R., Szkiełkowska A., Ratyńska J., Skarżyński H. Comparison of adenoid size visualized radiograms and endoscopic examination indications for adenoidectomy. *Polish Journal of Environmental Studies*, 2008; 17(4A)
222. Pollak A., Mueller-Malesińska M., Skórka A., Kostrzewa G., Ołdak M., Korniszewski L., Skarżyński H., Płoski R. GJB2 and hearing impairment: promoter defects do not explain the excess of monoallelic mutations. *Journal of Medical Genetics*, 2008; 45(9): 607–8
223. Gifford R.H., Dorman M.F., Spahr A.J., Bacon S.P., Skarżyński H., Lorens A. Hearing preservation surgery: psychophysical estimates of cochlear damage in recipients of a short electrode array. *Journal of the Acoustical Society of America*, 2008; 124(4): 2164–73
224. Lorens A., Polak M., Piotrowska A., Skarżyński H. Outcomes of Treatment of Partial Deafness with cochlear implantation: a DUET study. *Laryngoscope*, 2008; 118(2): 288–94
225. Hatzopoulos S., Kochanek K., Śliwa L., Skarżyński H. Pilot study on assessing hearing threshold using the Cochlea-Scan. *Medical Science Monitor*, 2008; 14: MT7–11
226. Jędrzejczak W.W., Blinowska K.J., Kochanek K., Skarżyński H. Synchronized spontaneous otoacoustic emissions analyzed in a time-frequency domain. *Journal of the Acoustical Society of America*, 2008; 124: 3720–29
227. Pollak A., Skórka A., Mueller-Malesińska M., Kostrzewa G., Kisiel B., Waligóra J., Krajewski P., Ołdak M., Korniszewski L., Skarżyński H., Płoski R. M34T and V37I mutations in GJB2 associated hearing impairment: evidence for pathogenicity and reduced penetrance. *American Journal of Medical Genetics, Part A*, 2007; 143A(21): 2534–43
228. Czyżewski A., Skarżyński H. Multimedia applications for the hearing impaired. *Archives of Acoustics*, 2007; 32(3): 491–504
229. Skarżyński H., Lorens A., Piotrowska A., Anderson I. Partial deafness cochlear implantation in children. *International Journal of Pediatric Otorhinolaryngology*, 2007; 71(9): 1407–13
230. Skarżyński H., Lorens A., Piotrowska A., Anderson I. Preservation of low frequency hearing in partial deafness cochlear implantation (PDCI) using the round window surgical approach. *Acta Oto-Laryngologica*, 2007; 127(1): 41–8
231. Lorens A., Skarżyński H., Piotrowska A. New methods of deafness and partial deafness treatment. *Biocybernetics and Biomedical Engineering*, 2006; 26: 75–83
232. Wysocki J., Skarżyński H. Size of selected human skull foramina in relation to skull capacity. *Folia Morphologicaogica*, 2006; 65(4): 301–8
233. Ratyńska J., Szkiełkowska A., M. Kurkowski, Markowska R., Skarżyński H. Listening abilities in children with functional voice disorders. *Folia Phoniatica*, 2005
234. Anderson I., Pitterl M., Skarżyński H., Evans R., Godey B., Sainz M.Q., D’Haese P.S.C. Long-term data on children implanted with a short electrode array. *International Journal of Pediatric Otorhinolaryngology*, 2005; 69: 157–64

235. Skarżyński H., Mrówka M., Młotkowska-Klimek P., Skarżyńska B. Assessment of total pinna reconstruction in the treatment of unilateral microtia. *New Medicine*, 2004; 3: 69–70
236. Borawska B., Bartnik G., Raj-Koziak D., Fabijańska A., Skarżyński H., Mrówka M. Children with tinnitus and hyperacusis in the material of tinnitus clinic. *New Medicine*, 2004; 3: 77–79
237. Skarżyński H., Mrówka M., Młotkowska-Klimek P., Skarżyńska B. Effects of treatment of otosclerosis in children. *New Medicine*, 2004; 7: 87–88
238. Obrycka A., Piotrowska A., Lorens A., Skarżyński H. Floating mass transducer utilized in the middle ear implant. *Structures – Waves – Human Health*, 2004; XIII(2): 91–96
239. Kochanek K., Skarżyński H., Janczewski G., Dobrzyński P., Piłka A. Frequency-specificity of auditory brainstem responses elicited by 500 Hz tone-pip with gaussian envelope in normal hearing and sensorineural hearing loss. *International Congress Series (Elsevier)*, 2004; 1240: 257–61
240. Skarżyński H., Mrówka M., Młotkowska-Klimek P., Skarżyńska B., Sitarz L. Functional results of reconstruction after a modified radical ear operation. *New Medicine*, 2004; 7(4): 97–99
241. Wąsowski A., Lorens A., Walkowiak A., Obrycka A., Piotrowska A., Skarżyński H. Medical database for statistical analysis of benefits after cochlear implantation. *Structures – Waves – Human Health*, 2004: XIII(2)
242. Lorens A., Piotrowska A., Wąsowski A., Walkowiak A., Skarżyński H. Objective method of pediatric cochlear implant system fitting. *New Medicine*, 2004; vol. 7(4): 109–11
243. Skarżyński H., Młotkowska-Klimek P., Skarżyńska B., Mrówka M. Ossicular chain reconstruction in a damaged incudo-stapedial joint. *New Medicine*, 2004; 7(4): 112–13
244. Lorens A., Piotrowska A., Skarżyński H. Pitch perception and the number of electrodes vs. long term development of speech perception ability in auditory brainstem implant. *International Congress Series (Elsevier)*, 2004; 1273: 429–32
245. Skarżyński H., Lorens A., Piotrowska A. Preservation of low-frequency hearing in partial deafness cochlear implantation. *International Congress Series (Elsevier)*, 2004; 1273: 239–42
246. Skarżyński H., Senderski A., Mueller-Malesińska M., Kochanek K., Ratyńska J. Program of early identification of hearing loss in newborns in Poland. *International Congress Series (Elsevier)*, 2004; 1273: 269–71
247. Lorens A., Wąsowski A., Walkowiak A., Piotrowska A., Skarżyński H. Stability of electrically elicited stapedius reflex threshold in implanted children over time. *International Congress Series (Elsevier)*, 2004; 1273: 84–86
248. Skarżyński H., Mrówka M., Młotkowska-Klimek P., Skarżyńska B. Surgical technique of external ear canal reconstruction. *New Medicine*, 2004; 7(3): 66–67
249. Skarżyński H., R. Behr, J. Szuchnik, A. Lorens, R. Zawadzki, A. Walkowiak, B. Skarżyńska, A. Piotrowska, Śliwa L. Three-year experience in rehabilitation of brainstem implant patients. *International Congress Series (Elsevier)*, 2004; 1273: 429–32
250. Tacikowska G., Kochanek K., Skarżyński H. Adaptation of ABR in patients with retrocochlear pathology. *Neurotology Newsletter*, 2003; 7(1): 88–92
251. Skarżyński H., Zawadzki R., Mrówka M., Młotkowska-Klimek P., Piotrowska A. Analysis of epidemiological and otological aspects of surgical treatment performed in the Institute of Physiology and Pathology of Hearing in the year 2001. *International Congress Series (Elsevier)*, 2003; 1240: 1417–20

252. Skarżyński H., Mrówka M., Zawadzki R., Młotkowska-Klimek P., Szkiełkowska A. Application of bone anchored hearing aids in different acquired and congenital ear malformations. *International Congress Series (Elsevier)*, 2003; 1240: 321–23
253. Skarżyński H., Piotrowska A., Lorens A., Szuchnik J., Walkowiak A., Śliwa L., Szkiełkowska A., Kochanek K. Application of electric-acoustic stimulation in patients with profound hearing loss-case study. *International Congress Series (Elsevier)*, 2003; 1240: 291–95
254. Sainz M., Skarżyński H., Allum J., Helms J., Rivas A., Martin J., Zorowka P., Phillips L., Delauney J., Brockmeyer S., Kompis M., Korolewa I., Albegger K., Zwirner P., Van de Heyning P., D’Haese P. Assessment of auditory skills in 140 cochlear implant children using the EARS protocol. *ORL – Journal for Oto-Rhino-Laryngology and its Related Specialties*, 2003; 65: 91–96
255. Pasternak P., Mueller-Maklesińska M., Skarżyński H. Caloric tests in children with genetical hearing impairment. *Neurootology Newsletter*, 2003; 7(1): 86–87
256. Skarżyński H., Czyżewski A., Senderski A., Kochanek K. “I can hear”: a system for universal hearing screening in school age children. Organization and first results. *International Congress Series (Elsevier)*, 2003; 1240: 325–37
257. Skarżyński H., Lorens A., Piotrowska A. New method of partial deafness treatment. *Medical Science Monitor*, 2003; 9(4): 20–24
258. Lorens A., Skarżyński H., Piotrowska A., Walkowiak A., Śliwa L., Kochanek K. Objective methods of postoperative tests in cochlear implant patients. *International Congress Series (Elsevier)*, 2003; 1240: 379–83
259. Bredberg G., Lindstrom B., Baumgartner W. D., Goldberg W., Pillsbury H., Skarżyński H., et al. Open-set speech perception in adult cochlear implant users with ossified cochleae. *Cochlear Implants International*, 2003; 4(2): 55–72
260. Raj-Koziak D., Bartnik G., Fabijańska A., Borawska B., Skarżyński H., Rogowski M., Kochanek K. Tinnitus as a symptom of acoustic neuroma. *International Congress Series (Elsevier)*, 2003; 1240: 313–15
261. Skarżyński H., Lorens A., D’Haese P., Walkowiak A., Piotrowska A., Śliwa L., Anderson I. Preservation of residual hearing in children and post-lingually deafened adults after cochlear implantation: an initial study. *ORL – Journal for Oto-Rhino-Laryngology and the Related Specialties*, 2002; 64: 247–53
262. Ratyńska J., Grzanka A., Mueller-Malesińska M., Skarżyński H. Correlations between risk factors for hearing impairment and TEOAE screening test outcome in neonates at risk for hearing loss. *Scandinavian Audiology*, 2001; 30(Supl. 52): 15–17
263. Mueller-Malesińska M., Waligóra J., Korniszewski J., Płoski R., Nowak M., Skarżyński H. Epidemiology of 35delG mutation in GJB2 gene in a Polish population. *Journal of Audiological Medicine*, 2001; 10(2): 136–41
264. Walkowiak A., Lorens A., Piotrowska A., Śliwa L., Skarżyński H. Intraoperative objective methods of examination of hearing system electrical characteristics. *Structures – Waves – Biomedical Engineering*, 2001; X(2): 159–65
265. Mueller-Malesińska M., Skarżyński H., Ołtarzewski M., Szymborki J., Ratyńska J. Project of the countrywide data collecting system for neonatal hearing screening program in Poland. *Scandinavian Audiology*, 2001; 30(Supl. 52): 197–98
266. Szuchnik J., Skarżyński H., Geremek A., Zawadzki R. Results of total deafness treatment in small pre- and postlingually deafened children. *Scandinavian Audiology*, 2001; 30(Supl. 52): 42–44

267. Niemczyk K., Vaneecloo F.M., Lemaitre L., Lecomte-Houcke M., Lejeune J.P., Vincent Ch., Skarżyński H., Dubrulle F. Correlation between Ki-67 index and some clinical aspects of acoustic neuromas (vestibular schwannomas). *Otolaryngology Head and Neck Surgery*, 2000; 123(6): 779–83
268. Skarżyński H., Szuchnik J., Lorens A., Zawadzki R. First auditory brainstem implantation in Poland: auditory perception results over 12 months. *Journal of Laryngology and Otology*, 2000; 114(Supl. 27): 44–45
269. Szuchnik J., Skarżyński H., Swiecicka A., Wojewodzka B., Michałowska E. Individual auditory skill profile as an original method of demonstrating auditory skill development. *Advances in Oto-Rhino-Laryngology*, 2000; 57: 298–99
270. Skarżyński H., Rogowski M., Bartnik G., Fabijańska A. Organization of tinnitus management in Poland. *Acta Oto-Laryngologica*, 2000; 120(2): 225–26
271. Ratyńska J., Mueller-Malesińska M., Kochanek K., Skarżyński H. Application of OAE and ABR techniques in neonatal screening and diagnostics of hearing impairments in newborns and infants. *New Medicine*, 1999; 3: 54–57
272. Ratyńska J., Mueller-Malesińska M., Senderski A., Kochanek K., Hadi H., Skarżyński H., Grzanka A. Distribution of risk factors for hearing impairment in the group of normally hearing and hearing impaired children – an analysis based on the High Risk Questionnaire. *Central and East European Journal of Oto-Rhino-Laryngology Head and Neck Surgery*, 1999; IV(1/13)
273. Niemczyk K., Vaneecloo F.M., Lemaitre L., Lejeune J.P., Skarżyński H., Dubrulle F., Vincent Ch. Growth of acoustic neuromas in volumetric radiologic assessment. *American Journal of Otology*, 1999; 20(2): 244–48
274. Fabijańska A., Bartnik G., Rogowski M., Raj-Koziak D., Skarżyński H. Hyperacusis in children in the material of the Tinnitus and Hyperacusis Treatment Clinic of the Institute of Physiology and Pathology of Hearing. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1999; IV(1/13)
275. Senderski A., McPherson D., Skarżyński H., Zawadzki R. Influence of attention on neurophysiological responses to spoken sentences. *Acta Neurobiologiae Experimentalis*, 1999; 59(3): 229
276. Skarżyński H., Czyżewski A., Kostek B. Prediction of post-operative profits in cochlear implanted people using electrical stimulation test results. *The Journal of Acoustical Society of America*, 1999; 105: 1346
277. Skarżyński H., Miszka K., Somers T., Żarowski A., Zawadzki R., Skarżyńska B. Anatomical reconstruction of auricle in the case of its complete absence. *Medical Science Monitor*, 1998; 4(Supl. 2): 63–65
278. Wysocki J., Skarżyński H. Distances between the cochlea and adjacent structures related to cochlear surgery. *Surgical & Radiologic Anatomy*, 1998; 20: 267–71
279. Senderski A., Kochanek K., Wróbel B., Piłka A., Ogińska Z., Skarżyński H. Effect of the biological amplifier bandpass width on the parameters of wave V of auditory brain stem responses in newborns. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(2/10): 258–63
280. Helms J., Müller J., Schön F., Moser L., Arnold W., Janssen W., Ramsden R., C.von Ilsberg, Kiefer J., Pfenningdorf T., Gstöttner W., Baumgartner W., Ehrenberg K., Skarżyński H., Ribari O. Evaluation of performance with the COMBI 40 cochlear implant in adults: a multicentric clinical study. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(1/9): 159–72

281. Kochanek K., Janczewski G., Skarżyński H., Zakrzewska-Pniewska B., Marchel A., Grzanka A., Piłka A., Jaśkiewicz M., Tacikowska G. Forward masking of auditory brain stem responses in normal hearing and in retrocochlear hearing loss. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(2/10): 251–57
282. Niemczyk K., Vaneecloo F.M., Houcke M.L., Vincent Ch., Skarżyński H., Bruzgielewicz A. Heterotransplantation of acoustic neuromas in athmic nude mice. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(1/9): 155–58
283. Grabias S., Skarżyński H. Information on foundation of the Polish Scientific Society of Hearing, Voice and Language Communication Disorders. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(3–4): 316
284. Bredberg G., Linström B., Löppönen H., Beltrame M.A., Gstottner W., Skarżyński H. New approach for the treatment of ossified cochleas. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(2/10): 264–66
285. Skarżyński H., Mueller-Malesińska M., Kochanek K., Ratyńska J., Senderski A., et al. Newborns and infants hearing screening program in Poland – results obtained in the period 1995–1998. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(3–4/11–12): 358–64
286. Niemczyk K., Vaneecloo F.M., Houcke M.L., Vincent Ch., Skarżyński H., Pham Th. Observation of the growth of acoustic neuroma in athymic nude mice. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(2/10): 267–69
287. Skarżyński H., Miszka K., Niemczyk K., Zawadzki R., Skarżyńska B. Ossiculoplasty in the reconstruction of conductive apparatus of middle ear. *Medical Science Monitor*, 1998; 4(Supl. 2): 38–40
288. Szuchnik J., Świącicka A., Lorens A., Skarżyński H. Polish patients' experience with the Combi-40 multichannel cochlear implant system. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(3–4/11–12): 330–32
289. Skarżyński H., Behr R., Niemczyk K., Marchel A., Müller J., Śliwa L., Szuchnik J., Miszka K., Skarżyńska B., Hochmair E., Lorens A., Zawadzki R. Programme of brainstem implants in Poland. *Medical Science Monitor* 1998; 4(Supl. 2): 40–3.
290. Szuchnik J, Świącicka A., Geremek A., Skarżyński H. Two year auditory speech perception results of prelingually deafened teenagers using Combi 40 implant system. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1998; III(3–4/11–12): 344–49
291. Bredberg G., Lindström B., Löppönen H., Skarżyński H., Hyodo M., Sato H. Electrodes for ossified cochleas. *American Journal of Otology*, 1997; 18: 42–43
292. Helms J., Müller J., Schön F., Moser L., Arnold W., Janssen T., Ramsden R., von Ilberg C., Kiefer J., Pfennigdorf T., Gstöttner W., Baumgartner W., Ehrenberger K., Skarżyński H., Ribari O., Thumfart W., Stephan K., Mann W., Heinemann M., Zorowka P., Lippert K.L., Zenner H.P., Bohndorf M., Hüttenbrink K., Hochmair-Desoyer I., et al. Evaluation of performance with the COMBI40 cochlear implant in adults: a multicentric clinical study. *ORL – Journal for Oto-Rhino-Laryngology and its Related Specialties*, 1997; 59(1): 23–35
293. Grabias S., Skarżyński H. Information on the foundation of the Polish Scientific Society of Hearing, Voice and Language Communication Disorders. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1997; 3/4 (7/8)

294. Żarowski A., Skarżyński H., Peeters S., Govaerts P., Somers T., Offeciers F.E. LAURA Flex cochlear implant surgical technique. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1997; II(1/2): 42–51
295. Skarżyński H., Geremek A., Szuchnik J., Postulszna-Owczar M., Lorens A., Michałowska E. Patients selection protocol for cochlear implantation. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1997; II(3/4): 126–31
296. Wysocki J., Skarżyński H. Studies on the position of the electrode of the intracochlear implant in relation to temporal bone structures in various operative approaches. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1997; II(1/2): 15–21
297. Wysocki J., Skarżyński H., Gielecki J. Anatomical investigation of the round window and its niche for the intracochlear electrode implantation. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1996; 1(2): 102–8
298. Skarżyńska B., Skarżyński H., Niemczyk K. Brain stem implantable electrodes in management of total deafness after removal of acoustic neuroma – a review of operative approaches. *Folia Morphologicaogica (Warsaw)*, 1996; 55(4): 442–43
299. Skarżyński H., Janczewski G. Cochlear implants in ossified cochleas: surgical problems, first results. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1996; 1(1): 42–46
300. Wysocki J., Skarżyński H., Piasecki K., Gielecki J., Brzozowska M. Dimensions of the vestibular scale with reference to cochlear implantation. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1996; 1(3): 205–8
301. Kochanek K., Jędrusik A., Janczewski G., Skarżyński H. Evaluation of hearing threshold using ABR evoked by click and 0.5 and 1 kHz pip. *Audiology*, 1996; 35: 100
302. Wróbel B., Skarżyński H., Jędrusik A., Kochanek K., Geremek A. Newborns and infants hearing screening program in Poland. *Audiology*, 1996; 35: 87–116
303. Skarżyński H. Polish – German Symposia. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1996; 1(1): 64–65
304. Skarżyński H., Wróbel B., Michałowska E. Report from the 2nd Biennial International Symposium on Modern Problems of Physiology and Pathology of Hearing, October 23–25, 1995, Moscow, Russia. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1996; 1(3): 267–68
305. Kosmalowa J., Skarżyński H. Report from the Third International Conference on Diagnostic, Treatments and Rehabilitation of Hearing Impairments. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1996; 1(2): 151–2
306. Żarowski A., Offeciers E., Skarżyński H. Surgery-related problems in cochlear implantations. *Central and East European Journal of Oto-Rhino-Laryngology and Head and Neck Surgery*, 1996; 1(4): 336–44
307. Piasecki K., Wysocki J., Skarżyński H., Reymond J. Mastoid emissary in man. An anatomical-clinical study. *Folia Morphologicaogica (Warsaw)*, 1995; 54(3): 165–72
308. Geremek A., Malesińska M., Góralówna M., Szuchnik J., Skarżyński H. Guidelines of children's rehabilitation program post cochlear implantation. *Head and Neck Diseases*, 1994; 3: 111–3
309. Skarżyński H., Geremek A., Malesińska M., Klasek O., Piotrowski J. Indications for cochlear implants in children. *Head and Neck Diseases*, 1994; 3: 88–92
310. Skarżyński H., Janczewski G., Balcerzak J. Otitis media sectoria – late results. *Head and Neck Diseases*, 1994; 3: 33–35

311. Skarżyński H., Osuch-Wójcikiewicz E., Balcerzak J., Niemczyk K. Prognostic factors in case of metastases to the cervical lymph nodes of the laryngeal and hypopharyngeal cancer. *Head and Neck Diseases*, 1994; 3: 125–30
312. Skarżyński H., Niemczyk K., Balcerzak J. Reconstructive middle ear surgery failure. *Head and Neck Diseases*, 1994; 3: 67–71
313. Skarżyński H., Niemczyk K., Skarżyńska B. Some cases of the reconstruction of the middle ear. *Head and Neck Diseases*, 1994; 3: 27–29
314. Skarżyński H., Mueller-Malesińska M., Góralówna M., Szuchnik J., Geremek A., Wojewódzka B., Matejuk-Studzińska E. Strukturierung und Ablauf der Rehabilitation von Patienten mit Cochleaimplantaten. *Otorhinolaryngologia Nova*, 1994; 4: 203–8
315. Wysocki J., Skarżyński H., Skarżyńska B. Topographical anatomy of the temporal bone – cochlear implantation. *Head and Neck Diseases*, 1994; 3: 170–75
316. Skarżyński H., Janczewski G., Bruzgielewicz A., Geremek A. Intrasiginiai ir ekstrasiniai implantatai. *Medicina*, 1993; 12(29): 3–6
317. Skarżyński H., Skarżyńska B., Kukwa A., Nowak M. Changes in the lymphatic vessels network of the larynx caused by atrophy and hypertrophy of mucosa. *Folia Morphologica*. (Warsz.), 1988; 47: 93–99
318. Skarżyński H., Skarżyńska B., Kukwa A., Deszczyńska H., Pagacz I. Lymphatic net in the mucosa of the trachea and infraglottic area. *Folia Morphologica* (Warsz.), 1988; 47: 89–92
319. Skarżyńska B., Nowak M., Skarżyński H., Kukwa A. Lymphatic vessels in the laryngeal mucosa – the glottis network. *Folia Morphologica* (Warsz.), 1988; 47: 101–6
320. Włodarski K., Kukwa A., Skarżyński H. Laryngeal carcinomas stimulate locally formation and resorption of adjacent bones. *Bulletin of Polish Academy of Biol. Sciences*, 1987; 35(4–6): 105–9
321. Skarżyńska B., Kukwa A., Skarżyński H. Topography of the lymphatic network of the laryngeal mucosa, *Folia Morphologica*., 1985, XLIII, 2, 39–41